

1-2-88

To: 1 030900  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

API NUMBER 15- 135-23,203-0000

SE NE NW, SEC. 16, T 18 S, R 26 W/EX  
4290 feet from S section line  
2970 feet from E section line

TECHNICIAN'S PLUGGING REPORT  
Operator License # 4959  
Operator: ZPC Petroleum, Inc.  
Name & Address 9319 East Harry, Suite 122  
Wichita, KS 67207

Lease Name Breit Well # 1-16  
County Ness 151.13  
Well Total Depth 4650 feet  
Conductor Pipe: Size \_\_\_\_\_ feet  
Surface Casing: Size 8 5/8 feet 250

Abandoned Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ D&A X  
Other well as hereinafter indicated \_\_\_\_\_

Plugging Contractor Red Tiger Drilling Company License Number 5302  
Address 1720 Kansas State Bank Bldg., Wichita, KS 67202

Company to plug at: Hour: 12:30 p.m. Day: 2 Month: 1 Year: 19 88

Plugging proposal received from Walt Oden  
(company name) Red Tiger Drilling Company (phone) 316-263-1201

were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1988-2022'  
1st plug at Base Anhydrite with 50 sx cement,  
2nd plug at 1050' with 80 sx cement,  
3rd plug at 280' with 40 sx cement,  
4th plug at 40' with 10 sx cement, 5th plug to circulate rathole with 15 sx cement.

Plugging Proposal Received by Richard Lacey  
(TECHNICIAN)

Plugging Operations attended by Agent?: All \_\_\_\_\_ Part \_\_\_\_\_ None X

Operations Completed: Hour: 2:30 p.m. Day: 2 Month: 1 Year: 19 88

ACTUAL PLUGGING REPORT 1st plug at 2020' with 50 sx cement,  
2nd plug at 1050' with 80 sx cement,  
3rd plug at 280' with 40 sx cement,  
4th plug at 40-0' with 10 sx cement,  
5th plug to circulate rathole with 15 sx cement.

1-5-88

Remarks: Used 60/40 Pozmix 6% gel by Allied.  
(if additional description is necessary, use BACK of this form.)

INVOICED

DATE 1-11-88

INV. NO. 19520

1-2-

Signed Steve Lacey  
(TECHNICIAN)

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Expected Spud Date. 12 23 87 month day year

API Number 15-135-23203-0000

OPERATOR: License # 4959 Name ZPC PETROLEUM, INC. Address 9319 E. Harry Ste. 122 City/State/Zip Wichita, KS 67207 Contact Person Mr. Zeb Stewart Phone 683-8838

SE NE NW Sec. 16 Twp. 18 S, Rg. 26W East West 4290 Ft. from South Line of Section 2970 Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

Nearest lease or unit boundary line 330 feet County Ness

CONTRACTOR: License # 5302 Name Red Tiger Drilling Co. City/State Wichita, KS 67202

Lease Name Breit Well # 1-16

Ground surface elevation 2635 feet MSL

Domestic well within 330 feet: yes no

Municipal well within one mile: yes no

Well Drilled For: Well Class: Type Equipment: Oil Storage Infield Mud Rotary Gas Inj Pool Ext Air Rotary OWWO Expl Wildcat Cable

Depth to bottom of fresh water 160

Depth to bottom of usable water 1150

Surface pipe by Alternate: 1 X 2

Surface pipe planned to be set 250

Conductor pipe required N/A

Projected Total Depth 4650 feet

Formation Miss

If OWWO: old well info as follows: Operator Well Name Comp Date Old Total Depth

I certify that well will comply with K.S.A. 55-101, et seq., plus any additional plugging to KCC specifications. Date 12-17-87 Signature of Operator or Agent Henry A. Ogle Title Owner

For KCC Use: BY RED TIGER DRILLING CO.

Conductor Pipe Required 200 feet Minimum Surface Pipe Required 200 feet per Alt. X

This Authorization Expires 6-17-88 Approved By P.A. 12-17-87

EFFECTIVE DATE: 12-22-87

set 250' of 8 9/8 on 12-21-87

SE NE NW Sec. 16 Twp. 18 S, Rg. 26W East West

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @ ft. deep 1300 RL or formation with 50 BX feet of 60-40 poz., 6% gel
2nd plug @ ft. deep 845 Base. 1st or formation with 50 SX feet of
3rd plug @ ft. deep 845 10.50 or formation with 50 SX 8.0 SX feet of
4th plug @ ft. deep 280 or formation with 50 SX 40.5 X feet of
5th plug @ ft. deep 40 or formation with 10 SX feet of

(2) Rathole to surface minus 5 feet 15 sx in rat hole (b) Mousehole to surface minus 5 feet

PUSHER WALT OGDEN. TD 4650 FORMATION MISS SURFACE PIPE 8 9/8 @ 250 ANHYDRITE 1988 ELEVATION 2635 Gk. STARTING TIME & DATE 12.30 - 2.30 PM - 1-2-88 COMPLETION TIME & DATE 2.30 PM - 2.30 PM - 1-2-88 1st PLUG @ 2020 FT. W/ 50 SX 2nd PLUG @ 1050 FT. W/ 80 SX 3rd PLUG @ 280 FT. W/ 40 SX 4th PLUG @ 40-0 FT. W/ 10 SX RAT HOLE CIRCULATED W/ 15 SX MOUSE HOLE CIRCULATED W/ SX WATER WELL PLUGGED W/ SX CEMENT COMPANY ALUPO. TECHNICIAN SQ