



KANSAS CORPORATION COMMISSION 1094285  
OIL & GAS CONSERVATION DIVISION

Form AGO-1  
June 2009

Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31486  
Name: Horton, Jack  
Address 1: PO BOX 97  
Address 2: \_\_\_\_\_  
City: SEDAN State: KS Zip: 67361 + 0097  
Contact Person: Jack Horton  
Phone: ( 620 ) 249-4476  
CONTRACTOR: License # 31486  
Name: Horton, Jack  
Wellsite Geologist: Fred Jones  
Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well     Re-Entry     Workover
- Oil     WSW     SWD     SIOW  
 Gas     D&A     ENHR     SIGW  
 OG     GSW     Temp. Abd.  
 CM (Coal Bed Methane)  
 Cathodic     Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to ENHR     Conv. to SWD  
 Conv. to GSW  
 Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled    Permit #: \_\_\_\_\_  
 Dual Completion    Permit #: \_\_\_\_\_  
 SWD    Permit #: \_\_\_\_\_  
 ENHR    Permit #: \_\_\_\_\_  
 GSW    Permit #: \_\_\_\_\_

5/4/2012	5/14/2012	9/19/2012
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-125-32204-00-00  
Spot Description: \_\_\_\_\_  
NE SW SE NE Sec. 2 Twp. 34 S. R. 14  East  West  
2210 Feet from  North /  South Line of Section  
690 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE     NW     SE     SW  
County: Montgomery  
Lease Name: Melander Well #: 26  
Field Name: \_\_\_\_\_  
Producing Formation: Wayside  
Elevation: Ground: 888 Kelly Bushing: 892  
Total Depth: 717 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at: 20 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: 706  
feet depth to: 0 w/ 80 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 300 bbls  
Dewatering method used: Evaporated  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Permit #: \_\_\_\_\_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received  
Date: \_\_\_\_\_  
 Confidential Release Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
ALT  I  II  III Approved by: Deanna Gantner Date: 10/01/2012



1094285

Operator Name: Horton, Jack Lease Name: Melander Well #: 26  
 Sec. 2 Twp. 34 S. R. 14  East  West County: Montgomery

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run:  Gamma Ray Neutron	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border: none;"> <tr> <td style="border: none;">Name</td> <td style="border: none;">Top</td> <td style="border: none;">Datum</td> </tr> <tr> <td style="border: none;">wayside</td> <td style="border: none;">650</td> <td style="border: none;">238</td> </tr> </table>	Name	Top	Datum	wayside	650	238
Name	Top	Datum					
wayside	650	238					

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9.75	7	18	20	Portland	8	
Longstring	5.625	2.875	6.5	706	Portland	80	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
— Perforate				
— Protect Casing				
— Plug Back TD	-			
— Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
2	655-675	5000lbs sand	655-675

TUBING RECORD:	Size: <u>1</u>	Set At: <u>655</u>	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
----------------	----------------	--------------------	------------	---

Date of First, Resumed Production, SWD or ENHR. <u>9/20/2012</u>	Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: <u>655</u> <u>675</u>
---	--	--

STATEMENT

09891

COPY

ELMORE'S INC.  
Box 87 - 776 HWY99  
Sedan, KS 67361  
Cell: (620) 249-2519  
Eve: (620) 725-5538

Date  
5-14-12

Customer Jack Horton  
Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Qty.	Description	Price	Amount
80	SKS Cement	10.00	800.00
3	hr Cement Pump	110.00	330.00
3	hr Water Truck	85.00	255.00
1	Bauk Tank	85.00	85.00
1	Plug Container	50.00	50.00
1	Dye	5.00	5.00
1	2 1/2 Rubber Plug	25.00	25.00
1	Sk Calcium Chloride	40.00	40.00
			1590.00
	Melander 26	Tax	131.97
	Cemented Longstring 2 1/2		\$ 1721.97
	Casing 750' With 60		
	SKS 2% Gel + 20 SKS		
	Meat With Chloride		
	Cemented To Surface		

Thank You - We appreciate your business!

Rec'd. by \_\_\_\_\_

TERMS: Account due upon receipt of services. A 1 1/2% Service Charge, which is an annual percentage rate of 18% will be charged to accounts after 30 days.