KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TESTS 3 0 2012 (See Instructions on Reverse Side)

Type Test:				(See Instructions on Heverse Side)						CC 1640			
Open Flow Deliverabilty				Test Date 08/14/12			API 1 15-0			15 5-20505-0000			
Company WOOLSEY OPERATING COMPANY, LLC						Lease BORHE	Lease BORHER			1	Well Number		
County Location KINGMAN SE SE			Section 33		TWP 29S			W)		Acres Attributed			
Field SPIVEY-GRABS BASIL				Reservoir MISSIS	SIPPIAN	· · · · · · ·		Gas Gathering Connecti WEST WICHITA GAS					
Completion Date 10/5/76				Plug Bac 4277	k Total Dep	th	Packer Set a NONE		et at				
Casing Size 4.500	•			Internal 0 4.052	Diameter		Set at 4280		rations	To 4257			
Tubing Size 2.375				Internal C 1.995	Diameter		Set at 4270		rations N	То			
Type Completion (Describe) SINGLE				Type Flui OIL, W	d Production	n	Pump L		Jnit or Traveling Plunger? Y		Yes / No		
Producing Thru (Annulus / Tubing) ANNULUS				% C	arbon Dioxi	ide	% Nitroger		en	Gas G		Gravity - G _g	
Vertical Depth(F	1)				Pres	sure Taps				(Meter	Run) (Pro	over) Size	
Pressure Buildu	p: :	Shut in	12	12 at_		(AM) (PM)	Taken_08	3/15	20	12 at	(/	AM) (PM)	
Well on Line:	;	Started	20	0 at		(AM) (PM)	Taken		20	at	(/	4M) (PM)	
					OBSERVE	D SURFACE	DATA			Duration of Shut	-in	Hours	
Static / Orifi Dynamic Siz Property (inch	Ð	Circle one: Meter Prover Pressure psig (Pm)	Pressure Differential in Inches H ₂ 0	Flowing Well Head Temperature t		Casing Wellhead Pressure (P _w) or (P ₁) or (P _e) psig psia		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Duration (Hours)	1 '	Liquid Produced (Barrels)	
Shut-In						265	, pou	0		24			
Flow						45							
					FLOW STE	REAM ATTR	BUTES			-	ſ		
Plate Coeffiecient (F _b) (F _p) Mcfd	Pro	Circle one. Meter or iver Pressure psia	Press Extension ✓ P _m x h	Grav Fac F _s	tor	Tamparatura		riation actor = _{pv}	Metered Flow R (Mcfd)	GOR (Cubic Fo Barrel	pet/	Flowing Fluid Gravity G _m	
				(ODEN EL	0140 (DEL III	(CD 1011 1957)		4770110					
(P _c) ² =	_:	(P _w) ² =	:	P _d =	, ,	/ERABILITY) % (P) CALCUL ' _e - 14.4) +		:	(P <u>.</u> (P _d) ² = 0.20) ² =)7 ———	
(P _e) ² - (P _a) ² or (P _e) ² - (P _a) ²	(F	P _c) ² - (P _w) ²	1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_a^2$ ded by: $P_c^2 - P_a^2$	LOG of formuta 1. or 2. and divide D 2. D		Backpressure Cu Slope = "n" or Assigned Standard Slope		امدا	.og [Antilog	Deliv Equals	en Flow verability R x Antilog Mcfd)	
`							Deliverability Mcfd @ 14.65 psia						
The Tacks stated to	Co pētei	in, and that said Neonogeon Neonicovi	d report is true CC ≘rS	Company, s	states that h	ne is duly au I this the _22		o make the	UGUST	lay a	as known	edge of 12	
Drig / Comp Tests / Mich		For Commis	,y17-			_			Chec	ked by			

exempt status unde	r penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator WOOLSEY OPERATING CO., LLC
and that the forego	oing pressure information and statements contained on this application form are true and
correct to the best	of my knowledge and belief based upon available production summaries and lease records
	lation and/or upon type of completion or upon use being made of the gas well herein named. st a one-year exemption from open flow testing for the BORHER 1
	unds that said well:
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
	Signature: Wm R Hallagar Title: FIELD MGR.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.