KANSAS CORPORATION COMMISSION
ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TESTUG 30 2012

(See Instructions on Reverse Side)

API No. 15 Type Test: Open Flow Deliverabilty 15-007-23327-0000 06/27/2012 Lease Well Number WOOLSEY OPERATING COMPANY, LLC **BELL** B-1 County TWP RNG (E/W) Acres Attributed Location Section **BARBER** 1980' FNL & 1980' FWL **34S** 11 W 6 Field Reservoir Gas Gathering Connection **RHODES SOUTH** MISSISSIPPI APC Completion Date Plug Back Total Depth Packer Set at 8/21/08 NONE 5015 Casing Size Internal Diameter Perforations Weight Set at To 4.500 10.50 4.052 5061 4614 4696 Weight Internal Diameter Perforations **Tubing Size** Set at To 4.70 1.995 **OPEN** 2.375 Type Completion (Describe) Type Fluid Production Pump Unit or Traveling Plunger? Yes / No WATER **PUMPING** SINGLE Producing Thru (Annulus / Tubing) % Carbon Dioxide % Nitrogen Gas Gravity - G **ANNULUS** Vertical Depth(H) Pressure Taps (Meter Run) (Prover) Size 4656 20_12 at_____ (AM) (PM) Taken 06/27 06/28 __ 20 <u>12</u> at_____ Pressure Buildup: Shut in 20 ____ at _ (AM) (PM) Well on Line: 20 ___ at _ ___ (AM) (PM) Taken. Started 24 -**OBSERVED SURFACE DATA Duration of Shut-in** Hours Circle one: Pressure Tubing Casino Static / Orifice Flowing Well Head Wellhead Pressure Liquid Produced Meter Differential Duration Wellhead Pressure Dynamic Size Temperature Temperature Prover Pressure in (P_w) or (P_1) or (P_c) (P_w) or (P_t) or (P_c) (Hours) (Barrels) (inches) Property psig (Pm) Inches H₂0 psig psia psig psia Shut-In 24 120 Flow 100 **FLOW STREAM ATTRIBUTES** Flowing Plate Flowing Gravity Deviation Metered Flow GOR Meter or Coeffiecient Extension Temperature Fluid Factor (Cubic Feet/ Factor Prover Pressure Factor Gravity $(F_b)(F_p)$ ✓ P_mxh F, (Mcfd) Barrel) F psia G, Mcfd F_n (OPEN FLOW) (DELIVERABILITY) CALCULATIONS $(P_a)^2 = 0.207$ $(P_{c})^{2} =$ (P_)2 = $(P_c - 14.4) + 14.4 =$ $(P_{+})^{2} =$ Choose formula 1 or 2: Backpressure Curve (P_)2 - (P_)2 Open Flow 1. P.2. P.2 LOG of $(P_s)^2 - (P_s)^2$ Slope = "n" n x LOG Deliverability formula Antilog 1. or 2. and divide 2. P.2. P.2 Equals R x Antilog $(P_a)^2 - (P_a)^2$ Assigned P2-P2 ded by: P.2 - P.2 (Mcfd) Standard Slope Mcfd @ 14.65 psia Deliverability Open Flow Mcfd @ 14.65 psia The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is the and correct. Executed this the 10 Regulatory Correspondence Drig / Comp Witness (I all Workovers Operations Tests / Meters Checked by

exempt status und and that the foreg correct to the bes	er penalty of perjury under the laws of the state of Kansas that I am authorized to request ler Rule K.A.R. 82-3-304 on behalf of the operator WOOLSEY OPERATING CO., LLC loing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named.
I hereby requ	est a one-year exemption from open flow testing for the BELL B-1 ounds that said well:
staff as necessar	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D et to supply to the best of my ability any and all supporting documents deemed by Commission of to corroborate this claim for exemption from testing.
Date: <u>07/10/12</u>	Signature: Win R. Hallanger Title: FIELD MGR.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.