RECEIVED Form G-2

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST (See Instructions on Reverse Side) KCC 1441-

Type Test:			(See Instructions on Reverse Side)						NCC WICHITA					
Open Flow Deliverability					Test Date: API No.					13				
		iity			07/08/1	2	 Lease		15-	007-22510-0	00-01	Wall N	lumber	
Company WOOLSEY OPERATING COMPANY, LLC			:	BELL A					1	WEII IN	idilibei			
County Location BARBER 160 S, NE SW NW			Section 28		TWP 33S			W)		Acres	Attributed			
Field MEDICII	NE LC	DG	E-BOGGS		Reservoir SNYDE				Gas Gat	hering Conne	ection			
Completion Date 10/31/97				Plug Bac 4550	Plug Back Total Depth 4550			Packer Set at NONE				.		
Casing Size 5.500			Weight		Internal Diameter 4.052		Set at 5220		Perforations 3902		то 3912		-	
Tubing Size 2.375			Weigl	nt	Internal Diameter		Set at 3979		Perforations OPEN		То	· <u>·</u>		
Type Completion (Describe) SINGLE				Type Flui	Type Fluid Production WATER			Pump Unit or Traveling Plunger? Yes / No PUMPING						
Producing	g Thru	(Anr	nulus / Tubin	g)		Carbon Dioxi	de		% Nitrog		Gas	Gravity -	G _o	
ANNUL Vertical D		ł)				Press	sure Taps				(Me	ter Run) (I	Prover) Size	
3907										· · · · · · · · · · · · · · · · · · ·				
Pressure	Buildu	p: :	Shut in07/	<u>′08</u>	20 12 at		(AM) (PM)	Taken_07	7/09	20	12 at		(AM) (PM)	
Weil on L	ine:	1	Started	2	0 at	 _	(AM) (PM)	Taken		20	at		. (AM) (PM)	
						OBSERVE	D SURFACE	DATA		. •	Duration of S	hut-in	Hou	
Static / Orifice Dynamic Size Property (inches)		0	Circle one: Meter Prover Press psig (Pm)	1	Flowing Well Head Temperature t t		Casing Wellhead Pressure (P _u) or (P _t) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)	Liq	Liquid Produced (Barrels)	
Shut-In			P 6 (1)	100000			psig 40	psia	psig 52	psia	24	_		
Flow							25							
				T		FLOW STR	EAM ATTRI	BUTES						
Plate Coeffiecient (F _b) (F _p) Mctd		Gircle one: Meter or Prover Pressure psia		Press Extension ✓ P _m xh	Grav Fac F	tor T	Temperature Fa		viation Metered Flor actor R F _{pv} (Mcfd)		(Cubi	OR ic Feet/ irrel)	Flowing Fluid Gravity G _m	
					(ODEN EL	OWO (DELIN	EO A DIL ITY)	CALCIII	ATIONS				<u> </u>	
P _c)² =	. <u></u>	_:	(P _w)² =	<u> </u>	P _d =		ERABILITY) % (P,	- 14.4) +		:		$(P_a)^2 = 0.$ $(P_d)^2 = \underline{}$	207	
(P _e) ² - (I	P _a) ²) _e)²- (P _w)²	Choose termuta 1 or 2 1. P _c ² - P _a ² 2. P _c ² - P _d ² divided by: P _c ² - P _d	LOG of formula 1. or 2. and divide	P.2. P.2	Backpressure Curve Slope = "n"		n x	roe [Antilog	C	Open Flow Deliverability Equals R x Antilog (Mcfd)	
					-		<u> </u> .							
Open Flow		Mcfd			.65 psia	5 psia		Deliverability		Mcfu		efd ② 14.65 psia		
The	unders	herei	u and that d	on behavirorine aid report is ru orresponde Workor Warkor	Company, s e and correc		e is duly aut	horized t	o make the	ne above repo UGUST	ort and that he	has kno	அசிழ் வி . ₂₀ <u>12</u>	
.	1:	USI:	For Com				_			Chec	cked by			

exempt status und and that the foreg correct to the best of equipment insta	er penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator WOOLSEY OPERATING CO., LLC oing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named.
	bunds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
	Signature: Wm R. Holland. Title: FIELD MGR.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.