

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1096205

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 6143		API No. 15
Name: Somerset Energy, Inc.		Spot Description:
Address 1: 16205 W 287TH ST		NW_SW_NE_SE_Sec. 20 Twp. 16 S. R. 24 ▼ East West
Address 2:		Feet from North / 🗹 South Line of Section
City: PAOLA State: KS	Zip: 66071 + 8482	Feet from ✓ East / ☐ West Line of Section
Contact Person: Lester Town		Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 491-1717		□ne □nw ☑se □sw
CONTRACTOR: License # 6142		County: Miami
Town Oil Company Inc		Lease Name: N. Hansen Well #: SW-2
Wellsite Geologist: NA		Field Name:
Purchaser:		Producing Formation: Peru
Designate Type of Completion:		Elevation: Ground: 973 Kelly Bushing: 0
New Well Re-Entry	Workover	Total Depth: 442 Plug Back Total Depth: 10
☐ Oil ☐ WSW ☐ SWD	_	Amount of Surface Pipe Set and Cemented at: Feet
☐ Gas ☐ D&A 📝 ENHI		Multiple Stage Cementing Collar Used? Yes No
	=	If yes, show depth set: Feet
CM (Coal Bed Methane)	 ,	If Alternate II completion, cement circulated from:
☐ Cathodic ☐ Other (Core, Expl., etc.):		feet depth to: 20 w/ 4 sx cmt
If Workover/Re-entry: Old Well Info as follows	s :	
Operator:		Deillien Flyid Management Dlen
Well Name:		Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Origin	al Total Depth:	Chloride content: 1500 ppm Fluid volume: 80 bbls
Deepening Re-perf. Cor	nv. to ENHR	Dewatering method used: Evaporated
	ıv. to GSW	Dewatering method dood.
Plug Back:	Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:		Operator Name:
☐ Dual Completion Permit #:		Lease Name: License #:
SWD Permit #:		
☐ ENHR Permit #:		QuarterSecTwpS. R East West
GSW Permit #:		County: Permit #:
4/26/2012 5/9/2012	9/9/2012	
Spud Date or Date Reached TD Recompletion Date	Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
✓ UIC Distribution
ALT I I II Approved by: Deanna Garrisor Date: 10/11/2012

Side Two



Operator Name: Som	erset Energy, In	ic.	Lease Name: _	N. Hansen		Well #: _SV	V-2
Sec. 20 Twp. 16	s. R. <u>24</u>	✓ East West	County: Miar				
time tool open and clos	ed, flowing and shu if gas to surface te	nd base of formations pen nt-in pressures, whether s est, along with final chart(s well site report.	hut-in pressure rea	ched static level,	hydrostatic press	ures, bottom h	nole temperature, fluid
Drill Stem Tests Taken (Attach Additional St	neets)	☐ Yes ✓ No	 ✓L	og Formation	n (Top), Depth and	d Datum	Sample
Samples Sent to Geolo Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	gical Survey	Yes No Yes No Yes No Yes No	Nan Gamr	ne na Ray		Тор	Datum
List All E. Logs Run: Gamma Ray Neutron	Completion Log						
			RECORD V	_	······································		
Purpose of String	Size Hole Drilled	Report all strings set-of Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	on, etc. Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9	6.2500	10	20	Portland	4	50/50 POZ
completion	5.6250	2.8750	8	432	Portlan	68	50/50 POZ
		·					
		ADDITIONAL	CEMENTING / SQ	UEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone	-						
	-			<u> </u>			
Shots Per Foot	PERFORATI Specify	ON RECORD - Bridge Plug Footage of Each Interval Per	s Set/Type forated		cture, Shot, Cement mount and Kind of Ma		rd Depth
2	392.0-402.0	31 Perfs		Acid 500 gal	. 7.5% HCL		
							
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed P	Production, SWD or EN	IHR. Producing Meth	hod:	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf Wa			Sas-Oil Ratio	Gravity
<u> </u>							
DISPOSITIO	Used on Lease			y Comp. 🔲 Con	nmingled mit ACO-4)	PRODUCTION	ON INTERVAL:
(If vented, Subn	nit ACO-18.)		•	•			



TICKET NUMBER

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

020-401-0210	01 000-407-0070	•	CEINEIN	11 .,	•	•	•
DATE	CUSTOMER#	WELL NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
5/9/12	7823	North Hanson 7	#SW-2.	SE 2d	.16	24	MI
CUSTOMER				THE RESERVE	ACTION AND COLUMN	and which is	The House Care
lown	071 Co	urpany	_	TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRE	•	-		481	Caskey	ck	
	W. 287			Coceto	GasMoo	6M	
CITY		STATE ZIP CODE		: 8500B0	0000000		
Paola		KS 66071	· .	548	Mik Hea	MH	
JOB TYPE / Au	antring.	HOLE SIZE 58"	HOLE DEPTH		CASING SIZE & W	EIGHT 27/	S" EVE
CASING DEPTH	437	DRILL PIPE	TUBING D	in - 432'		OTHER	<u> </u>
SLURRY WEIGH		SLURRY VOL	WATER gal/s	k	CEMENT LEFT In	CASING 27/1 TO	dua + 5!
DISPLACEMENT	2.51 6615	DISPLACEMENT PSI	MIX PSI	, ,	RATE 5.6 60		3
REMARKS: L	eld safety	meeting establis	hed circu	elation, mi	ixed + punio	ed 100 #	Premion
Sel totlo	wed by	. 111.200		ed troumpe	d 68 sks	(C)	2Wix
comenit	w/ 2% g	Λ	A' 1		lushed pun		,
2/5 ' rubba	or alea to	pin u/ 3.57 }		h water p		800 PSI	(100)//
held pressi	ure for 3	1		189			
1 -						1()	
• ,	<u> </u>				1).	1/2	
•					17)	1	· · · · · · · · · · · · · · · · · · ·
					\		

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1.	PUMP CHARGE		1030.00
5406	30 mi	MILEAGE		120,00
5402	437'	casing tootage		
5407	minimum	ton nuleage		350,00
				130
			<u>:</u> ·	
1124	68 sks	5/50 Popuix cement		744.60
111813	214 #	Premion Gol		44,94
4402		8/2" rubber plus		28.00
			 	28.
": - ' 				
				ļ
			 	
	,		 	9
				C TEN
·	**************************************		o onthe	
		77		
			T. TO	
		7.5%	SALES TAX	61.72
vin 8787	11 2 5	249719	ESTIMATED	2379 26
AUTHORIZTION_	No Co. Rep on 1	ocation TITLE	TOTAL DATE	2379

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

TOWN OIL COMPANY, INC. "Drilling and Production"

16205 W 287th Street Paola, Kansas 66071

Fax# 913-294-4823

PHONE: 913-557-5482

913-294-2125

WELL: N. Hansen SW-2

LEASE OWNER: Somerset Energy, Inc.

WELL LOG

ickness Strata	Formation			Total
	1 ,			Depti
	soil/clay	• • •		_
4	. lime			3
6	shale	•	:	17
.4.	lime .	·		63
	shale			77
	lime	. •		86
3	shale	. •		91
	lime			104
2	sandy shale			106
4	lime			128
5	shale		-	142
6	lime			157
	shale & slate			183
0 .	lime	•		191
•	shale & slate			211
	lime		•	215
•	shale & slate			217
•	lime			224
	shale/slate			228
5	sandy shale			232
5	shale	•		248
l ,	sandy shale			264
5	shale	•		275
	shale			371
	shale			374
_14	sandy shale	,		378
	sandy lime			382
	sandy shale	, ·•		388
·	sand			399
	limey sand	·		404
	sandy shale	• .		405
	lime			420
•	shale			424
	lime			432
•	shale		,	435 442 T I