



KANSAS CORPORATION COMMISSION 1096674  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
June 2009  
Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 3728  
Name: Kent, Roger dba R J Enterprises  
Address 1: 22082 NE Neosho Rd  
Address 2: \_\_\_\_\_  
City: GARNETT State: KS Zip: 66032 + 1918  
Contact Person: Roger Kent  
Phone: ( 785 ) 448-6995  
CONTRACTOR: License # 3728  
Name: Kent, Roger dba R J Enterprises  
Wellsite Geologist: n/a  
Purchaser: n/a

Designate Type of Completion:

- New Well     Re-Entry     Workover
- Oil     WSW     SWD     SLOW
- Gas     D&A     ENHR     SIGW
- OG     GSW     Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic     Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to ENHR     Conv. to SWD  
 Conv. to GSW

Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled    Permit #: \_\_\_\_\_  
 Dual Completion    Permit #: \_\_\_\_\_  
 SWD    Permit #: \_\_\_\_\_  
 ENHR    Permit #: \_\_\_\_\_  
 GSW    Permit #: \_\_\_\_\_

<u>08/27/2012</u>	<u>08/28/2012</u>	<u>08/28/2012</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-003-25545-00-00  
Spot Description: \_\_\_\_\_  
SW NE SE NW Sec. 18 Twp. 21 S. R. 21  East  West  
3349 Feet from  North /  South Line of Section  
3187 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE     NW     SE     SW  
County: Anderson  
Lease Name: BABBS Well #: 3-1  
Field Name: Bush City Shoestring  
Producing Formation: Squirrel  
Elevation: Ground: 1014 Kelly Bushing: 1014  
Total Depth: 664 Plug Back Total Depth: 659  
Amount of Surface Pipe Set and Cemented at: 20 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate !! completion, cement circulated from: 659  
feet depth to: 0 w/ 66 sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 0 bbls  
Dewatering method used: Evaporated  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: \_\_\_\_\_  
 Confidential Release Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
ALT  I  II  III Approved by: Deanna Garris Date: 10/15/2012



1096674

Operator Name: Kent, Roger dba R J Enterprises Lease Name: BABBS Well #: 3-1  
 Sec. 18 Twp. 21 S. R. 21  East  West County: Anderson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run:  Gamma Ray/Neutron/CCL Drillers Log	<input checked="" type="checkbox"/> Log    Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>bkn sand</td> <td>628</td> <td></td> </tr> <tr> <td>dk sand</td> <td>636</td> <td></td> </tr> <tr> <td>shale</td> <td>664</td> <td></td> </tr> </table>	Name	Top	Datum	bkn sand	628		dk sand	636		shale	664	
Name	Top	Datum											
bkn sand	628												
dk sand	636												
shale	664												

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	9.875	7	15	20	Portland	66	
production	5.625	2.875	15	659		66	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
____ Perforate				
____ Protect Casing	-			
____ Plug Back TD				
____ Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
20	597.0 - 607.0		
13	609.0 - 615.0		
20	618.0 - 628.0		

TUBING RECORD:    Size:    Set At:    Packer At:    Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No									
Date of First, Resumed Production, SWD or ENHR.	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____								
Estimated Production Per 24 Hours	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:10%;">Oil</td> <td style="width:10%;">Bbls.</td> <td style="width:10%;">Gas</td> <td style="width:10%;">Mcf</td> <td style="width:10%;">Water</td> <td style="width:10%;">Bbls.</td> <td style="width:10%;">Gas-Oil Ratio</td> <td style="width:10%;">Gravity</td> </tr> </table>	Oil	Bbls.	Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity
Oil	Bbls.	Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity		

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
-------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------

R.J. Enterprise  
 22082 NE Neosho RD  
 Garnett, KS 66032

Babbs 3-1

Start 8-27-2012

Finish 8-28-2012

3	soil	3	
6	clay	9	
7	shale	16	
29	lime	45	
75	shale	120	
9	lime	129	
6	shale	135	
42	lime	177	set 20' 7"
7	shale	184	ran 658.5' 2 7/8
22	lime	206	cemented to surface 66 sxs
6	shale	212	
12	lime	224	
175	shale	399	
14	lime	413	
59	shale	472	
30	lime	502	
23	shale	525	
9	lime	534	
19	shale	553	
6	lime	559	
12	shale	571	
7	lime	578	
10	shale	588	
5	sandy shale	593	odor
13	Bkn sand	606	good show
16	oil sand	622	good show
6	Bkn sand	628	good show
8	Dk sand	636	good show
28	Shale	664	T.D.

