Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

RECEIVED 3

Type Tes	st:					(See Instru	ctions on Rev	erse Side))			
= :	pen Flo eliverab				Test Date	: :	15	-007	- 003	٥١ - ١٥٠	2-00 Kr	C WICHITA
Company	у						Lease					Well Number
M	ull I	rilling	Comp	any, In	ıc.		McGuire					1_
County			ation		Section		TWP		RNG (E	W)		Acres Attributed
	arber	: SE	SE I	NW	24		32s		11W			
Field	o Consta	e-Goeman			Reservoir		, e	1.14		hering Connec		
Completi			L1		Mississ	sippian k Total Dep		Wes	t Wic	hita Gas	Gathering_	LLC
1(0-5-5	56							Packer :			
Casing Size 5 1/2"			Weight		Internal Diameter		Set at 4428		Perfo	orations 44	то 103 г	4423
Tubing Size We			ight		Internal Diameter		Set at 4425		Perf	orations	То	-
Type Cor	npletion	(Describe)			Type Flui	d Productio			Pump U	nit or Traveling	Plunger? Yes /	No
Ga	as.				Gas 8	Water			No	,		
	g Thru (inulu	(Annulus / Tubi IS	ng)		% Carbor	n Dioxide			% Nitrog	en	Gas Gra	avity - G _g
Vertical D	epth(H)				Press	sure Taps			····	(Meter F	Run) (Prover) Size
Pressure	Quildur	: Shut in	70-	2_ 26)/入 at	7:30	RAN (PM)	Tokon		40		(AM) (PM)
Well on L	•	Started	10-	-3 2	012at	7:30	- (GM) (FM) ·	Taken		19	at	(AM) (PM)
											at	(Alay (1 tal)
		Circle on	<u> </u>			OBSERV	ED SURFACE				Duration of Shut-	in Hours
Static /	Orific	e Metero		Pressure Differential	Flowing	Well Head	Casii Wellhead F	_		Tubing ead Pressure	Duration	Liquid Produced
Dynamic Property	Size inche	Prover Pre		in (n)	Temperature t	Temperature t	(P _w) or (P,) or (P _e)	(P _w) o	r (P _t) or (P _c)	(Hours)	(Barrels)
, ,		psig	- !	Inches H ₂ 0			psig	psia	psig	psia		
Shut-In							65					
Flow												
	<u> </u>		<u> </u>			FLOW ST	REAM ATTRI	BUTES				
Diete		Circle one:		_	1	12011 011		1				
Plate Coeffiecient		Meter or		Press Extension			' Yomoorabura		Deviation Factor		GOR	Flowing Fluid
(F _b) (F _p)		Prover Pressure	, ,	√ P _m x H _w	F		Factor	Fac	лог 	R (Mcfd)	(Cubic Fe	Gravity
Mefd		psia	_				F _{it}	ļ				G _m
					(OPEN FLO	OW) (DELI\	/ERABILITY)	CALCUL	ATIONS		(P.)	² = 0.207
(P _c)² =		: (P _w)	· =	:	$P_d =$		% (P	- 14.4) +	14.4 =	:	(P _a)	
				e formula 1 or 2:	T	<u> </u>	Backpres	sure Curve		F 5 T		I
(Р _е)² - (F	P.)2	(P _c) ² - (P _w) ²		P.2 - P.2	LOG of formula		Ślope	e = "n" nr	пx	LOG	A maile o	Open Flow Deliverability
or (P _e)2- (F	2)2		1	P.2 - P.2	1. or 2. and divide	P ₂ - P ₂		origned		1 11	Antilog	Equals R x Antilog
			divided	iby: P2-P2	by:	<u> </u>	Standa	rd Slope				Mofd
	1											
Open Flow Mcfd @ 14.65 psia					Deliverabili	Deliverability Mcfd @ 14.65 psia						
The	ındersio	ned authority	on hehe	alf of the Co	mnany etek	les that he	s duly authori	zed to mai	re the ah	ove report and	that he has known	ledge of the facts
										ove report and		, 19
		Witnes	s (if any)				-		· · · · · · · · · · · · · · · · · · ·	For C	ompany	
		Fer Co	mmission							Check	ed by	

The second se
I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Mull Drilling Company. Inc. and that the foregoing information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon gas production records and records of equipment installation and/or of type completion or upon use of the gas well herein named. I hereby request a permanent exemption from open flow testing for the McGuire #1 gas well on the grounds that said well:
is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is incapable of producing at a daily rate in excess of 150 mcf/D
Date: 10/9/12
Signature: 2m/Loss Title: Pred Toweron

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.