

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

RECEIVED
OCT 15 2012

KCC WICHITA

Type Test:

- Open Flow
 Deliverability

(See Instructions on Reverse Side)

Test Date:

API No. 15
00723791 - 00-00

| | | | | | |
|---|--------------------------------------|---|------------------------|--|--------------------------------|
| Company M&M Exploration, Inc. | | Lease Z Bar | | Well Number 17-6 | |
| County Barber | Location 1955 FNL 1895 FWL | Section 17 | TWP 34 | RNG (E/W) 14W | Acres Attributed 160 |
| Field Aetna Gas | | Reservoir Mississippian | | Gas Gathering Connection ONEOK | |
| Completion Date 1/24/2012 | | Plug Back Total Depth 4999' | | Packer Set at None | |
| Casing Size 4.5 | Weight 10.5 | Internal Diameter 4.052 | Set at 5048' | Perforations 4784 | To 4844 |
| Tubing Size 2.375 | Weight 4.7 | Internal Diameter 1.995 | Set at 4866' | Perforations | To |
| Type Completion (Describe) Single (Gas) | | Type Fluid Production Saltwater/Crude | | Pump Unit or Traveling Plunger? Yes / No Pump Unit | |
| Producing Thru (Annulus / Tubing) Annulus | | % Carbon Dioxide 0.4466 | | % Nitrogen 0.9839 | |
| Vertical Depth(H) | | Pressure Taps | | Gas Gravity - G _v 0.6503 | |

Pressure Buildup: Shut in Sept. 13 20 12 at 11:00 (AM) (PM) Taken Sept. 14 20 12 at 11:00 (AM) (PM)

Well on Line: Started _____ 20 ____ at _____ (AM) (PM) Taken _____ 20 ____ at _____ (AM) (PM)

OBSERVED SURFACE DATA

| Static / Dynamic Property | Orifice Size (inches) | Circle one: Meter Prover Pressure psig (P _m) | Pressure Differential in Inches H ₂ O | Flowing Temperature t | Well Head Temperature t | Casing Wellhead Pressure (P _w) or (P _i) or (P _c) | | Tubing Wellhead Pressure (P _w) or (P _i) or (P _c) | | Duration (Hours) | Liquid Produced (Barrels) |
|---------------------------|-----------------------|---|--|-----------------------|-------------------------|--|-------|--|------|------------------|---------------------------|
| | | | | | | psig | psia | psig | psia | | |
| Shut-In | | | | | | 210 | 224.4 | | | | |
| Flow | | | | | | | | | | | |

FLOW STREAM ATTRIBUTES

| Plate Coefficient (F _b) (F _p) Mcfd | Circle one: Meter or Prover Pressure psia | Press Extension $\sqrt{P_m \times h}$ | Gravity Factor F _g | Flowing Temperature Factor F _t | Deviation Factor F _{pv} | Metered Flow R (Mcf/d) | GOR (Cubic Feet/ Barrel) | Flowing Fluid Gravity G _m |
|--|--|---------------------------------------|-------------------------------|---|----------------------------------|------------------------|--------------------------|--------------------------------------|
| | | | | | | | | |

(OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P_c)² = _____ : (P_w)² = _____ : P_d = _____ % (P_c - 14.4) + 14.4 = _____ : (P_a)² = 0.207 : (P_d)² = _____

| | | | | | | | |
|--|---|---|--|--|-------------|---------|---|
| (P _c) ² - (P _a) ² or (P _c) ² - (P _d) ² | (P _c) ² - (P _w) ² | Choose formula 1 or 2: 1. P _c ² - P _a ² 2. P _c ² - P _d ² divided by: P _c ² - P _w ² | LOG of formula 1. or 2. and divide by: $\frac{P_c^2 - P_w^2}{P_c^2 - P_a^2}$ | Backpressure Curve Slope = "n" ----- Assigned Standard Slope | n x LOG [] | Antilog | Open Flow Deliverability Equals R x Antilog (Mcf/d) |
| | | | | | | | |

Open Flow Mcf/d @ 14.65 psia Deliverability Mcf/d @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 10th day of October, 20 12.

Witness (if any)

[Signature]

For Company

For Commission

Checked by

RECEIVED

OCT 15 2012

KCC WICHITA

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator M&M Exploration, Inc.

and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.

I hereby request a one-year exemption from open flow testing for the Z Bar 17-6 gas well on the grounds that said well:

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. _____
- is not capable of producing at a daily rate in excess of 250 mcf/D

I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.

Date: October 10, 2012

Signature: *Mark M&M*

Title: President

Instructions: If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
OCT 15 2012
KCC WICHITA

| DATE | TBG | CSG | LP | DIFF | MCF | WKLY GAS | TOTAL GAS MO. | HRS. ON | REMARKS |
|---------------------------|-----|-----|----|------|---------------|----------------|---------------|-------------------------|-----------------|
| Jun-1 | | | | | | 0.00 | | | |
| Jun-2 | | | | | | 0.00 | | | |
| Jun-3 | | | | | | 0.00 | | | |
| Jun-4 | | | | | | 0.00 | | | |
| Jun-5 | | | | | | 0.00 | | | |
| Jun-6 | | | | | | 0.00 | | | |
| Jun-7 | | | | | | 0.00 | | | |
| Jun-8 | | | | | | 0.00 | 0.00 | 0.00 | |
| DATE | TBG | CSG | LP | DIFF | MCF | WKLY GAS | TOTAL GAS MO. | HRS. ON | REMARKS |
| Jun-9 | | | | | | 0.00 | | | |
| Jun-10 | | | | | | 0.00 | | | |
| Jun-11 | | | | | | 0.00 | | | |
| Jun-12 | | | | | | 0.00 | | | |
| Jun-13 | | | | | | 0.00 | | | |
| Jun-14 | | | | | | 0.00 | | | |
| Jun-15 | | | | | | 0.00 | | | |
| Jun-16 | | | | | | 0.00 | 0.00 | 0.00 | |
| DATE | TBG | CSG | LP | DIFF | MCF | WKLY GAS | TOTAL GAS MO. | HRS. ON | REMARKS |
| Jun-17 | | | | | | 0.00 | | | |
| Jun-18 | | | | | | 0.00 | | | |
| Jun-19 | | | | | | 0.00 | | | |
| Jun-20 | | | 43 | 0 | 0.00 | | | | 1/2" plate |
| Jun-21 | | | 43 | 0 | 0.00 | | | | |
| Jun-22 | | | 44 | 0 | 0.00 | | | | turned to sales |
| Jun-23 | | 65 | 49 | 6 | 14.57 | | | 12 | |
| Jun-24 | | 70 | 46 | 16 | 46.12 | 60.69 | 60.69 | 24 | |
| DATE | TBG | CSG | LP | DIFF | MCF | WKLY GAS | TOTAL GAS MO. | HRS. ON | REMARKS |
| Jun-25 | | 68 | 43 | 24 | 54.61 | | | 24 | start pumping |
| Jun-26 | 180 | 51 | 45 | 30 | 62.46 | | | 24 | |
| Jun-27 | 140 | 51 | 45 | 29 | 61.41 | | | 24 | |
| Jun-28 | 160 | 51 | 45 | 44 | 75.65 | | | 24 | |
| Jun-29 | 130 | 51 | 45 | 46 | 77.35 | | | 24 | |
| Jun-30 | 160 | 51 | 45 | 46 | 77.35 | | | 24 | |
| | | | | | | 408.82 | 469.52 | | |
| TOTAL GAS PRODUCED | | | | | 469.52 | MCF avg | | Fluid goes to the 36-16 | |

| Z-Bar 17-6 | | | API # 15-007-23791 | | | Sec 17 Twp 34S Rge 14W | | | 100x250x.750 | | | .500 out-.750 in 7/12/12 | | |
|---------------------------|------------|--------|--------------------|-----------|-------|------------------------|---------------|----|--------------|--------|----------|--------------------------|---------|---------------------------------|
| DATE | TANK | INCHES | Daily Prod | Wkly Prod | Month | TBG | CSG | LP | DIFF | MCF | WKLY GAS | TOTAL GAS MO. | HRS. ON | REMARKS |
| Jul-1 | 0' 0" | | 0 | | | | 180 | 51 | 45 | 50 | 80.64 | | 24 | |
| Jul-2 | | | 0 | | | | 180 | 51 | 45 | 54 | 83.80 | | 24 | |
| Jul-3 | | | 0 | | | | 180 | 51 | 46 | 56 | 86.28 | | 24 | |
| Jul-4 | | | 0 | | | | 160 | 51 | 45 | 62 | 89.79 | | 24 | |
| Jul-5 | | | 0 | | | | 140 | 51 | 45 | 66 | 92.65 | | 24 | |
| Jul-6 | | | 0 | | | | 150 | 51 | 46 | 72 | 97.83 | | 24 | |
| Jul-7 | | | 0 | | | | 140 | 51 | 45 | 80 | 102.00 | | 24 | |
| Jul-8 | 0' 1" | 1 | 1.67 | 1.67 | 1.67 | 150 | 60 | 45 | 79 | 101.36 | 734.36 | 734.36 | 24 | |
| Jul-9 | 0' 6" | 5 | 8.35 | | | 122 | 60 | 40 | 90 | 102.00 | | | 24 | Temp 122* |
| Jul-10 | 0' 10" | 4 | 6.68 | | | 160 | 60 | 38 | 92 | 100.52 | | | 24 | |
| Jul-11 | 0' 11" | 1 | 1.67 | | | 130 | 60 | 40 | 93 | 103.69 | | | 24 | |
| Jul-12 | 0' 11 1/2" | 0.5 | 0.84 | | | 140 | 60 | 51 | 15 | 99.57 | | | 24 | chg plate to 3/4" |
| Jul-13 | 1' 1/2" | 1 | 1.67 | | | 140 | 60 | 50 | 15 | 98.59 | | | 24 | |
| Jul-14 | 1' 1 1/2" | 1 | 1.67 | | | 120 | 60 | 50 | 16 | 101.82 | | | 24 | |
| Jul-15 | 1' 2" | 0.5 | 0.84 | | | 120 | 60 | 50 | 16 | 101.82 | | | 24 | |
| Jul-16 | 1' 2 3/4" | 0.75 | 1.25 | 22.96 | 24.63 | 120 | 60 | 50 | 17 | 104.96 | 812.97 | 1547.33 | 24 | |
| Jul-17 | 1' 3 1/4" | 0.5 | 0.84 | | | 160 | 60 | 50 | 17 | 104.96 | | | 24 | |
| Jul-18 | 1' 3 1/4" | | 0 | | | 100 | 60 | 51 | 17 | 106.00 | | | 24 | |
| Jul-19 | 1' 4 1/2" | 1.25 | 2.09 | | | 110 | 60 | 49 | 18 | 106.91 | | | 24 | |
| Jul-20 | 1' 5 1/4" | 0.75 | 1.25 | | | 100 | 60 | 47 | 21 | 113.10 | | | 24 | |
| Jul-21 | 1' 6" | 0.75 | 1.25 | | | 100 | 60 | 47 | 21 | 113.10 | | | 24 | |
| Jul-22 | 1' 6 3/4" | 0.75 | 1.25 | | | 100 | 60 | 48 | 21 | 114.30 | | | 24 | |
| Jul-23 | 1' 7 1/2" | 0.75 | 1.25 | | | 100 | 60 | 48 | 21 | 114.30 | | | 24 | |
| Jul-24 | 1' 8" | 0.5 | 0.84 | 8.77 | 33.40 | 100 | 60 | 48 | 21 | 114.30 | 886.96 | 2434.29 | 24 | |
| Jul-25 | 1' 8 1/2" | 0.5 | 0.84 | | | 100 | 60 | 50 | 22 | 119.40 | | | 24 | |
| Jul-26 | 1' 8 1/2" | | 0 | | | 100 | 60 | 47 | 21 | 113.10 | | | 24 | |
| Jul-27 | 1' 8 1/2" | | 0 | | | 60 | 60 | 47 | 21 | 113.10 | | | 24 | chg out brain box and generator |
| Jul-28 | 1' 9" | 0.5 | 0.84 | | | 100 | 60 | 51 | 23 | 123.30 | | | 24 | |
| Jul-29 | 1' 9 3/4" | 0.75 | 1.25 | | | 100 | 60 | 51 | 23 | 123.30 | | | 24 | |
| Jul-30 | 1' 10 1/2" | 0.75 | 1.25 | | | 100 | 60 | 50 | 24 | 124.71 | | | 24 | |
| Jul-31 | 1' 11 1/4" | 0.75 | 1.25 | 5.43 | 38.83 | 100 | 60 | 50 | 24 | 124.71 | 841.61 | 3275.89 | 24 | |
| TOTAL GAS PRODUCED | | | 3275.89 | | | MCF avg | 105.67 | | | | | | | |
| TOTAL OIL PRODUCED | | | 38.83 | | | BOPD avg | 1.25 | | | | | | | |
| TOTAL OIL SOLD | | | | | | BWPD avg | | | | | | | | |
| Wtr goes to 16-4 SWD | | | | | | | | | | | | | | |

RECEIVED
OCT 15 2012
KCC WICHITA

| Z-Bar 17-6 API # 15-007-23791 Sec 17 Twp 34S Rge 14W | | | | | | | | | | | 100x250x.750 | | | | |
|--|------------|--------|----------------|-----------|-------|-----------------|---------------|-----|------|--------|--------------|---------------|---------|-----------------------|--|
| DATE | TANK | INCHES | Daily Prod | Wkly Prod | Month | TBG | CSG | LP | DIFF | MCF | WKLY GAS | TOTAL GAS MO. | HRS. ON | REMARKS | |
| Aug-1 | 2' 0" | 0.75 | 1.25 | | | 100 | 60 | 50 | 24 | 124.71 | | | 24 | | |
| Aug-2 | 2' 1/2" | 0.5 | 0.84 | | | 100 | 60 | 47 | 26 | 125.85 | | | 24 | | |
| Aug-3 | 2' 1" | 0.5 | 0.84 | | | 100 | 60 | 48 | 25 | 124.71 | | | 24 | | |
| Aug-4 | 2' 1 1/2" | 0.5 | 0.84 | | | 100 | 60 | 48 | 25 | 124.71 | | | 24 | | |
| Aug-5 | 2' 2" | 0.5 | 0.84 | | | 100 | 60 | 48 | 25 | 124.71 | | | 24 | | |
| Aug-6 | 2' 2 1/2" | 0.5 | 0.84 | | | 100 | 60 | 48 | 26 | 127.18 | | | 24 | | |
| Aug-7 | 2' 3" | 0.5 | 0.84 | | | 100 | 60 | 48 | 26 | 127.18 | | | 24 | | |
| Aug-8 | 2' 3 1/2" | 0.5 | 0.84 | 7.10 | 7.10 | 100 | 60 | 48 | 27 | 129.60 | 1008.63 | 1008.63 | 24 | | |
| Aug-9 | 2' 4" | 0.5 | 0.84 | | | 100 | 60 | 45 | 27 | 125.48 | | | 24 | | |
| Aug-10 | 2' 4 1/4" | 0.25 | 0.42 | | | 100 | 60 | 46 | 26 | 124.50 | | | 24 | | |
| Aug-11 | 2' 4 1/2" | 0.25 | 0.42 | | | 100 | 60 | 47 | 27 | 128.24 | | | 24 | | |
| Aug-12 | 2' 5" | 0.5 | 0.84 | | | 100 | 60 | 46 | 27 | 126.87 | | | 24 | | |
| Aug-13 | 2' 5 1/2" | 0.5 | 0.84 | | | 100 | 60 | 47 | 27 | 128.24 | | | 24 | | |
| Aug-14 | 2' 6" | 0.5 | 0.84 | | | 100 | 60 | 47 | 26 | 125.85 | | | 24 | | |
| Aug-15 | 2' 6 1/2" | 0.5 | 0.84 | | | 100 | 60 | 46 | 27 | 126.87 | | | 24 | | |
| Aug-16 | 2' 7" | 0.5 | 0.84 | 5.85 | 12.94 | 100 | 60 | 47 | 26 | 125.85 | 1011.90 | 2020.53 | 24 | | |
| Aug-17 | 2' 7 1/2" | 0.5 | 0.84 | | | 100 | 60 | 45 | 26 | 123.14 | | | 24 | | |
| Aug-18 | 2' 7 3/4" | 0.25 | 0.42 | | | 100 | 60 | 45 | 26 | 123.14 | | | 24 | | |
| Aug-19 | 2' 8" | 0.25 | 0.42 | | | 100 | 60 | 45 | 24 | 118.31 | | | 24 | | |
| Aug-20 | 2' 8 1/4" | 0.25 | 0.42 | | | 100 | 60 | 45 | 26 | 123.14 | | | 24 | | |
| Aug-21 | 2' 8 1/2" | 0.25 | 0.42 | | | 100 | 60 | 45 | 26 | 71.83 | | | 14 | | |
| Aug-22 | 2' 9" | 0.5 | 0.84 | | | 50 | 125 | 160 | 4 | 91.07 | | | 24 | shut down, Oneok down | |
| Aug-23 | 2' 9" | | 0 | | | 50 | 115 | 160 | 4 | 91.07 | | | 24 | | |
| Aug-24 | 2' 9" | | 0 | 3.34 | 16.28 | 50 | 50 | 45 | 22 | 113.27 | 854.97 | 2875.51 | 24 | | |
| Aug-25 | 2' 9 1/2" | 0.5 | 0.84 | | | 100 | 56 | 51 | 24 | 125.95 | | | 24 | | |
| Aug-26 | 2' 10 1/2" | 1 | 1.67 | | | 110 | 58 | 50 | 25 | 127.28 | | | 24 | | |
| Aug-27 | 2' 11 1/2" | 1 | 1.67 | | | 100 | 58 | 48 | 26 | 127.18 | | | 24 | | |
| Aug-28 | 2' 11 3/4" | 0.25 | 0.42 | | | 100 | 58 | 48 | 25 | 124.71 | | | 24 | | |
| Aug-29 | 3' 0" | 0.25 | 0.42 | | | 110 | 58 | 48 | 25 | 124.71 | | | 24 | | |
| Aug-30 | 3' 1/4" | 0.25 | 0.42 | | | 100 | 58 | 48 | 26 | 127.18 | | | 24 | | |
| Aug-31 | 3' 1/2" | 0.25 | 0.42 | 5.85 | 22.13 | 100 | 58 | 48 | 26 | 127.18 | 884.18 | 3759.68 | 24 | | |
| TOTAL GAS PRODUCED | | | 3759.68 | | | MCF avg | 121.28 | | | | | | | | |
| TOTAL OIL PRODUCED | | | 22.13 | | | BOPD avg | 0.71 | | | | | | | | |
| TOTAL OIL SOLD | | | | | | | | | | | | | | | |

Wtr goes to 16-4 SWD

RECEIVED

OCT 15 2012

KCC WICHITA

| Z-Bar 17-6 API # 15-007-23791 Sec 17 Twp 34S Rge 14W | | | | | | | | | | | | | 100x250x.750 | | |
|--|------------|--------|----------------|-----------|-----------------|-----------------|---------------|-----|------|-----|----------|---------------|--------------|-------------------|-----------------------|
| DATE | TANK | INCHES | Daily Prod | Wkly Prod | Month | TBG | CSG | LP | DIFF | MCF | WKLY GAS | TOTAL GAS MO. | HRS. ON | REMARKS | |
| Sep-1 | 3' 3/4" | 0.25 | 0.42 | | | | 100 | 58 | 53 | 20 | 117.21 | | 24 | | |
| Sep-2 | 3' 1 3/4" | 1 | 1.67 | | | | 90 | 58 | 48 | 25 | 124.71 | | 24 | | |
| Sep-3 | 3' 2 3/4" | 1 | 1.67 | | | | 100 | 58 | 47 | 27 | 128.24 | | 24 | | |
| Sep-4 | 3' 3" | 0.25 | 0.42 | | | | 100 | 58 | 42 | 26 | 118.96 | | 24 | | |
| Sep-5 | 3' 3 1/4" | 0.25 | 0.42 | | | | 100 | 58 | 46 | 26 | 124.50 | | 24 | | |
| Sep-6 | 3' 3 1/2" | 0.25 | 0.42 | | | | 100 | 58 | 45 | 26 | 123.14 | | 24 | | |
| Sep-7 | 3' 3 3/4" | 0.25 | 0.42 | | | | 100 | 58 | 45 | 25 | 120.75 | | 24 | | |
| Sep-8 | 3' 4 1/4" | 0.5 | 0.84 | 6.26 | 6.26 | | 100 | 58 | 45 | 25 | 120.75 | 978.26 | 978.26 | 24 | |
| Sep-9 | 3' 4 1/2" | 0.25 | 0.42 | | | | 100 | 58 | 45 | 25 | 120.75 | | 24 | | |
| Sep-10 | 3' 5" | 0.5 | 0.84 | | | | 100 | 58 | 46 | 25 | 122.08 | | 24 | | |
| Sep-11 | 3' 5 1/2" | 0.5 | 0.84 | | | | 100 | 58 | 46 | 25 | 122.08 | | 24 | | |
| Sep-12 | 3' 6" | 0.5 | 0.84 | | | | 100 | 58 | 47 | 25 | 123.40 | | 24 | | |
| Sep-13 | 3' 6 1/2" | 0.5 | 0.84 | | | | 100 | 58 | 44 | 24 | 53.62 | | 11 | | |
| Sep-14 | 3' 6 1/2" | | 0.00 | | | | 100 | 210 | 44 | 36 | 77.61 | | 13 | SI state test 210 | |
| Sep-15 | 3' 6 1/2" | | 0.00 | | | | | 110 | 55 | 25 | 133.49 | | 24 | | |
| Sep-16 | 3' 6 1/2" | | 0.00 | 3.76 | 10.02 | | | 210 | 53 | 22 | 35.85 | 788.89 | 1767.14 | 7 | SI overange oneok CDP |
| Sep-17 | 3' 6 1/2" | | 0.00 | | | | | 165 | 53 | 70 | 91.36 | | 10 | | |
| Sep-18 | 3' 6 1/2" | | 0.00 | | | | | 100 | 50 | 18 | 108.00 | | 24 | | |
| Sep-19 | 3' 6 1/2" | | 0.00 | | | | | 60 | 50 | 24 | 124.71 | | 24 | | |
| Sep-20 | 3' 6 1/2" | | 0.00 | | | | 100 | 45 | 48 | 33 | 107.46 | | 18 | | |
| Sep-21 | 3' 7 1/2" | 1 | 1.67 | | | | 100 | 45 | 45 | 3 | 41.83 | | 24 | | |
| Sep-22 | 3' 8 1/2" | 1 | 1.67 | | | | 100 | 45 | 47 | 18 | 61.08 | | 14 | | |
| Sep-23 | 3' 9 1/2" | 1 | 1.67 | | | | 100 | 45 | 47 | 27 | 128.24 | | 24 | | |
| Sep-24 | 3' 9 3/4" | 0.25 | 0.42 | 5.43 | 15.45 | | 100 | 45 | 47 | 28 | 130.60 | 793.28 | 2560.42 | 24 | |
| Sep-25 | 3' 10" | 0.25 | 0.42 | | | | 100 | 45 | 45 | 29 | 130.05 | | 24 | | |
| Sep-26 | 3' 10 1/2" | 0.5 | 0.84 | | | | 100 | 45 | 45 | 29 | 130.05 | | 24 | | |
| Sep-27 | 3' 11" | 0.5 | 0.84 | | | | 100 | 45 | 45 | 28 | 127.79 | | 24 | | |
| Sep-28 | 3' 11" | | 0.00 | | | | 100 | 45 | 45 | 28 | 95.84 | | 18 | | |
| Sep-29 | 3' 11" | | 0.00 | | | | 100 | 92 | 127 | 7 | 107.34 | | 24 | | |
| Sep-30 | 3' 11" | | 0.00 | | | | | 128 | 127 | 7 | 107.34 | | 24 | | |
| | | | 2.09 | 17.54 | | | | | | | 698.40 | 3258.82 | | | |
| TOTAL GAS PRODUCED | | | 3258.82 | | | MCF avg | 108.63 | | | | | | | | |
| TOTAL OIL PRODUCED | | | 17.535 | | | BOPD avg | 0.58 | | | | | | | | |
| TOTAL OIL SOLD | | | | | BWPD avg | | | | | | | | | | |
| Wtr goes to 16-4 SWD | | | | | | | | | | | | | | | |

RECEIVED

OCT 15 2012

KCC WICHITA