KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

(See Instructions on Reverse Side)

Type Test:

= :	en Flow liverabilty			Test Dat	e:			AP	i No. 15 1	19-20,77	7 ~ ⇔	s- ∞	
Company Cobra Oil & Gas Corpora				tion		Lease Jack				,	Well Nu 1-2		
County Location Meade NW SW SE 5E			Section 27		TWP 31S		RNG (E/W) 29W			Acres Attributed			
Field Hockett, SE				Reservoir Chester				Gas Gathering Connection Englewood Corpo			on		
Completion Date 3 / 2 3 / 8 8				Plug Back Total Depth 5 74 3 '				Packer Set at None					
Casing Size Weight 4-1/2" 11.6#			Internal Diameter 3 . 995		Set at 5575 '		Perforations 5498 ¹		To 5545'	то 5545'			
Tubing Size Weight 2-3/8" 4.7#				Internal Diameter		Set at 5505 '		Perforations		То	То		
Type Comp	-				id Production			Pump U		Plunger? Yes	/ No		
Producing Thru (Annulus / Tubing)				% Carbo	n Dioxide			% Nitrogen		Gas Gravity - G			
Vertical Depth(H)					Fl	re Taps ange				(Meter Run) (Prover) S 3 • 000		•	
Pressure B	Buildup:	Shut in	8/30 19	$\frac{12}{2}$ at $\frac{1}{2}$	2:50 P	M (AM) (PM)	Taken	8/	31 19	$\frac{12}{1}$ at $\frac{1:10}{1:10}$	PM (AM) (PM)	
Well on Lin	ne: S	Started	19	at		(AM) (PM)	Taken		19	at	(AM) (PM)	
· · · · · ·	· · ·	Circle one:	1		OBSERVE	Y		1	1	Duration of Shut	<u>in 24</u>	Hours	
Static / Dynamic Property	Orifice Size inches	Meter or Prover Press psig	Differential	Flowing Well Head Temperature t t		Casing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)				uid Produced (Barrels)	
Shut-In			2				93	psig	psia ()	24			
Flow													
	-1		<u> </u>	 	FLOW STR	EAM ATTR	IBUTES						
Plate Coefficcies (F _b) (F _p) Mcfd		Circle one: Meter or over Pressure psia	Press Extension Š P _m x H _w	Gravity Factor F _g		emperature Factor		riation Metered Flow actor R (Mcfd)		GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G _m	
(P _c) ² =	:	(P _w) ² =	= <u> </u>		OW) (DELIVE	•) CALCUL ' _c - 14.4) +		:		2 = 0.20 2 =		
$(P_c)^2 - (P_a)$ or $(P_c)^2 - (P_a)$		(_c) ² - (P _w) ²	Choose formula 1 or 2: 1. P _c ² - P _c ² 2. P _c ² - P _d ² divided by: P _c ² - P _w ²	LOG of formula 1. or 2. and divide by:		Backpressure Curve Slope = "n" or Assigned Standard Slope		n x	.og	Antilog	Open Flow Deliverability Equals R x Antilog Motd		
Open Flow			Mcfd @ 14.65	nsia		Deliverabil	itv		A	lcfd @ 14.65 psia			
The und			behalf of the Cor	mpany, stat		duly author	ized to ma		ove report and	that he has know	ledge of		
TAIOU TIIOIOI	ii, anv liid	ι σαιυ τυρυπ	io ilue anu coffe(⊏xecuie		CT 01	•			-	, 19	<i>j</i>	
		Witness (if any)		and section of the se	eavalidis	DIVISIO"	χ.	For Co	эпрапу			
		For Comm	nission		- 	WICHITA	V. 2007		Check	ed by			

I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Cobra_Oil & Gas_Corporation and that the foregoing information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon gas production records and records of equipment installation and/or of type completion or upon use of the gas well herein named. I hereby request a permanent exemption from open flow testing for the Jack 1-27 gas well on the grounds that said well:
(Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. X is incapable of producing at a daily rate in excess of 150 mcf/D
Signature: Jay Drlg & Prod Asst

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.