## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

		(Se	e instruction	ns on Reve	rse Side)					
	ď		,							
	9-11-12			Lease					Vell Number	
ating, Inc.		_		Johnson					cres Attributed	
		Section 12				41W			Acres Attributed	
	Reservoir Winfield				Gas Gathering Conne Oneok			tion		
	F	lug Back	Total Depth			Packer Se	t at			
						Dorfore	tions	To		
Weight 10.5	•	4.052		2360		1850-51		2320-23		
_		Internal Diameter				Perforations 2323		2327		
							veling Plunger? Yes / No			
Describe)	ribe) Type Fluid Productio Water			Pump Unit - Rod			Jnit - Rod			
nnulus / Tubing	)	% Ca	rbon Dioxid	е		% Nitroge	n	Gas Gr	avity - G	
				To-o				(Meter	Run) (Prover) Size	
								2"		
Chut in	9-10 201	12 at /			Taken	9-1	/20/	2 at 1,0	O(AM) (FM)	
Stiut III				(AM) (PM)	Taken	-	20	at	(AM) (PM)	
				SURFACE	E DATA			Duration of Shut	-in_ <i>24_</i> Hours	
titic / Orifice			Casing Wellhead Pressure		1	Tubing		Liquid Produced		
		Temperature Temperature			(P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		(Hours)	(Barrels)		
psig (Pm)	Inches H <sub>2</sub> 0			psig	psia	psig	psia	211		
2					47	<del>                                     </del>		24	<del>                                     </del>	
						<u> </u>				
			FLOW STR	EAM ATTR	IBUTES				Flowing	
Plate Circle one: Press  Afficient Prover Pressure Prover Pressure Press  Extension Prover Pressure Pressure		Gravity Teactor		Flowing emperature Factor F <sub>11</sub>	nperature Factor		Metered Flow R (Mcfd)	(Cubic F	GOR (Cubic Feet/ Barrel) Fluid Gravity G <sub>m</sub>	
		<u> </u>								
							:		(a) <sup>2</sup> = 0.207 (b) <sup>2</sup> =	
: (P <sub>w</sub> ) <sup>2</sup> =		$P_d = 1$		$\overline{}$					Open Flow	
$(P_c)^2 - (P_s)^2$ $(P_c)^2 - (P_w)^2$ 1. $P_c^2$		LOG of formula 1. or 2.		Slope = "n"		n x LOG		Antilog	Deliverability Equals R × Antilog • (Mcfd)	
	divided by: Pc2 - Pw2	by:	F F.	Stan	dard Slope			 i		
		<u>                                     </u>	<u></u>	<del> </del>						
			•							
gned authority, o	on behalf of the (	Company, s	states that h	ne is duly a	uthorized	to make t	the above rep	ort and that he	has knowledge of	
					8	_ day of	vicou	·	RECEIV	
			·		(	pri	ce Ki	Company Company	007	
					,		1 101	# ···· · · · · · · · · · · · · · · · ·	UCT 11	
	Weight 10.5 Weight 4.7 Describe)  Annulus / Tubing  Shut in Started  Circle one: Meter Prover Pressure psia  (P <sub>w</sub> ) <sup>2</sup> =  (P <sub>e</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> gned authority, of	Action E/2 SW  Weight 10.5  Weight 4.7  Describe)  Shut in	Acting, Inc.  Location E/2 SW 12  Reservoir Winfield Plug Back 2361' TD  Weight Internal Did 4.052  Weight 4.7 2.000  Describe) Type Fluid Water Annulus / Tubing) % Ca  Shut in 9-/0 20/2 at //  Sh	ating, Inc.  Location E/2 SW 12  Reservoir Winfield  Plug Back Total Depth 2361' TD  Weight Internal Diameter 4.052  Weight A.7 2.000  Describe) Type Fluid Production Water  Annulus / Tubing) % Carbon Dioxid  Press: Flang  Shut in 9-/0 20/2 at //00  Started 20 at  OBSERVET  OBSERVET  Prover Pressure Differential in psig (Pm) Inches H₂0 Temperature t	ating, Inc.  Location E/2 SW 12 Reservoir Winfield  Plug Back Total Depth 2361' TD  Weight 10.5 4.052 2360  Weight Internal Diameter Set at 4.77 2.000 2333  Describe)  Type Fluid Production Water  Pressure Taps Flange  Shut in  Started 20 at (AM) (PM)  Started 20 at (AM) (PM)  OBSERVED SURFACT  Cas Weilhead Temperature In Inches H <sub>2</sub> 0  Pressure Prover Pressure Prover Pressure Psig (Pm)  Press Extension Prover Pressure Meter or Prover Pressure Psia  OPEN FLOW STREAM ATTR  Circle one: Meter or Prover Pressure Psia  OPEN FLOW) (DELIVERABILITY Flowing Temperature Factor Fac	ating, Inc.  Location Section TWP E/2 SW 12 24S  Reservoir Winfield  Plug Back Total Depth 2361*TD  Weight Internal Diameter Set at 10.5 4.052 2360  Weight Internal Diameter Set at 2.000 2333  Describe) Type Fluid Production Water  Vanualus / Tubing) % Carbon Dioxide  Pressure Taps Flange  Shut in 9-10 20 at //00 (AM) M Taken Started 20 at (AM) (PM) Taken Started 20 at (AM) (PM) Taken Started 20 at (AM) (PM) Taken Started Started Started Started Temperature Inches H <sub>2</sub> 0 Pressure Taps  Flowing Temperature Inches H <sub>2</sub> 0 Pressure Taps  Flowing Temperature Inches H <sub>2</sub> 0 Pressure Taps  Flowing Taken Started Casing Temperature Inches H <sub>2</sub> 0 Pressure Taps  Flowing Taken Started Casing Temperature Inches H <sub>2</sub> 0 Pressure Taps  Flowing Taken Started Temperature Inches H <sub>2</sub> 0 Pressure Taps  Flowing Taken Started Casing Temperature Inches H <sub>2</sub> 0 Pressure Taps  Flowing Taken Started Temperature Inches H <sub>2</sub> 0 Pressure Temperature Inches H <sub>2</sub> 0 Pressure Temperature Inches H <sub>2</sub> 0 Pressure Pressure Prover Pressure Pressure Pressure Prover Pressure Pressure Pressure Pressure Pressure Pressure Prover Pressure Pr	ating, Inc.  Location E/2 SW 12 24S 41W  Reservoir Winfield  Plug Back Total Depth 2361 TD  Weight 10.5 4.052 Weight 11etrnal Diameter 4.7 2.000 Started  Pressure Taps Flange  Shut in Started  20 21 20 21 21 21 21 21 21 21 21 21 21 21 21 21	ating, Inc.  Location E/2 SW 12 12 12 24S 41W  Reservoir Winfield Reservoir Weight 10.5 4.052 2360 1850-51 1	ating, Inc.  Lease Johnson  IA  Loation E/2 SW  Reservoir Reservoir Winfield  Reservoir Winfield  Reservoir Winfield  Reservoir Winfield  Reservoir Winfield  Reservoir Reservoi	

i declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Horseshoe Operating, Inc. and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow testing for the Johnson 1A gas well on the grounds that said well:
is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. ✓ is not capable of producing at a daily rate in excess of 250 mcf/D  I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.
Date: 10-8-12  Signature:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.