



KANSAS CORPORATION COMMISSION 1097574
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34170
Name: Sirius Energy Corp.
Address 1: 526 COUNTRY PL, SOUTH
Address 2:
City: ABILENE State: TX Zip: 79606 + 7032
Contact Person: Randy Teter
Phone: (785) 4488571
CONTRACTOR: License # 32079
Name: Leis, John E.
Wellsite Geologist: n/a
Purchaser: CVR Energy
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.):

If Workover/Re-entry: Old Well Info as follows:
Operator:
Well Name:
Original Comp. Date: Original Total Depth:
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
Plug Back: Plug Back Total Depth
 Commingled Permit #:
 Dual Completion Permit #:
 SWD Permit #:
 ENHR Permit #:
 GSW Permit #:
06/15/2012 06/15/2012 06/18/2012
Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 15-003-25462-00-00
Spot Description:
SW SE NW NE Sec. 13 Twp. 21 S. R. 20 East West
3961 Feet from North / South Line of Section
1897 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Anderson
Lease Name: Ewing B Well #: X-11
Field Name:
Producing Formation: Squirrel sand
Elevation: Ground: 1054 Kelly Bushing: 0
Total Depth: 721 Plug Back Total Depth:
Amount of Surface Pipe Set and Cemented at: 21 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: Feet
If Alternate II completion, cement circulated from: 21 feet depth to: 0 w/ 6 sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: 0 ppm Fluid volume: 120 bbls
Dewatering method used: Evaporated
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License #:
Quarter Sec. Twp. S. R. East West
County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Deanna Garrison Date: 10/23/2012



1097574

Operator Name: Sirius Energy Corp.

Lease Name: Ewing B

Well #: X-11

Sec. 13 Twp. 21 S. R. 20 East West

County: Anderson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets)

Log Formation (Top), Depth and Datum Sample

Samples Sent to Geological Survey Yes No

Name Top Datum
Squirrel sand 640 GL

Cores Taken Yes No

Electric Log Run Yes No

Electric Log Submitted Electronically Yes No
(If no, Submit Copy)

List All E. Logs Run:

Gamma Ray / Neutron / CCL

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9.875	7	20	21	Portland	6	
Production	5.625	2.875	6.5	722	OWC	60	Kol seal 40%

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Perforate				
Protect Casing				
Plug Back TD				
Plug Off Zone				

PERFORATION RECORD - Bridge Plugs Set/Type
Specify Footage of Each Interval Perforated

Acid, Fracture, Shot, Cement Squeeze Record
(Amount and Kind of Material Used)

Shots Per Foot	Depth

TUBING RECORD: Size: Set At: Packer At: Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: Vented Sold Used on Lease
(If vented, Submit ACO-18.)

METHOD OF COMPLETION: Open Hole Perf. Dually Comp. Commingled
(Submit ACO-5) (Submit ACO-4)

PRODUCTION INTERVAL:

GARNETT TRUE VALUE HOMECENTER

410 N Maple
 Garnett, KS 66032
 (785) 448-7106 FAX (785) 448-7135

Merchant Copy

INVOICE

THIS COPY MUST REMAIN AT
 MERCHANT AT ALL TIMES!

Page: 1	Invoice: 10186620
Special :	Time: 08:21:45
Instructions :	Ship Date: 06/14/12
Sale rep #: WAYNE WAYNE STANLEY	Invoice Date: 06/14/12
	Due Date: 07/08/12
Sold To: SIRIUS ENERGY CORP 526 COUNTRYPLACE SOUTH ABILENE, TX 79808-7032	Ship To: SIRIUS ENERGY CORP (325) 886-8152
Customer #: 0001860	Customer PO: X13
	Order By:

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
30.00	30.00	P	BAG	CPFA	FLY ASH MIX 80 LBS PER BAG	7.8900 BAG	7.8900	236.70
38.00	36.00	P	BAG	CPPC	PORTLAND CEMENT-94#	10.4400 BAG	10.4400	375.84

FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER	Sales total	\$612.54
SHIP VIA Customer Pick up					
RECEIVED COMPLETE AND IN GOOD CONDITION				Taxable	612.54
X <i>[Signature]</i>				Non-taxable	0.00
				Sales tax	50.85

TOTAL \$663.39

1 - Merchant Copy

