STATE OF KANSAS , STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway

WELL PLUGGING RECORD

State Corporation Commission 211 No. Broadway Wichita, Kansas		Finne	Coun	ty. Sec_12	rwp. 225 Rg	ge.32W (E)	(W)
NORTH	Location as "NE Lease Owner T	/CNW#SW#" exaco II	or footage fro	om lines Ctr	: SW/4		
	Lease Name	d Hughe:	s "C" U	nit	13 00 3 5 0	Well No	1
	Office Address Character of We			ilding, V	Dry Hol		· · · · · · · · · · · · · · · · · · ·
	Date well comp		as On, Gas (or Dry Hole)	<u></u>	6-5	19 59
	Application for p					2-18	₁₉ 63
	Application for p					2-20	_19 <u>63</u>
	Plugging comme					2-21	_19 <u>63</u>
	Plugging comple				Dry Ho	2-21	19_0
	Reason for aband	donment of we	ll or producir	ng tormation	171 y 110	,TG	
	If a producing v	vell is abandor	ed. date of 1	ast production_	Dry Ho	le	19
	Was permission			**		efore plugging	
Locate well correctly on above Section Plat	menced? Y	es					
ame of Conservation Agent who supe	ervised plugging of this	well H	<u>igh Sco</u>	<u>tt </u>			
oducing formation			Botto	m	Total Depth	of Well	Feet
ow depth and thickness of all water	, oil and gas formations	3.					
OIL, CAS OR WATER RECORD	OS					CASING RE	ECORD
FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED	овт
Dry Hole				7-5/8"	198	None	
				4-1/2"	2771	None	
						<u> </u>	
							
				\$	82 C T	FIVE	D ₀
					FEB :	₹7 1963	一
					Mainer		
					Wichita	ION DIVISI , Kansas	<i>*</i>
	/TE additional	description is nec	7 A C	V -f Al:l			
ame of Plugging Contractor_NON		uescription is nece	ssary, use pac	K of this sheet)			
_{rate of} Kansas	e. a	S.	ad ovri ek				
rate of <u>Ransas</u> H. N. Wade	, COU	NTY OF_S			, SS.		
ell, being first duly sworn on oath,			ala			S C .7 1	
cove-described well as filed and that	t the same are true and	wledge of the d correct. So	facts, statem	ents, and matte	ner or operators herein cont	r) of the abov ained and the	e-described
cove-described well as filed and that	t the same are true and	wledge of the d correct. So (Signature)	facts, statem	ents, and matte	rs herein cont	rained and the	log of the
sove-described well as filed and that Subscribed and Sworn to before	t the same are true and	wledge of the d correct. So (Signature)	facts, statem help me Cod 14 Bitt	nents, and matter	rs herein cont	ta, Kan	log of the
	t the same are true and	wiledge of the d correct. So (Signature)6_	facts, statem help me Cod 14 Bitt	ing Bldg.	Wichi	ta, Kan	log of the

O PETER DE

THE TEXAS COMPANY-LOG OF WELL

Teles

DIVISION

18140

CONSERVATION COMPLETION DATA COMPLETON DATA	fre.
Staked 1320* S. & 1320* N. of 34 1/4 DIST Kansas COPARISH Finney STAYE COMP. DRIG. 5-27-59 DAYS DRIG. TO CONTR. OR CO. RIG NO. DATVY DYILLING COMPRITY T. D. DRILLED DP 29.29 ZERO ELEV. EB2931 GR. RUN BADIATION CHART COMP. DATE CASING RECORD STATE COMP. DATE CASING RECORD CASING RECORD CASING RECORD CASING RECORD STATE COMP. DATE CASING RECORD COMPLETION DATA	fre.
DIST KANSAS COMM. DRIG. 5=19-59 COMM. DRIG. 5=27-59 DAYS DRIG. ROT. FROM. 0 TO 2772 CABLE FROM. TO CONTR. OR CO. HIG NO. GETTSY Drilling Company T. D. DRILLED TO CONTR. OR CO. HIG NO. GETTSY Drilling Company T. D. DRILLED TO CONTR. OR CO. HIG NO. GETTSY Drilling Company T. D. DRILLED TO CONTR. OR CO. HIG NO. GETTSY Drilling Company T. D. DRILLED TO CONTR. OR CO. HIG NO. GETTSY Drilling Company T. D. DRILLED TO CONTR. OR CO. HIG NO. GETTSY Drilling Company T. D. DRILLED TO CONTR. OR CO. HIG NO. GETTSY Drilling Company T. D. DRILLED TO CONTR. OR CO. HIG NO. GETTSY Drilling Company T. D. DRILLED TO CONTR. OR CO. HIG NO. GETTSY Drilling Company T. D. DRILLED TO CONTR. OR CO. HIG NO. GETTSY Drilling Company T. D. DRILLED TO CONTR. OR CO. HIG NO. GETTSY Drilling Company T. D. DRILLED TO CONTR. OR CO. HIG NO. GETTSY DRILLING COMP. DATE CASING RECORD CONTR. DRIVE DUAL CHT. TEMP. SURV ETC. STATE CORPORATION COMP. STATE CORPORATI	72 -oi.
COMM. DRIG. 5-19-59 COMM. DRIG. 5-27-59 DAYS DRIG. COMM. DRIG.	72 -ot.
COMM. DRIG. 5-19-59 COMM. DRIG. 5-27-59 DAYS DRIG. COMM. DRIG. 5-19-59 COMP. DRIG. 5-27-59 DAYS DRIG. COMM. DRIG. 5-19-59 COMP. DRIG. 5-27-59 DAYS DRIG. COMM. DRIG. 5-19-59 COMP. DRIG. 5-27-59 DAYS DRIG. COMM. DRIG. 5-19-59 COMM. DRIG. 5-27-59 DAYS DRIG. COMM. DRIG. 5-19-59 COMM. DRIG. 5-27-59 DAYS DRIG. COMM. DRIG. 5-19-59 DAYS DRIG. COMM. DRIG. 5-19-59 DAYS DRIG. COMM. DRIG. 5-27-59 DAYS DRIG. 5-27-59 DAYS DRIG. COMM. DRIG. 5-27-59 DAYS DRIG. 5-	72 -ot.
ROCATE EXACT WELLIOCATION ACASE ASSOCIATION SECTION ROT. PROM. O TO 2772 CABLE PROM. TO TO TO TO TO TO TO THE STATE CONTRACTOR ACASE SOUNDARY WITHIN SECTION TO TO TO THE TO THE STATE CONTRACTOR ACASE SOUNDARY WITHIN SECTION TO THE TO THE STATE CONTRACTOR ACASE STATE ACA	ire.
CONTR. OR CO. RIG NO. GETVEY DELLEY COMPANY T. D. DRILLED. 27 DF2929 MP. T. D. PB 2705 XERO BLEY EB231 OFFICIAL COMP. DATE CASING RECORD SIZE COMPLETION OFFICIAL COMP. DATE COMPLETION DATA COMPLETION DA	ire.
DP 2705 DP 2705 TERO ELEV EB2931 GRD. ELEV. 2926 CSG. FLG. ELEV_EB STE OF FIRST PROD. DFF	ire.
CASING RECORD SIZE DEPTH WEIGHT GRADE RANGE REMARKS—QUAN. CMT., TEMP. SURV., ETC. 5/8" 198' 17.7" SM 8-2 Set & cmtd & 198' W/200 sx posmix. Cmt. e1 1/2" 2771' 9.5" J-55 8-2 Set & cmtd & 2771 W/250 sx AOS diagel cmt. CENTRALIZEDS - 2788 - 2730 - 2705 - 2675 SCRATCHER - 2770 - 2750 - 2730 - 2710 CONSERVATION DIVISION Wichita, Kansas COMPLETION DATA ORMATION D & A ATE OF TEST 6-5-59 EFTH OF PROD. INTERVAL NITIAL PRODUCTION: OIL-8PD	ire.
CASING RECORD CASING RECORD CASING RECORD REMARKS—QUAN. CHT., TEMP. SURV., ETC.	ire.
CASING RECORD	
### PEET #### GRADE RANGE REMARKS—QUAN. CMT., TEMP. BURY., ETC. 5/8" 198" 17.7# SM R-2 Set & cmtd 198" W/200 ex posmix. Cmt. cir. 1/2" 2771" 9.5# J-55 1-2 Set & cmtd 2771 W/250 ex LOS diagel cmt. cire. CENTRALIZERS - 2758 - 2738 - 2705 - 2675 SIATE CORPORATION COMBINS SGRATCHER - 2770 - 2750 - 2730 - 2710 FEB 20 1963 CONSERVATION LIVES Wichita, Kansas COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA	
### PEET #### GRADE RANGE REMARKS—QUAN. CMT., TEMP. BURY., ETC. 5/8" 198" 17.7# SM R-2 3et & cmtd 198" W/200 ex posmix. Cmt. cir. 1/2" 2771" 9.5# J-55 1-2 3et & cmtd 2771 W/250 ex 40% diagel cmt. cire. CENTRALIZEDS - 2758 - 2738 - 2705 - 2675 SIATE CORPORATION COMBINS SCRATCHER - 2770 - 2750 - 2730 - 2710 FEB 20 1963 CONSERVATION LIVES Wichita, Kansas COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLETION DATA COMPLET	
198	
2771 9.5# J-55 1-2 Set & emtd 3 2771 W/250 ex 40% diage1 emt. CENTRALIZEDS - 2768 - 2738 - 2705 - 2675 SCENTRALIZEDS - 2768 - 2730 - 2730 - 2710 FEB 20 1963 CONSERVATION DIVISION Wichits, Kansas COMPLETION DATA COMPLETION DATA ORMATION D & A DEPTH OF PROD. INTERVAL NITIAL PRODUCTION: OIL-EPD	
CENTRALIZEDS - 2768 - 2738 - 2705 - 2675 SCRATCHER - 2770 - 2750 - 2730 - 2710 FEB 20 1963 CONSERVATION DIVISION Wichita, Kansas COMPLETION DATA CORMATION DAA COMPLETION DATA COMPLETION	
CENTRALIZERS - 2766 - 2730 - 2705 - 2675 SERATCHER - 2770 - 2750 - 2730 - 2710 FEB 20 1963 CONSERVATION DATA COMPLETION D	•
CONTRALIZERS - 2756 - 2736 - 2705 - 2675 SCRATCIER - 2770 - 2750 - 2730 - 2710 FEB 20 1963 CONSERVATION DATA COMPLETION D	
SCRATCIES - 2770 - 2750 - 2730 - 2710 FEB 20 1963 CONSERVATION UNISTED Witchits, Kansas COMPLETION DATA)
CONSERVATION DIVISION Wichits, Kansas COMPLETION DATA C	HOM
CONSERVATION DIVISION Wichita, Kansas COMPLETION DATA FORMATION DATE OF TEST DEPTH OF PROD. INTERVAL NITIAL PRODUCTION: OIL-EPD	
COMPLETION DATA FORMATION DA A DEPTH OF PROD. INTERVAL NITIAL PRODUCTION: OIL-BPD	
DATE OF TEST DEPTH OF PROD. INTERVAL NITIAL PRODUCTION: OIL - BPD	•
ORMATION D & A DATE OF TEST 6-5-59 DEPTH OF PROD. INTERVAL NITIAL PRODUCTION: OIL - EPD	
DEPTH OF PROD. INTERVAL NITIAL PRODUCTION: OIL - EPD	
DEPTH OF PROD. INTERVAL NITIAL PRODUCTION: OIL - BPD	
NITIAL PRODUCTION: OIL - BPD	
WATER - BPD	
GOR	
BHP - PSI	
ORRECTED API GRAVITY	
RODUCING CONDITIONS Day	
2 4(1)	
REMARKS	
575.00 525.00 475 400	
NOW DE LA CONTRACTION DE LA CO	

15-055-00234-0000

*** 12 - 228 * 32W

C-SW/4

·· Texa**co, inc**orporated

ARM ED HUGHES

сомм. Мау 19, 1959

UNIT - "C" 1

2771


May 24, 1959

CONTRACTOR

GARVEY DRILLING COMPANY

COMP.

GABING 7 5/8" € 193' W/200 sax. 4%" € 2771' W/250 sax. COUNTY FINNEY CO., KABAS



LEVATION

PRODUCTION

SHOUGHTE BUTTOM OF FORMATIONS

MATE CORPORATION COMPANION

FEB 20 1963

CONSERVATION DIVIS IN Wichita, Kansas

Surface clay Clay, sand & gravel 40 165 Shale 450 Sand 475 800 Blue shale 965 Sha le Shale & shells 1395 1630 Shale 1845 Glorietta sand 2295 Shale 2485 Shale & lime 251Ü Lime & shale Lime, shale & sand 2690 2771 Line T. D. 2771

State of . . . KANSAS

County of _____ BARTON

I, VERNE A. MORRIS

GARVEY DRILLING COMPANY

upon oath state that the above and foregoing is a true and correct copy of the log of the #1 ED FAGHES "C" UNITell

of

1 sine (1. 11/01

Subscribed and sworn to before me this 28th day of May 19 59

My Communion Expers. Novamber 12, 1962

NOTARY PUBLIC