

FALCON SEABOARD DRILLING COMPANY

107 PHILTOWER LOBBY  
TULSA, OKLAHOMA

February 23, 1943

State Corporation Commission,  
Conservation Division,  
800 Bitting Building,  
Wichita, Kansas.

Gentlemen:

Attached hereto you will find a certified copy of the driller's log together with a plugging report, plugging application and plugging instructions, covering our recently completed dry hole in the SE NW SE of Section 15-16S-16W., Rush County, Kansas, known as the No. 1 Winget.

Very truly yours,



FALCON SEABOARD DRILLING COMPANY

By Edward M. Swearer

Edward M. Swearer  
Special Representative

M

encs.



STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Well Location SE NW SE 1/4 Sec. 15 Twp. 16 Rge. \_\_\_\_\_ (E) \_\_\_\_\_ (W) 16

Field Name (if any) \_\_\_\_\_ County Rush

Lease (Farm Name) Winget Well No. 1

Was well log filed with application? NO If not, explain circumstances and give available data (Use an additional sheet if necessary) \_\_\_\_\_

Date and hour plugging is desired to begin Feb 17 12 M

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired (Use an additional sheet if necessary) \_\_\_\_\_

Name of the person on the lease in charge of well for owner \_\_\_\_\_

S R Knapp Address Box 73 Hutchinson KS


Name of well owner or Acting Agent Falcon Seaboard Drilling Co

Address 306 Union and Tl. Bank Wichita KS

Invoice covering assessment for plugging this well should be sent to:

Falcon Seaboard Address Wichita KS

and payment will be guaranteed by applicant.



Operator or Acting Agent \_\_\_\_\_

Date \_\_\_\_\_

15-165-01894-0000



STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION

800 BITTING BUILDING  
WICHITA, KANSAS

February 23, 1943

IN REPLY PLEASE  
REFER TO THIS  
SUBJECT

Well No. 1  
Farm Winget  
Description SE NW SE 15-16-16W  
County Rush  
File 65-1

Falcon Seaboard Drilling Co.  
306 Union National Bank Bldg.  
Wichita, Kansas

Dear Sirs:


This letter is your permit to plug  
the above subject well, in accordance  
with the Rules and Regulations of the  
STATE CORPORATION COMMISSION.

Yours very truly,

STATE CORPORATION COMMISSION

T. A. MORGAN, DIRECTOR  
CONSERVATION DIVISION

HA

BY:   
J. P. ROBERTS

NOTICE: C. T. Alexander  
Box 445  
Great Bend, Kansas

15:165.01894-0000  
**Plugging Instructions**

**How Well Shall Be Plugged**

Date \_\_\_\_\_ 194

Location \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ Rge. \_\_\_\_\_

Operators \_\_\_\_\_

Address \_\_\_\_\_

Lease \_\_\_\_\_ Well No. \_\_\_\_\_ County \_\_\_\_\_

Total Depth \_\_\_\_\_ ft. P. B. to \_\_\_\_\_ ft.

The hole shall be filled with mud or cement from \_\_\_\_\_ ft.

to \_\_\_\_\_ ft. and mud, rock and bridge to \_\_\_\_\_ ft.

and cement to \_\_\_\_\_ ft. and mud, rock and bridge to

\_\_\_\_\_ ft. and cement to \_\_\_\_\_ ft. and mud, rock

and bridge to \_\_\_\_\_ ft. and cement to \_\_\_\_\_ ft.

and mud to top of surface.

A rotary drilled dry hole that has only the surface pipe lift in the hole shall be filled with heavy rotary pit mud or mud and cement up to the bottom of the surface pipe or at approximately (50) below the fresh water, where the hole shall be bridged and cemented and then filled with extra heavy mud and cement to top of surface.

The operator shall have the option as to the method of placing cement in hole by: (a) dump bailer, (b) pumped through tubing, (c) pump and plug.

Pipe in hole \_\_\_\_\_ in. \_\_\_\_\_ ft. \_\_\_\_\_ in. \_\_\_\_\_ ft.

\_\_\_\_\_ in. \_\_\_\_\_ ft. \_\_\_\_\_ in. \_\_\_\_\_ ft.

15 16 16W  
65 (Signed)

