



KANSAS CORPORATION COMMISSION 1097573
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34170
Name: Sirius Energy Corp.
Address 1: 526 COUNTRY PL, SOUTH
Address 2:
City: ABILENE State: TX Zip: 79606 + 7032
Contact Person: Randy Teter
Phone: (785) 4488571

CONTRACTOR: License # 32079
Name: Leis, John E.
Wellsite Geologist: n/a
Purchaser: CVR Energy
Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
Cathodic Other (Core, Expl., etc.):

If Workover/Re-entry: Old Well Info as follows:
Operator:
Well Name:
Original Comp. Date: Original Total Depth:
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: Plug Back Total Depth
 Commingled Permit #:
 Dual Completion Permit #:
 SWD Permit #:
 ENHR Permit #:
 GSW Permit #:
06/14/2012 06/14/2012 06/18/2012
Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 15-003-25481-00-00
Spot Description:
NW NW SW NE Sec. 13 Twp. 21 S. R. 20 East West
3720 Feet from North / South Line of Section
2549 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Anderson
Lease Name: Ewing B Well #: W-14
Field Name:
Producing Formation: Squirrel sand
Elevation: Ground: 1052 Kelly Bushing: 0
Total Depth: 719 Plug Back Total Depth:
Amount of Surface Pipe Set and Cemented at: 21 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: Feet
If Alternate II completion, cement circulated from:
feet depth to: w/ sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: 0 ppm Fluid volume: 120 bbls
Dewatering method used: Evaporated
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License #:
Quarter Sec. Twp. S. R. East West
County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Deanna Garrison Date: 10/23/2012



1097573

Operator Name: Sirius Energy Corp.

Lease Name: Ewing B

Well #: W-14

Sec. 13 Twp. 21 S. R. 20 East West

County: Anderson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No Log Formation (Top), Depth and Datum Sample

Samples Sent to Geological Survey Yes No Name Squirrel sand Top 638 Datum gl

Cores Taken Yes No

Electric Log Run Yes No

Electric Log Submitted Electronically Yes No

(If no, Submit Copy)

List All E. Logs Run:

Gamma Ray / Neutron / CCL

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Table with 8 columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Rows include Surface and Production.

ADDITIONAL CEMENTING / SQUEEZE RECORD

Table with 4 columns: Purpose, Depth Top Bottom, Type of Cement, # Sacks Used, Type and Percent Additives. Purpose includes Perforate, Protect Casing, Plug Back TD, Plug Off Zone.

PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated

Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth

Table for Perforation Record with columns for Shots Per Foot, Footage, and Squeeze Record details.

TUBING RECORD: Size: Set At: Packer At: Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION: Open Hole Perf. Dually Comp. (Submit ACO-5) Commingled (Submit ACO-4) Other (Specify)

PRODUCTION INTERVAL:

GARNETT TRUE VALUE HOMECENTER

410 N Maple
Garnett, KS 66032
(785) 448-7106 FAX (785) 448-7135

Merchant Copy

INVOICE

THIS COPY MUST REMAIN AT MERCHANT AT ALL TIMES!

| | |
|---|---|
| Page: 1 | Invoice: 10186619 |
| Special : Instructions : | Time: 08:21:04 Ship Date: 06/14/12 Invoice Date: 06/14/12 Due Date: 07/08/12 |
| Sale rep #: WAYNE WAYNE STANLEY | Acct rep code: |
| Sold To: SIRIUS ENERGY CORP 526 COUNTRYPLACE SOUTH ABILENE, TX 79606-7032 | Ship To: SIRIUS ENERGY CORP (325) 665-9152 (325) 665-9152 |
| Customer #: 0001860 | Customer PO: W11 |
| | Order By: |

| ORDER | SHIP | U/M | ITEM# | DESCRIPTION | Alt Price/Uom | PRICE | EXTENSION |
|-------|-------|-------|-------|----------------------------|---------------|---------|-----------|
| 30.00 | 30.00 | P BAG | CPFA | FLY ASH MIX 80 LBS PER BAG | 7.8900 BAG | 7.8900 | 236.70 |
| 30.00 | 30.00 | P BAG | CPPC | PORTLAND CEMENT-94# | 10.4400 BAG | 10.4400 | 313.20 |

| | | | | | |
|---|------------|--------------|--------|-------------|----------|
| FILLED BY | CHECKED BY | DATE SHIPPED | DRIVER | Sales total | \$549.90 |
| SHIP VIA Customer Pick up | | | | | |
| RECEIVED COMPLETE AND IN GOOD CONDITION | | | | Taxable | 549.90 |
| <i>X</i> | | | | Non-taxable | 0.00 |
| | | | | Tax # | |
| | | | | Sales tax | 45.65 |

TOTAL \$595.55

1 - Merchant Copy

