

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1098201

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34350
Name: Altavista Energy, Inc.
Address 1: 4595 K-33 Highway
Address 2: PO BOX 128
City: WELLSVILLE State: KS Zip: 66092 +
Contact Person: PHIL FRICK
Phone: (785) 883-4057
CONTRACTOR: License # 5989
Name: Finney, Kurt dba Finney Drilling Co.
Wellsite Geologist: NONE
Purchaser: _____

Designate Type of Completion:

- ☒ New Well ☐ Re-Entry ☐ Workover
☐ Oil ☐ WSW ☐ SWD ☐ SIOW
☐ Gas ☐ D&A ☒ ENHR ☐ SIGW
☐ OG ☐ GSW ☐ Temp. Abd.
☐ CM (Coal Bed Methane)
☐ Cathodic ☐ Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD
☐ Conv. to GSW
☐ Plug Back: _____ Plug Back Total Depth
☐ Commingled Permit #: _____
☐ Dual Completion Permit #: _____
☐ SWD Permit #: _____
☐ ENHR Permit #: _____
☐ GSW Permit #: _____

07/13/2012 07/16/2012 07/16/2012
Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 15-031-23279-00-00

Spot Description: _____
SE NE NE SE Sec. 15 Twp. 22 S. R. 16 ☒ East ☐ West
2145 Feet from ☐ North / ☒ South Line of Section
165 Feet from ☒ East / ☐ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☒ SE ☐ SW

County: Coffey

Lease Name: Nickel Well #: I-5

Field Name: _____

Producing Formation: SQUIRREL

Elevation: Ground: 1034 Kelly Bushing: 1034

Total Depth: 1091 Plug Back Total Depth: 1043

Amount of Surface Pipe Set and Cemented at: 55 Feet

Multiple Stage Cementing Collar Used? ☐ Yes ☒ No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: 1072

feet depth to: 0 w/ 140 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 30 bbls

Dewatering method used: Evaporated

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- ☐ Letter of Confidentiality Received
Date: _____
☐ Confidential Release Date: _____
☒ Wireline Log Received
☐ Geologist Report Received
☒ UIC Distribution
ALT ☐ I ☒ II ☐ III Approved by: Deanna Gattisor Date: 10/31/2012



1098201

Operator Name: Altavista Energy, Inc. Lease Name: Nickel Well #: I-5
 Sec. 15 Twp. 22 S. R. 16 ☒ East ☐ West County: Coffey

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken ☐ Yes ☒ No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey ☐ Yes ☒ No Cores Taken ☒ Yes ☐ No Electric Log Run ☒ Yes ☐ No Electric Log Submitted Electronically ☒ Yes ☐ No <i>(If no, Submit Copy)</i> List All E. Logs Run: GAMMA RAY/NEUTRON/CCL	☒ Log Formation (Top), Depth and Datum ☐ Sample <table style="width: 100%; border-top: 1px solid black; border-bottom: 1px solid black;"> <tr> <td style="width: 60%;">Name</td> <td style="width: 20%;">Top</td> <td style="width: 20%;">Datum</td> </tr> <tr> <td>SQUIRREL</td> <td>1021</td> <td>+13</td> </tr> </table>	Name	Top	Datum	SQUIRREL	1021	+13
Name	Top	Datum					
SQUIRREL	1021	+13					

CASING RECORD ☐ New ☒ Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12.25	7	19	55	50/50 POZ	30	SEE TICKET
PRODUCTION	5.625	2.875	7	1072	50/50 POZ	140	SEE TICKET

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
— Perforate				
— Protect Casing	-			
— Plug Back TD				
— Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
3	1021-1029 - 25 PERFS - 2" DML RTG		

TUBING RECORD:		Size:	Set At:	Packer At:	Liner Run: ☐ Yes ☐ No
Date of First, Resumed Production, SWD or ENHR.			Producing Method: ☐ Flowing ☐ Pumping ☐ Gas Lift ☐ Other (Explain) _____		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: ☐ Vented ☐ Sold ☐ Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: ☐ Open Hole ☒ Perf. ☐ Dually Comp. ☐ Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> ☐ Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	---	---

[illegible]



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

INVOICE

Invoice # 251288

Invoice Date: 07/16/2012 Terms: 0/0/30,n/30

Page 1

ALTAVISTA ENERGY INC
4595 K-33 HIGHWAY
P.O. BOX 128
WELLSVILLE KS 66092
(785) 883-4057

NICKEL #I-5
37382
15-22-16
07-13-2012
KS

Part Number	Description	Qty	Unit Price	Total
1124	50/50 POZ CEMENT MIX	30.00	10.9500	328.50
1118B	PREMIUM GEL / BENTONITE	51.00	.2100	10.71
1111	SODIUM CHLORIDE (GRANULA	58.00	.3700	21.46
1110A	KOL SEAL (50# BAG)	150.00	.4600	69.00

Description	Hours	Unit Price	Total
503 TON MILEAGE DELIVERY	1.00	84.12	84.12
T-106 WATER TRANSPORT (CEMENT)	1.50	112.00	168.00
666 CEMENT PUMP (SURFACE)	1.00	825.00	825.00
666 EQUIPMENT MILEAGE (ONE WAY)	45.00	4.00	180.00

Parts: 429.67 Freight: .00 Tax: 27.07 AR 1713.86
Labor: .00 Misc: .00 Total: 1713.86
Sublt: .00 Supplies: .00 Change: .00

Signed _____

Date _____

BARTLESVILLE, OK
918/338-0808

EL DORADO, KS
316/322-7022

EUREKA, KS
620/583-7664

PONCA CITY, OK
580/762-2303

OAKLEY, KS
785/672-2227

OTTAWA, KS
785/242-4044

THAYER, KS
620/839-5269

GILLETTE, WY
307/686-4914



**FIELD TICKET & TREATMENT REPORT
CEMENT**

TICKET NUMBER 37382
LOCATION Ottawa, KS
FOREMAN Fred Mader

Kurt Finney Drlg. Fred Made

[illegible]

Rev'n 3737

AUTHORIZATION

TITLE

DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

251288



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

INVOICE

Invoice # 251386

Invoice Date: 07/23/2012 Terms: 0/0/30,n/30

Page 1

ALTAVISTA ENERGY INC
4595 K-33 HIGHWAY
P.O. BOX 128
WELLSVILLE KS 66092
(785) 883-4057

NICKEL I-5
37466
15-22-16
07-16-2012
KS

Part Number	Description	Qty	Unit Price	Total
1124	50/50 POZ CEMENT MIX	140.00	10.9500	1533.00
1118B	PREMIUM GEL / BENTONITE	348.00	.2100	73.08
1111	SODIUM CHLORIDE (GRANULA	322.00	.3700	119.14
1110A	KOL SEAL (50# BAG)	700.00	.4600	322.00
4402	2 1/2" RUBBER PLUG	1.00	28.0000	28.00

Description	Hours	Unit Price	Total
437 80 BBL VACUUM TRUCK (CEMENT)	2.00	90.00	180.00
558 TON MILEAGE DELIVERY	292.95	1.34	392.55
666 CEMENT PUMP	1.00	1030.00	1030.00
666 EQUIPMENT MILEAGE (ONE WAY)	.00	4.00	.00
666 CASING FOOTAGE	1072.00	.00	.00

Parts:	2075.22	Freight:	.00	Tax:	130.74	AR	3808.51
Labor:	.00	Misc:	.00	Total:	3808.51		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____

Date _____

BARTLESVILLE, OK
918/338-0808

EL DORADO, KS
316/322-7022

EUREKA, KS
620/583-7664

PONCA CITY, OK
580/762-2303

OAKLEY, KS
785/672-2227

OTTAWA, KS
785/242-4044

THAYER, KS
620/838-5269

GILLETTE, WY
307/686-4914



FIELD TICKET & TREATMENT REPORT

TICKET NUMBER 37466

LOCATION Jim Green

FOREMAN Ottawa, KC

JOB TYPE <u>Long String</u>	HOLE SIZE <u>5 7/8"</u>	HOLE DEPTH <u>1091'</u>	CASING SIZE & WEIGHT <u>2 7/8"</u>
CASING DEPTH <u>1072'</u>	DRILL PIPE <u>1042'</u>	TUBING _____	OTHER _____
SLURRY WEIGHT _____	SLURRY VOL _____	WATER gal/sk _____	CEMENT LEFT in CASING _____
DISPLACEMENT _____	DISPLACEMENT PSI _____	MIX PSI _____	RATE _____
REMARKS: <u>Held crew meeting. Establish circulation. Mix and pump 100 # Premium gel to flush holes. Mix and pump 140 sk 5750 #2 mix cement with 5 1/2 sk LT, 5 # Kel-Seal, 2 % Gel. Flush pump clear of cement. Pump 2 5/8" Rubber ring to total depth of casing. Pressure up to 300 # PSI well held close into valve. Circulate cement to surface.</u>			

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE		1030 ⁰⁰
5401	-	MILEAGE		N/C
5402	1072'	Casing Footage		N/C
5407A	292.95	TON Material	588	592.58
5502C	2 HR.	VAL TK		180 ⁰⁰
1124	140 SL	S950 Poz Mix Cement		1533. ⁰⁰
1118B	348 ^{lb}	Premium Gel		73.08
1111	322 ^b	Granulated SALT		119.17
1110A	700 ^b	Kal Seal		222. ⁰⁰
4402	1	2 1/2" Rubber Plug		28 ⁰⁰
			SALES TAX	130.74
			ESTIMATED TOTAL	3808.51

Bayn 3737

AUTHORIZATION

TITLE

DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

251386