## RECEIVED

OCT 2 5 2012

## Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test WICHITA

Form G-2 (Rev. 7/03)

Type Test:					(	See Ins	structions	s on Revers	e Side)					-
Open Flow Deliverability				Test Date: 10/10/2012						API No.			15189225840000	
Company <b>OXY USA</b>	Inc						Lease COLE A	2					w	ell Number
County Location Stevens 660 FSL & 2310 FW			<b>/</b> L	Section 13			TWP 34\$			RNG (E/W) 35W		Acres Attributed <b>640</b>		
Field RG					Reservoir Morrow/Chester					Gas Gathering Connection DCP Midstream			-	
Completion Date 06/08/2007				Plug Back Total Depth 6,300'					Packer Set at					
Casing Size Weight 5 1/2" 17.0#			-	Internal Diameter 4.892"			Set at <b>6,343</b> '			Perforations 6,130'		To <b>6,242</b> '		
ubing Size					Internal D 1.995"	iamete	er	Set at <b>6,274'</b>			Perforations		То	
Type Completion (Describe) COMMINGLED-GAS					Type Fluid Production WATER					Pump Unit or Traveling Plunger? Yes / No Yes - Beam Pump				
Producing Thru (Annulus / Tubing)  Annulus					% Carbon Dioxide <b>0.245</b> %					% Nitrogen <b>7.224%</b>			Gas Gravity - Gg <b>0.694</b>	
Vertical Depth (H) 6,186'					Pressure Taps <b>Flange</b>									n) (Prover) Siz 3.068"
ressure B	uildup:	Shut in	10.	09	20 12	_at _	9:00		Taken		10/10	20 <b>12</b>	at 9:	:00
Well on Line: Shut in				20at Taker				Taken			20	at		
						OBS	SERVED	SURFACE	DATA		D	uration of	Shut-in	24 Hours
Static / Dynamic	Orifice Size	Orifice Meter Differe		Pressul Different	itial Flowing Well H		Well Head			Tubing Wellhead Pressi		ressure	Duration	Liquid Proc
Property	(inches)	psig (Pm) Inches					t	psig psia		a psig		psia.	(Hours)	(Barrels
Shut-In		T		Т		r		145.0	159.	4			24	
Flow								<u></u>						
	_		1			FLO	W STRE	AM ATTRIE	BUTES					
Plate Coefficient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one: Meter or Prover Pressure psia		Press tension	Gravity Factor F <sub>g</sub>	Factor		re Fa	Deviation Factor F <sub>pv</sub>		Metered Flow R (Mcfd)		GOR Feet/Barrel)	Flowing Fluid Gravity G <sub>m</sub>
$(P_c)^2 =$			) <sup>2</sup> = 0.		(OPEN FI	LOW) (		RABILITY)			IONS			$(x)^2 = 0.207$
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$	(P <sub>e</sub> ) <sup>2</sup>	- (P <sub>w</sub> ) <sup>2</sup>	Choose Form 1. P <sub>c</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup>	2 = 0.0 ; Choose Formula 1 or 2: 1. $P_c^2 - P_u^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$		P <sub>c</sub> <sup>2</sup> .	% P <sub>w</sub> 2	(P <sub>c</sub> - 14.4) + 12  Backpressure Curve  Slope = "n"  Assigned  Standard Slope		nxLOG		: 	(P <sub>d</sub>	Open Flow Deliverability Equals R x Antilog (Mcfd)
					by:				·					
Open Flow 0			Mcfd @ 14.65 psia				Del	Deliverability			Mcfd @ 14.65 psia			
a facts stated t			signed author port is true ar			any, state ecuted th		4 -	i to make t	he abo	ove report and tr			2012
			Witness				_					For Compan		a formation of the second
		For	Commission				_					, ٧٨	,	•

Form G-2 (Rev. 7/03)

				KCC WICHITA
K.A.R. 82 contained and lease	e records of equipment installation and/or the installation and installati	OXY USA Inc. correct to the best of my for upon type of completi	and that the foregoing knowledge and belief base	ng pressure information and statements ed upon available production summaries
(Check o	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection is on a vacuum at the present time; K is not capable of producing at a daily	KCC approval Docket No rate in excess of 250 mo	o. cf/D	
I furth corrobora	ner agree to supply to the best of my abi ate this claim for exemption from testing.  October 19, 2012	lity any and all supportin	ng documents deemed by C	Commission staff as necessary to
			Signature	David Qoden e: OXY USA Inc
			Title	e: Gas Business Coordinator

Instructions: If a gas well meets one of the eligibility criteria set out in the KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

> At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

> The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31st of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.