(If additional description is necessary, use BACK of this form.)

INTO CE Deserve this plugging.

ilgned TECHNICIAN

FORM CP-2/3 Rev.01-84 B

	CARD MUST BE TYPED	NOTICE O	State of Kansas F INTENTION TO	CA DRILI	RD MUST BE SIGNED	
			e rules on reverse side)	· )		
	OPERATOR: License #	5046	033 C NW rfin Drlg. 1980	SW Sec. 28 Twp. 20	s, Rg. 23 X Wer	
	Address P. O. BOX 40 City/State/Zip W1ch1ta Ka	nsas 67201	4620	(Note: Locate well on Section Plate	Ft. from East Line of Section on reverse side)	
	Contact Person. Pat Raymo	4214	County	se or unit boundary line Ness		
CONTRACTOR: License #6033			Ground sur	Lease NameBurdett Well # .1		
	Well Drilled For:	Well Class: Type Equi	pment: Municipal v	rell within 330 feet: well within one mile: ottom of fresh water	yes _X_no yes _X_no	
		Pool Ext Air R		ottom of usable water 3.51		

Formation....Mississippi..... I certify that well will comply with K.S.A. 55-101, et seq., plus eventually pragging hole to KCC specifications. Tide...Vice President

Cable

Conductor Pipe Required .... EFFECTIVE DATE: 7-588

\_ Expl

OWWO

For KCC Use:

If OWWO: old well info as follows:

51 uDn. 288

X. Wildent

Operator .....

Approved By Ac.H. 6.-30-PS Sec. 28 Twp. 20 S, Rg. 23 X West

Surface pipe by Alternate:

Surface pipe planned to be set ......650..............

Conductor pipe required ...... None-....

## PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @ ft. deep. 1800 ' 2nd plug @ ft. deep. 1500 ' (Anhy.) 3rd plug @ ft. deep. 490 ' 4th plug @ ft. deep. 40.' 5th plug @ ft. deep. (2) Rathole to surface minus 5 feet	or formation with 60.8% or formation with 50.8% or formation with 10.8%	feet of COMMON CEMENT feet of STATE CORROLLATION COLUMNS ION
TD 4376 FORMATION MAY.  SURFACE PIPE 8 % @ 328  ANHYDRITE 14 % 3 ELEVATION 2221  STARTING TIME & DATE 6,000,00 m sn. 7-8 %  COMPLETION TIME & DATE 8,450,00 n. 7-8 %  18t PLUG @ 1485 FT. W 5-0 SX	2nd PLUG @ SYGHT. W/ SOSX 3rd PLUG @ SZOFT. W/ SOSX 4th PLUG @ 40_0 FT. W/ 10 SX RAT HOLE CIRCULATED W/ 15 SX WOUSE HOLE CIRCULATED W/ 10 SX WATER WELL PLUGGED W/ 10 SX CEMENT COMPANY AMBLE SYJA	CONSERVATION DIVISION Wichita, Kansas