



KANSAS CORPORATION COMMISSION 1100211  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
June 2009

Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 31280  
Name: Birk, Brian L. dba Birk Petroleum  
Address 1: 874 12TH RD SW  
Address 2: \_\_\_\_\_  
City: BURLINGTON State: KS Zip: 66839 + 9255  
Contact Person: Brian L Birk  
Phone: ( 620 ) 364-5875  
CONTRACTOR: License # 33900  
Name: Leis, Steven A.  
Wellsite Geologist: None  
Purchaser: Coffeyville Resources

Designate Type of Completion:

- New Well     Re-Entry     Workover
- Oil     WSW     SWD     SIOW  
 Gas     D&A     ENHR     SIGW  
 OG     GSW     Temp. Abd.  
 CM (Coal Bed Methane)  
 Cathodic     Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to ENHR     Conv. to SWD  
 Conv. to GSW  
 Plug Back: \_\_\_\_\_ Plug Back Total Depth  
 Commingled    Permit #: \_\_\_\_\_  
 Dual Completion    Permit #: \_\_\_\_\_  
 SWD    Permit #: \_\_\_\_\_  
 ENHR    Permit #: \_\_\_\_\_  
 GSW    Permit #: \_\_\_\_\_  
08/02/2012    08/07/2012    08/07/2012  
Spud Date or    Date Reached TD    Completion Date or  
Recompletion Date       Recompletion Date

API No. 15 - 15-207-28238-00-00  
Spot Description: \_\_\_\_\_  
N2 SW SW SE Sec. 26 Twp. 25 S. R. 15  East  West  
495 Feet from  North /  South Line of Section  
2310 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE     NW     SE     SW  
County: Woodson  
Lease Name: Dale Adams Well #: 28  
Field Name: Yates Center  
Producing Formation: Squirrel  
Elevation: Ground: 1069 Kelly Bushing: 1069  
Total Depth: 1450 Plug Back Total Depth: 1142  
Amount of Surface Pipe Set and Cemented at: 40 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: 1142  
feet depth to: 0 w/ 170 sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 0 bbls  
Dewatering method used: Evaporated  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: \_\_\_\_\_  
 Confidential Release Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
ALT  I  II  III Approved by: Deanna Garrison Date: 11/08/2012



1100211

Operator Name: Birk, Brian L. dba Birk Petroleum Lease Name: Dale Adams Well #: 28  
 Sec. 26 Twp. 25 S. R. 15  East  West County: Woodson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Log Formation (Top), Depth and Datum	<input checked="" type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Squirrel Sand	1031 +38
Electric Log Run	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Electric Log Submitted Electronically (If no, Submit Copy)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
List All E. Logs Run:			
Gamma Ray/Neutron			

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Casing	9.875	7.0	17	40	Portland	10	Calcium
Long String	5.875	2.875	6.5	1142	Portland	170	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing	-			
___ Plug Back TD				
___ Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	1030-1040, 1071-1081'	Frac w/80 sx sand	1030-1040, 1071-1081'

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR. 08/11/2012	Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____			
Estimated Production Per 24 Hours	Oil Bbls. 2	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled (Submit ACO-5) <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	---	--

**BIRK PETROLEUM**  
 874 12<sup>TH</sup> RD SW  
 BURLINGTON, KS 66839  
 620-364-1311 - OFFICE, 620-364-6646 - CELL

**WELL CEMENTING**

**SERVICE TICKET**

COUNTY W.O. DATE: 08/07/12  
 CITY \_\_\_\_\_

CHARGE TO Birk Petroleum  
 ADDRESS \_\_\_\_\_ CITY \_\_\_\_\_ ST \_\_\_\_\_ ZIP \_\_\_\_\_  
 LEASE & WELL NO. Dale Adams #23 CONTRACTOR Company 10015  
 KIND OF JOB Cement Plug String SEC \_\_\_\_\_ TWP \_\_\_\_\_ RG \_\_\_\_\_  
 DIR. TO LOC. \_\_\_\_\_ OLD  NEW

QUANTITY	MATERIAL USED	SERV. CHG
<u>170 sk</u>	<u>Portland Cement</u>	
	BULK CHARGE	
	BULK TRK. MILES	
	PUMP TRK. MILES	
	PLUGS	
	TOTAL	


T.D. 1450' CSG. SET AT 1142' VOLUME \_\_\_\_\_  
 SIZE HOLE 5 7/8" TBG SET AT \_\_\_\_\_ VOLUME \_\_\_\_\_  
 MAX. PRESS. \_\_\_\_\_ SIZE PIPE 2 7/8" \_\_\_\_\_  
 PLUG DEPTH \_\_\_\_\_ PKER DEPTH \_\_\_\_\_ PLUG USED \_\_\_\_\_

TIME FINISHED: \_\_\_\_\_

REMARKS: Connect to pipe. Pump cement into well to plug back to 1142'. Circulate cement to surface. job complete.

NAME \_\_\_\_\_

CEMENTER OR TREATER

  
 OWNER'S REP.

802 N. Industrial Rd.  
 P.O. Box 244  
 P.O. Box 244  
 Phone: (800) 363-6568

# Payless Concrete Products, Inc.



**CONDITIONS**  
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, sealer assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allowed time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength lost when water is added at customer's request.  
**NOTICE TO OWNER**  
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

B0001  
 B & B COOPERATIVE VENTURES  
 5000 S. W. 10TH ST.

BURLINGTON KS  
 66839

B14/12  
 B&B COOPERATIVE VENTURES  
 54 HWY 11 TO 75 HWY 5 2.5 MI  
 E 50 FEET PAST 98TH  
 LOOK FOR SIGNS  
 DALE ADAMS#28

SHIP TO:

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/PSGR	% AIR	REMARKS
11:28:07a	WELL		17.00 yd	0.00	3P	0.00	WOODCO
DATE	To Date	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLOPE	TRUCK #
08-07-12	Today	2	17.00 yd	21659	6.00	4.00 in	32317

**CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.**  
 The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.  
 All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.  
 Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.  
 A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks  
 Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**  
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE OURS LINE)  
 Dear Customer: The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in the load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and the supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, in additional consideration, the undersigned agrees to indemnify and hold harmless the driver of the truck and the supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.  
 SIGNED

**Excessive Water is Detrimental to Concrete Performance**  
**H<sub>2</sub>O Added By Request/Authorized By**  
 GAL X \_\_\_\_\_  
 WEGHMASTER  
 LOAD RECEIVED BY:  
 X \_\_\_\_\_

QUANTITY	CODE	DESCRIPTION	PRICE	AMOUNT	TOTAL
B. 50	WELL	WELL (10 SACKS PER UNIT)	17.00	51.00	433.50
B. 50	MIX&HAUL	MIXING & HAULING	17.00	25.00	212.50

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal \$	646.00
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER		Tax % 7.300	47.16
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		Total \$	693.16
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE	Order \$	1520.44
					ADDITIONAL CHARGE 1	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2	
					GRAND TOTAL	

1143  
 1215

**B&B Industrial Bld.**  
**P.O. Box 684**  
**Topeka, Kansas 66610**  
**Phone: (620) 365-5588**

**Payless Concrete Products, Inc.**



**CONDITIONS**  
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.  
**NOTICE TO OWNER**  
 Failure of the contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

18001  
 B & B COOPERATIVE VENTURES  
 308 S. FOURTH ST.

BURINGTON KS  
 66839

B14/12  
 B&B COOPERATIVE VENTURES  
 54 HWY W TO 75 HWY S 2.5 MI  
 E SD JUST PAST 90TH  
 LOOK FOR TANKS  
 DALE ADAMS#28

SHIP TO:

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% COL	DRIVER/TRUCK	WATER TRIM	PLANT/FACTION#
11:22:35a	WELL	8.50 yd	17.00 yd	0.00	32	0.00	WDDDC0
DATE	In Date	LOAD #	BATCH#	WATER TRIM	ADMP		
08-07-12	Today	1	21658	0/yd 0.0	4.00 in		32316

CONCRETE IS A PERISHABLE COMMODITY and BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.  
 The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.  
 All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.  
 Not Responsible for Receive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.  
 A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.  
 Excess Daily Time Charged @ \$50/HR

**PROPERTY DAMAGE RELEASE**  
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)  
 Dear Customer: The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and the supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and the supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to the premise area out of delivery of this order.  
 SIGNED  
 X \_\_\_\_\_

**Excessive Water is Detrimental to Concrete Performance**  
**H<sub>2</sub>O Added By Request/Authorized By**  
 GAL X  
 WEIGHMASTER  
 LOAD RECEIVED BY:  
 X \_\_\_\_\_

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	
8.50	WELL	WELL (10 SACKS PER UNIT)	8.50	51.00 433.50
0.50	MIXTURE	MIXING & HAULING	8.50	25.00 212.50
2.50	TRUCKING	TRUCKING CHARGE	2.50	50.00 125.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal \$	771.00
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER		Tax % 7.300	56.28
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		Total \$	827.28
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE	Order \$	827.28
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 1	
					ADDITIONAL CHARGE 2	