

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1100219

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280		API No. 15 - 15-207-28269-00-00
Name: Birk, Brian L. dba Birk Petroleun	1	Spot Description:
874 12TH PD SW		N2 SE SW SE Sec. 26 Twp. 25 S. R. 15 ▼ East West
Address 2:		495 Feet from North / South Line of Section
City: BURLINGTON State: KS	Zip: 66839 + 9255	
Contact Person: Brian L Birk	***	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-5875		□ NE □ NW ☑ SE □ SW
CONTRACTOR: License #_33900		County: Woodson
1 -!- O4 A		Lease Name: Dale Adams Well #: 29
Wellsite Geologist: None		Field Name: Yates Center
Purchaser: Coffeyville Resources		Producing Formation: Squirrel
Designate Type of Completion:		Elevation: Ground: 1076 Kelly Bushing: 1076
✓ New Well Re-Entry	Workover	Total Depth: 1135 Plug Back Total Depth: 1078
☑ SWD	□ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A ENHR		Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
☐ og ☐ Gsw	Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)		If Alternate II completion, cement circulated from: 1078
Cathodic Other (Core, Expl., etc.): _		feet depth to: 0 w/ 135 sx cmt
If Workover/Re-entry: Old Well Info as follows:		SX CITE
Operator:		
Well Name:		Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original	Total Depth:	Chloride content: 0 ppm Fluid volume: 0 bbls
Deepening Re-perf. Conv.	to ENHR Conv. to SWD	
Conv.	to GSW	Dewatering method used: Evaporated
Plug Back: F	Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #: _		Operator Name:
☐ Dual Completion Permit #: _		
SWD Permit #: _		Lease Name: License #:
ENHR Permit #: _		Quarter Sec. Twp. S. R. East West
 ☐ GSW Permit #: _		County: Permit #:
08/30/2012 09/04/2012	09/05/2012	
Spud Date or Date Reached TD	Completion Date or	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I III Approved by: Described Date: 11/08/2012

Side Two



Operator Name: Bir	k, Brian L. dba Bi	rk Petro	leum	Lease I	Name: _	Dale Adams		_Well #:29)	
Sec. <u>26</u> Twp. <u>25</u>	s. _{R.} <u>15</u>	✓ East	West	County	. Woo	dson				
INSTRUCTIONS: Sit time tool open and clarecovery, and flow rate line Logs surveyed.	osed, flowing and shu tes if gas to surface to	ut-in press est, along	ures, whether s with final chart(shut-in pres	sure rea	ched static level,	hydrostatic press	sures, bottom	hole tem	perature, fluid
Drill Stem Tests Take		Y	′es [√] No			og Formatio	n (Top), Depth an	d Datum	7	Sample
Samples Sent to Geo	ological Survey	□Y	es √ No		Nam	rel sand		Top 1021		Datum 55
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop	•	□ y ☑ y ☑ y	es 🗌 No		, oqu	o, s u ne		1021	·	55
List All E. Logs Run:										
Gamma Ray/Neutro	on									
			CASING	RECORD	N	ew 🗸 Used				
Duman of Chi-	Size Hole	1	ort all strings set- ze Casing	conductor, su Weig		ermediate, producti	on, etc.	# Sacks	Time	and Percent
Purpose of String	Drilled		t (In O.D.)	Lbs. /		Depth	Cement	Used Used		and Percent additives
Surface Casing	9.875	7.0		17		40	Portland	10	Calciu	m
Long String	5.875	2.875	<u>.</u>	6.5		1078	Portland	135		
				<u> </u>						
			ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD		·		
Purpose: —— Perforate	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and P	ercent Additives	.	
Protect Casing Plug Back TD	-									
—— Plug Off Zone										
Shots Per Foot	PERFORATI Specify I	ON RECOR	RD - Bridge Plug Each Interval Perf	s Set/Type forated			ture, Shot, Cement		d	Depth
2	1018-1024, 1067-	1072'				Frac w/80 sx	sand			1018-1024, 1067-1072
					•					
					•			<u> </u>		
TUBING RECORD:	Size:	Set At:		Packer At	:	Liner Run:	Yes No			
Date of First, Resumed 10/16/2012	Production, SWD or EN	HR.	Producing Meth Flowing	od: ✓ Pumping	ı 🗆	Gas Lift Ot	her (Explain)			
Estimated Production Per 24 Hours	Oil 1	3bls.	Gas	Mcf	Wate	er Bb	ls. G	as-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		м	ETHOD OF	COMPLE	TION:		PRODUCTIO	N INTER	/Al·
☐ Vented ☐ Sold	Used on Lease		_	Perf.	Dually	Comp. Com	mingled			
(If vented, Sub	mit ACO-18.)		ther (Specify)		(Submit A	(Subm	it ACO-4)			

CHARGE TO ADDRESS_LEASE & WELL, N	KS 66839 FFICE, 620-364-6646 -	CITY ST	DATE: UT/(E-) CITY ZIP OLD NEW	
QUANTITY		MATERIAL USED		SERV. CHG
135 SX	Portlai	nd Gement		
		- Al-Man		
	BULK CHARGE			
	BULK TRK. MILES			
	PUMP TRK. MILES			
	PLUGS			
	TOTAL			
T.D//35	>	CSG. SET AT ////8'	VOLUME	
SIZE HOLE 5	78"	TBG SET AT	VOLUME	
MAX. PRESS	ada ada 1984 - Angele angel	SIZE PIPE 27/8"		
PLUG DEPTH		PKER DEPTHP	LUG USED	. A control for any annual of the second and the se
TIME FINISHED:				
REMARKS: (C)	nnect to	Lex 1 Jung Coment just	o well Gog Complek	d Circ. b
NAME	A LANGE MANAGEMENT OF THE PARTY			

CEMENTER OR TREATER

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable rounder truck's own power. Due to delivery at owner's or intermediary's directlo seller assumes no responsibility for damages in any manner to sidewall roadways, driverways, buildings, trees: shrubber, etc. which are at customer risk. The maximum allotted time for unloading trucks is 5 minutes per yerd, charge will be made for holding trucks longer. This concrets contains correlated to strength test when water a added at customer's request.

NOTICE TO OWNER

2980E

CHANTITY

D. & B. COOPERATIVE VENTURES 900 S. FOURTH ST.

> BURLINGTON KS EARTS

BI4/12 B&B COOPERATIVE VENTURES 54 HWY W TO 75 HWY \$ 2.5 MI E SD JUST PAST 90TH LOOK FOR TANKS

DOLF ODONGE WAR

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
7 147.1	e set of head			% CAL	JH	% AIR	
Ø2:26:26p	WELL	13.50 yd	13.50 yd	0.00	31	0.00	WOODCO -
DATE		LOAD#	YARDS DEL.	4. BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	o Date .		13.50 yd	Code NA		don de la	
09-05-12	Today	1	13,50 yd	21954	G/yd 0.0	4.00 in	32512

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY
CAUSÉ BURNS, Ayolic Contact With Eyes and Prolonged Contact With Skin, In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention, KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED FOELVERT TO GE MADE INSDE CURB (INE)

Dear Customer-The driver of this truck in presenting this FELEASE to you for your signature at of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property. If it please the material in this load where you desire it. It is que within 10 help you in every way flagave can but in order to do this the driver is requesting that you sign this RELEASE relevely him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewals, cut, tet. by the celevely of this material, and that you also agree to help him remove must from the wheelst of his which is not that he will not filter the public steel-further, as additional consideration, the undestigned agrees to indemnity and hold harmises the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by snyone to have attain out of dislayery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

GOMENT	CODE	DESCRIPTION		UNITERIOR	EXTENDED FRICE
13.50 13.50 2.50	WELL MIXAHAUL TRUCKING	WELL (10 SACKS PER UNIT) MIXING & HAULING TRUCKING CHARGE	13.50 13.50 2.50	51.00 25.00 50.00	688.50 337.50 125.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED	9pbTotal \$ 1151.00
			JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 4. 8. CITATION		Tax % 7.300 84.02
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	TIME DUE	Total \$ 1835,02
241	7 34			112 112 11		0 der 1 1235.02
A SHA	- 1 - 21 - 2					ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		4	DELAY TIME	ADDITIONAL CHARGE 2
				4.11E-762		
		E KUN TI LINE			GRAND TOTAL	