



KANSAS CORPORATION COMMISSION 1100162
OIL & GAS CONSERVATION DIVISION

Form ACO-1

June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280

Name: Birk, Brian L. dba Birk Petroleum

Address 1: 874 12TH RD SW

Address 2:

City: BURLINGTON State: KS Zip: 66839 + 9255

Contact Person: Brian L Birk

Phone: (620) 364-5875

CONTRACTOR: License # 33900

Name: Leis, Steven A.

Wellsite Geologist: None

Purchaser: Coffeyville Resources

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.):

If Workover/Re-entry: Old Well Info as follows:

Operator:

Well Name:

Original Comp. Date: Original Total Depth:

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: Plug Back Total Depth
- Commingled Permit #:
- Dual Completion Permit #:
- SWD Permit #:
- ENHR Permit #:
- GSW Permit #:

08/07/2012 08/09/2012 08/09/2012

Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - 15-207-28237-00-00

Spot Description:

N2 NW SW SE Sec. 26 Twp. 25 S. R. 15 East West

1155 Feet from North / South Line of Section

2310 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: Woodson

Lease Name: Dale Adams Well #: 27

Field Name: Yates Center

Producing Formation: Squirrel

Elevation: Ground: 1076 Kelly Bushing: 1076

Total Depth: 1140 Plug Back Total Depth: 1132

Amount of Surface Pipe Set and Cemented at: 40 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: Feet

If Alternate II completion, cement circulated from: 1132

feet depth to: 0 w/ 130 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 0 bbls

Dewatering method used: Evaporated

Location of fluid disposal if hauled offsite:

Operator Name:

Lease Name: License #:

Quarter Sec. Twp. S. R. East West

County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: Deanna Garrison Date: 11/08/2012



1100162

Operator Name: Birk, Brian L. dba Birk Petroleum Lease Name: Dale Adams Well #: 27
 Sec. 26 Twp. 25 S. R. 15 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: Gamma Ray/Neutron	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Squirrel Sand</td> <td>1028</td> <td>+127</td> </tr> </table>	Name	Top	Datum	Squirrel Sand	1028	+127
Name	Top	Datum					
Squirrel Sand	1028	+127					

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Casing	9.875	7.0	17	40	Portland	10	Calcium
Long String	5.875	2.875	6.5	1132	Portland	130	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	-			
	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
2	1025-1035, 1070-1080'	Frac w/80 sx sand	1025-1035, 1070-1080'

TUBING RECORD:		Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR. 08/21/2012			Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	2				

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

BIRK PETROLEUM
 874 12TH RD SW
 BURLINGTON, KS 66839
 620-364-1311 - OFFICE, 620-364-6646 - CELL

WELL CEMENTING

SERVICE TICKET

COUNTY W.D. DATE: 05/09/12
 CITY _____

CHARGE TO Birk Petroleum
 ADDRESS _____ CITY _____ ST _____ ZIP _____
 LEASE & WELL NO Line 140 #27 CONTRACTOR Clinton/1015
 KIND OF JOB Cement Casing SEC _____ TWP _____ RG _____
 DIR. TO LOC. _____ OLD NEW

QUANTITY	MATERIAL USED	SERV. CHG
<u>130 sk</u>	<u>Portland Cement</u>	
	BULK CHARGE	
	BULK TRK. MILES	
	PUMP TRK. MILES	
	PLUGS	
	TOTAL	

T.D. 1140' CSG. SET AT 1132' VOLUME _____
 SIZE HOLE 5 7/8" TBG SET AT _____ VOLUME _____
 MAX. PRESS. _____ SIZE PIPE 2 1/8"
 PLUG DEPTH _____ PKER DEPTH _____ PLUG USED _____

TIME FINISHED: _____
 REMARKS: Connect to pipe. Pump Cement into well. Good core to surface. Job complete.

NAME _____

 CEMENTER OR TREATER _____ OWNER'S REP. [Signature]

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

B8061
B & B COOPERATIVE VENTURES
900 S. FOURTH ST.

BURLINGTON KS
66839

B14/12
B&B COOPERATIVE VENTURES
54 HWY W TO 75 HWY S 2.5 MI
E SO JUST PAST 90TH
LOOK FOR TANKS
DALE ADAMS#27

SHIP TO:

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
01:14:24p	WELL	13.00 yd	13.00 yd	0.00	34	0.00	WOODCO
DATE	To Date	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
08-09-12	Today	1	13.00 yd	21690	6/yd 0.0	4.00 in	32330

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(To be signed if delivery to be made inside curb line)
Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility for any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED
X _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By
_____ GAL X _____

WEIGHMASTER

LOAD RECEIVED BY
X B & B

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
13.00	WELL	WELL (10 SACKS PER UNIT)	51.00	663.00
13.00	MIX&HAUL	MIXING & HAULING	25.00	325.00
2.50	TRUCKING	TRUCKING CHARGE	50.00	125.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal \$	1113.00
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	Tax % 7.300	81.25
					Total \$	1194.25
					Order \$	1194.25
					ADDITIONAL CHARGE 1	
					ADDITIONAL CHARGE 2	
					GRAND TOTAL	

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING
LEFT PLANT	ARRIVED JOB	START UNLOADING
1:34	2:07	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME

DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
	TIME DUE
	DELAY TIME

SubTotal \$	1113.00
Tax % 7.300	81.25
Total \$	1194.25
Order \$	1194.25
ADDITIONAL CHARGE 1	
ADDITIONAL CHARGE 2	
GRAND TOTAL	