

Kansas Corporation Commission Oil & Gas Conservation Division

1098659

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33551	API No. 15 - 15-011-24125-00-00					
Name: S & K Oil Production, Inc. Address 1: PO BOX 184	Spot Description: NE_NW_NE_SE Sec. 17 Twp. 24 S. R. 22 ✓ East West					
Address 2: City: BLUE MOUND State: KS Zip: 66010 + 0184	2475 Feet from North / ✓ South Line of Section 825 Feet from ✓ East / West Line of Section					
Contact Person: Steve Jackson Phone: (913) 756-2622 CONTRACTOR: License # 33551	Footages Calculated from Nearest Outside Section Corner: NE NW SE SW County: Bourbon					
Name: S & K Oil Production, Inc.	Lease Name: B 2 Well #:					
Wellsite Geologist: NA	Field Name:					
Purchaser:	Producing Formation: Bartlesville					
Designate Type of Completion: ✓ New Well Re-Entry Workover	Elevation: Ground: 999 Kelly Bushing: 0 Total Depth: 602 Plug Back Total Depth:					
Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic ☐ Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: 20 Feet Multiple Stage Cementing Collar Used? Yes V No If yes, show depth set: Feet If Alternate II completion, cement circulated from: feet depth to: w/ sx cmt.					
If Workover/Re-entry: Old Well Info as follows:	and apparted.					
Operator: Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Original Comp. Date: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #: Dual Completion Permit #: SWD Permit #: ENHR Permit #: GSW Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name: Lease Name: License #: Quarter Sec. Twp. S. R. East West County: Permit #:					
9/24/2012 9/27/2012 10/08/2012						
Spud Date or Date Reached TD Completion Date or Recompletion Date Completion Date						

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

	KCC Office Use ONLY
i	Letter of Confidentiality Received
	Date:
	Confidential Release Date:
 	Wireline Log Received
	Geologist Report Received
	UIC Distribution
ALT	I III Approved by: Deanna Garrison Date: 11/09/2012

Side Two

1098659

Operator Name: S &	K Oil Productio	n, Inc.	Lease Name	Blythe		Well#: B2	2 .
Sec. 17 Twp.24	s. R. 22	✓ East West	County: Bo	urbon			
time tool open and clos	sed, flowing and sh s if gas to surface t	nd base of formations p ut-in pressures, whether est, along with final chal al well site report.	r shut-in pressure r	eached static leve	l, hydrostatic pre:	ssures, bottom h	nole temperature, fluid
Drill Stem Tests Taken (Attach Additional St	heets)	Yes _∠ No			on (Top), Depth a		Sample
Samples Sent to Geolo	gical Survey	☐ Yes 🛂 No		ime lesville		Top 573	Datum 578
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	Electronically	✓ Yes ✓ No ✓ Yes ✓ No ✓ Yes ✓ No					
List All E. Logs Run:							
Gamma Ray/Neutror	n/Ccl						
			G RECORD V	New Used	ation, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9.08750	7	6	20	One	5	None
Casing	5.06250	2.08750	6	591	One	70	None
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	ADDITION, Type of Cement	AL CEMENTING / S # Sacks Used	QUEEZE RECORD		Percent Additives	
Shots Per Foot		ION RECORD - Bridge Ple Footage of Each Interval P			acture, Shot, Cemer Amount and Kind of M		d Depth
					·		
		·					
TUBING RECORD:	Size;	Set At:	Packer At:	Liner Run:	Yes No		!
Date of First, Resumed P	roduction, SWD or EN	NHR. Producing Me	ethod: Pumping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf W	ater E	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION	N OF GAS: Used on Lease	Open Hole	METHOD OF COMP	1.1	mmingled	PRODUCTIC	ON INTERVAL:
(If vented, Subm		Other (Specify)			omit ACO-4)		•

Lone Jack Oil Company Blue Mound, KS 1-913-756-2307 1-620-363-0492

Lease:	<u>Blythe</u>	_ Operator:	S & K Oil	API# 15-0	011-24125-00-00
Contractor: L	one Jack Oil C	ompany Date Started	i: 9/24/12	Date Completed:	
Total Depth:	602 feet	Well#	B-2	Hole Size:	
Surface Pipe:	20'	7" Surface Bit:	The second secon		5 5/8
Depth of Seat	Nipple:		Rag Packer At:	Sacks of Cement:	5
	ize of Casing:				
Legal Descrin	ntion: NW N	W NE SE Sec: 1'	91'- 2 7/8	Sacks of Cement:	70
	14 44 14	M 1417 DE 200: 1	7Twp:24S_	Range:22E	County: Bourbon

Thickness	Depth	Type of Formation	Core Thickness	Depth	Time
1	1	Top Soil	1	573-574	0:31 Oil Sand
1	2	Lime (Loose Rock)	2	574-575	0:52 Oil Sand
3	5	Clay	3	575-576	0:35 Oil Sand
7	12	Lime	4	576-577	0:53 Oil Sand
6	18	Shale	5	577-578	0:25 Oil Sand
1	19	Lime	6	578-579	0:40 Shale
8	27	Shale	7	579-580	1:24 Shale
6	33	Lime	8	580-581	2:13 Shale
150	183	Shale	9	581-582	2:59 Shale
8	191	Lime	10	582-583	5:05 Shale
4	195	Shale	10	362-363	3.03 Shale
3	203	Lime			
75	278	Shale			
17	295	Lime			
Š	300	Shale			
5	305	Lime			
30	335	Shale		<u> </u>	
}	338	Lime			
7	345	Shale			
21	366	Lime	<u> </u>		
	370	Shale			
	375	Lime			
8	453	Shale			
	457	Lime			
	483	Shale			
	485	Lime			
	563	Shale			
	572	Light Odor (No Bleed)			
	573	Oil Sand (Shaley Good Bleed)			
		Ran Core			
	602	Shale			
		TD			
	102	117			
					
					· · · · · · · · · · · · · · · · · · ·
	<u>-</u>				