



KANSAS CORPORATION COMMISSION 1099797  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
June 2009

Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 5491  
Name: W & W Production Company, General Partnership  
Address 1: 1150 HWY 39  
Address 2:  
City: CHANUTE State: KS Zip: 66720 + 5215  
Contact Person: Mike Wimsett  
Phone: ( 620 ) 431-4137  
CONTRACTOR: License # 5491  
Name: W & W Production Company, General Partnership  
Wellsite Geologist: None  
Purchaser: High Sierra Crude Oil and Marketing LLC

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  WSW  SWD  SIOW  
 Gas  D&A  ENHR  SIGW  
 OG  GSW  Temp. Abd.  
 CM (Coal Bed Methane)  
 Cathodic  Other (Core, Expl., etc.):

If Workover/Re-entry: Old Well Info as follows:  
Operator:

Well Name:  
Original Comp. Date: Original Total Depth:  
 Deepening  Re-perf.  Conv. to ENHR  Conv. to SWD  
 Conv. to GSW  
 Plug Back: Plug Back Total Depth  
 Commingled Permit #:  
 Dual Completion Permit #:  
 SWD Permit #:  
 ENHR Permit #:  
 GSW Permit #:

9/03/2012	9/06/2012	10/08/2012
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-001-30502-00-00  
Spot Description:  
NE SW NE SW Sec. 23 Twp. 26 S. R. 18  East  West  
3450 Feet from  North /  South Line of Section  
1700 Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
County: Allen  
Lease Name: Harner Well #: W-3

Field Name:  
Producing Formation: Bartlesville  
Elevation: Ground: 993 Kelly Bushing: 0  
Total Depth: 843 Plug Back Total Depth:  
Amount of Surface Pipe Set and Cemented at: 21 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: Feet  
If Alternate II completion, cement circulated from: 808  
feet depth to: 0 w/ 110 sx cmt.

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)  
Chloride content: 0 ppm Fluid volume: 15 bbls  
Dewatering method used: Evaporated  
Location of fluid disposal if hauled offsite:  
Operator Name:  
Lease Name: License #:  
Quarter Sec. Twp. S. R.  East  West  
County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Letter of Confidentiality Received  
Date:  
 Confidential Release Date:  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
ALT  I  II  III Approved by: Deanna Ganisor Date: 11/09/2012



1099797

Operator Name: W & W Production Company, General Partnership Lease Name: Harner Well #: W-3  
 Sec. 23 Twp. 26 S. R. 18  East  West County: Allen

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  Log Formation (Top), Depth and Datum  Sample  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No Name Top Datum

Cores Taken  Yes  No

Electric Log Run  Yes  No

Electric Log Submitted Electronically  Yes  No  
 (If no, Submit Copy)

List All E. Logs Run: Bartlesville 808 842

CASING RECORD  New  Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10	7	0	21	Portland	4	
Production	6	3	0	808	Portland	110	

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Perforate				
Protect Casing				
Plug Back TD				
Plug Off Zone				

PERFORATION RECORD - Bridge Plugs Set/Type  
 Specify Footage of Each Interval Perforated

Acid, Fracture, Shot, Cement Squeeze Record  
 (Amount and Kind of Material Used)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD: Size: 3 Set At: 808 Packer At: 808 Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR: 10/08/2012  
 Producing Method:  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
3	0	3	0	32	

DISPOSITION OF GAS:

METHOD OF COMPLETION:

PRODUCTION INTERVAL:

Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled  
 (If vented, Submit ACO-18.) (Submit ACO-5) (Submit ACO-4)

Other (Specify)

**"WARNING" DANGER - MAY CAUSE BURNS TO EYES AND SKIN. CONTAINS CALCIUM HYDROXIDE WHEN MIXED WITH WATER. SKIN AREAS THAT COME INTO CONTACT WITH PORTLAND CEMENT OR MIXTURES CONTAINING PORTLAND CEMENT, EITHER DIRECTLY OR THROUGH SATURATED CLOTHING, SHOULD BE PROMPTLY WASHED WITH WATER. FAILURE TO DO SO MAY CAUSE SKIN IRRITATION OR POSSIBLE THIRD DEGREE BURNS REACHING DEEP TISSUES WITH LITTLE WARNING. BODY PERSPIRATION OR MOISTURE MAY CAUSE HYDRATION OF DRY CEMENT ALSO RESULTING IN BURNS. IF IRRITATION BEGINS TO INCREASE SEE A PHYSICIAN IMMEDIATELY. IF PORTLAND CEMENT OF A MIXTURE CONTAINING PORTLAND CEMENT GETS IN THE EYE, RINSE IMMEDIATELY AND REPEATEDLY WITH WATER AND SEEK PROMPT MEDICAL ATTENTION. IF INGESTED, CONSULT A PHYSICIAN IMMEDIATELY. DRINK WATER. CONTAINS CRYSTALLINE SILICA; CHRONIC OVEREXPOSURE TO AIRBORNE CRYSTALLINE SILICA HAS BEEN LINKED TO LUNG PROBLEMS, INCLUDING CANCER AND SILICOSIS. USE A NIOSH-APPROVED DUST RESPIRATOR. MATERIAL SAFETY DATA SHEETS AVAILABLE ON REQUEST. KEEP OUT OF REACH OF CHILDREN.**

This Shipping Order must be legibly filled in, in Ink, in Indelible Pencil, or in Carbon, and retained by the Agent

**SHIPPING ORDER**


From **THE MONARCH CEMENT COMPANY** AT HUMBOLDT, KANSAS

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder, shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.  
 Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

9-6-12

SHIPPER'S NO. 209424

UNPAC



Subject to Section 7 of conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:

The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(Signature of Consignor)

(Mail or street address of consignee — For purposes of notification only.)

CONSIGNEE TO W-W PRODUCTION  
 1150 W HIGHWAY 39  
 CHANUTE KANSAS

DESTINATION

ROUTE W-W

*[Handwritten signature]*

If charges are to be prepaid, write or stamp here, "To Be Prepaid."

Received \$

to apply in payment of the charges on the property described hereon.

Agent or Cashier

Per

(The signature here acknowledges only the amount prepaid.)

CAR NO/TRAILER NO. YOUR NO.  
 271300

Quantity	Description	Class or Rate	Charges Advanced:
----------	-------------	---------------	-------------------

3.40 TONS TYPE 1/11 CEMENT  
 3.70 METRIC TONS

LBS. GROSS 47000 15	3 685 2 12:35 09-06-12	Gates Closed: Last Product Hauled: ●●●●●●●●●●
LBS. TARE 6000 15	1 685 2 12:35 09-06-12	
CORRECT NET 41000 15		

If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is a carrier's or shipper's weight. NOTE-Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding \$1

CERTIFIED SHIPPERS WEIGHTS

THE MONARCH CEMENT COMPANY

Permanent post office address of shipper, HUMBOLDT, KANSAS 66748

Per *[Signature]* Agent

SPECIAL INSTRUCTIONS

47000  
*[Handwritten initials]*

340

RUN: 9/13/12