



KANSAS CORPORATION COMMISSION 1100150  
OIL & GAS CONSERVATION DIVISION

Form ACO-1

June 2009

Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Conv. to GSW
- Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date      Date Reached TD      Completion Date or Recompletion Date

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_-\_\_\_\_\_-\_\_\_\_\_- Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth


TUBING RECORD:      Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR. \_\_\_\_\_ Producing Method:  
 Flowing  Pumping  Gas Lift  Other (Explain) \_\_\_\_\_

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	---	--

Lease:	Orest Jones	
Owner:	Bobcat Oilfield Services, Inc.	
OPR #:	3895	
Contractor:	DALE JACKSON PRODUCTION CO.	
OPR #:	4339	
Surface: 20' of 6"	Cemented: 5 Sacks	Hole Size: 8 3/4
Longstring 466' 2 7/8 8 Rnd	Cemented: 60 sacks	Hole Size: 5 5/8



Dale Jackson Production Co.  
 Box 266, Mound City, Ks 66056  
 Cell # 620-363-2683  
 Office # 913-795-2991

Well #: 6-12
Location: SW-SW-SW-NE S21T17R25E
County: Miami
FSL: 2805 2823
FEL: 2475
API#: 15-121-29265-00-00
Started: 10/18/12
Completed: 10/19/12

**CORRECTED COPY 10/25/12**

SN: 437'	Packer:	TD: 475'
Plugged:	Bottom Plug:	

## Well Log

TKN	BTM Depth	Formation	TKN	BTM Depth	Formation
1	1	Top Soil			
11	12	Clay			
42	54	Lime			
2	56	Shale			
1	57	Lime			
47	104	Shale			
10	114	Lime			
13	127	Shale			
5	132	Sandy Shale			
1	133	Coal			
25	158	Shale			
6	164	Lime			
5	169	Black Shale			
6	175	Shale			
8	183	Sandy Shale			
13	196	Shale			
8	204	Lime			
15	219	Shale			
30	249	Lime			
7	256	Black Shale			
21	277	Lime			
4	281	Black Shale			
16	297	Lime			
2	299	Black Shale			
100	399	Shale			
5	404	Sandy Shale (Odor)			
25	429	Shale			Surface 10/18/12 Set Time 5:00pm Called 3:10pm Brooke
1	430	Coal			Longstring 466' 2 7/8" 8 Rnd TD 475'
8	438	Light Shale (Limey)			Set Time 1:30pm Called 1:30pm 10/19/12 Brooke
1	439	Oil Sand (Limey) (Fair Bleed)			
.5	439.5	Lime			
1.5	441	Oil Sand (Good Bleed) (3" Lime Streak at 440)			
2.5	443.5	Oil Sand (Oil & Water) (Fair Bleed)			
.5	444	Oil Sand (Fractured) (Water)			
.5	444.5	Lime			
1.5	446	Oil Sand (Fair Bleed)			
3	449	Lime			
1	450	Oil Sand (Poor Bleed) (Limey)(Water)(Some Shale)			
14	464	Shale			
7	471	Sand (Dry)			
TD	475	Shale			



Dale Jackson Production Co.  
 Box 266, Mound City, Ks 66056  
 Cell # 620-363-2683  
 Office # 913-795-2991

Well #: 6-12
Location: SW-SW-SW-NE S21 T17 R25E
County: Miami
FSL: <del>285</del> 2823
FEL: 2475
API#: 15-121-29265-00-00
Started: 10/18/12
Completed: 10/19/12

# Core Run #1

Lease :	Orest Jones
Owner:	Bobcat Oilfield Services, Inc.
OPR #:	3895
Contractor:	DALE JACKSON PRODUCTION CO.
OPR #:	4339

FT	Depth	Clock	Time	Formation/Remarks	Depth
0	439	0:00	0	Lime	439.5'
				Oil Sand (Good Bleed)	440.0'
1	440	1:30	1.5	Lime	440.25'
2	441	2:00	.5	Oil Sand (Good Bleed)	441.0'
				Oil Sand (Oil & Water (Fair Bleed)	443.5'
3	442	2:30	.5		
4	443	3:00	.5		
5	444	3:15	.25	Oil Sand (Fractured) (Water)	444.0'
6	445			Locked up Lime	
7	446				
8	447				
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					



**Avery Lumber**  
P.O. BOX 66  
MOUND CITY, KS 66056  
{913} 795-2210 FAX {913} 795-2194

Customer Copy  
**INVOICE**

PLEASE REFER TO INVOICE NUMBER  
ON ALL CORRESPONDENCE

Page: 1		Invoice: <b>10044764</b>	
Special :		Time:	15:52:33
Instructions :		Ship Date:	10/15/12
		Invoice Date:	10/16/12
Sale rep #: MAVERY MIKE	Acct rep code:	Due Date:	11/05/12
Sold To: <b>BOBCAT OILFIELD SRVC, INC</b> C/O BOB EBERHART 30805 COLDWATER RD LOUISBURG, KS 66053		Ship To: <b>BOBCAT OILFIELD SRVC, INC</b> (913) 837-2823  (913) 837-2823	
Customer #: 3570021	Customer PO:	Order By: CLINT	

pop/mgD1

5TH  
T 28

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
280.00	280.00	L	BAG	CPPC	PORTLAND CEMENT	8.8900 BAG	8.8900	2489.20
240.00	240.00	L	BAG	CPPM	POST SET FLY ASH 75#	5.7900 BAG	5.7900	1389.60
14.00	14.00	L	EA	CPQP	QUIKRETE PALLETS	17.0000 EA	17.0000	238.00

INVOICE

DIRECT DELIVERY  
PHONE ORDER BY CLINT  
913-837-4157

FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER	Sales total	\$4116.80
SHIP VIA MIAMI COUNTY				Freight	100.00
RECEIVED COMPLETE AND IN GOOD CONDITION				Taxable	4216.80
X				Non-taxable	0.00
				Sales tax	

**TOTAL \$4535.17**

2 - Customer Copy

