

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1102712

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #31280	API No. 15 - 15-207-28276-00-00
Name: Birk, Brian L. dba Birk Petroleum	Spot Description:
Address 1: 874 12TH RD SW	N2 NW NE SE Sec. 26 Twp. 25 S. R. 15 Fast West
Address 2:	
City: BURLINGTON State: KS Zip: 66839 + 9255	990 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Brian L Birk Phone: (620) 364-5875	Footages Calculated from Nearest Outside Section Corner:
CONTRACTOR: License #_33900	County: Woodson
Name: Leis, Steven A.	Lease Name: Date Adams Well #: 33
Wellsite Geologist: None	Field Name: Yates Center
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1057 Kelly Bushing: 1057
✓ New Well Re-Entry Workover	Total Depth: 1112 Plug Back Total Depth: 1102
✓ Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Amount of Surface Pipe Set and Cemented at: 40 Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: 1102 feet depth to: 0 w/ 130 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #: Dual Completion Permit #: SWD Permit #: ENHR Permit #: GSW Permit #:	Chloride content: 0 ppm Fluid volume: 0 bbls Dewatering method used: Evaporated Location of fluid disposal if hauled offsite: Operator Name: License #: Quarter Sec. Twp. S. R. East West County: Permit #:
08/21/2012 08/22/2012 08/23/2012	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Letter of Confidentiality Received Date:				
☐ Confidential Release Date: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐				
Geologist Report Received UIC Distribution				
ALT I II Approved by: Detrina Garitsor Date: 11/29/2012				

Side Two



Operator Name: Birk,	Brian L. dba Birk	Petroleum	_ Lease N	ame: _	Dale Adams		_Well #:33		
Sec. 26 Twp.25	s. R. <u>15</u>	✓ East ☐ West	County:	Wood	dson				<u>.</u>
instructions: Show time tool open and closs recovery, and flow rates line Logs surveyed. Att	ed, flowing and shut- if gas to surface tes	in pressures, whether si t, along with final chart(s	nut-in pressi	ure read	hed static level,	hydrostatic press	sures, bottom h	role tempe	erature, fluid
Drill Stem Tests Taken (Attach Additional Sh	neets)	☐ Yes 📝 No		L		n (Top), Depth an			Sample
Samples Sent to Geolo	gical Survey	☐ Yes 🔽 No		Name Squirrel Sand			Top Da 1018 +39		Datum 39
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	Electronically	Yes No Yes No ally Yes No							
List All E. Logs Run:									
Gamma Ray/Neutron	1								
			RECORD	☐ Ne		_			
Purpose of String	Size Hole	Report all strings set- Size Casing	Welg	ht	Setting	Type of	# Sacks		and Percent
Surface Casing	9.875	Set (In O.D.) 7.0	17	Ft.	Depth 40	Cement Portland	Used 10	Calciur	dditives m
Long string		2.875	6.5		1102	Portland	130	Joanoidi	
Long string	3.073	2.070	0.0	11_		T Ortania		 	
		ADDITIONAL	CEMENTIN	IG / SQL	JEEZE RECORD	I			
Purpose:	Depth Top Bottom	Type of Cement	# Sacks	# Sacks Used Type and Percent Additives					
Perforate Protect Casing Plug Back TD Plug Off Zone	-								
Flug Oil Zoile	_	<u> </u>							
Shots Per Foot		ON RECORD - Bridge Plug ootage of Each Interval Per				cture, Shot, Cemen mount and Kind of M		ď	Depth
2	1009-1018', 1055-	1061'			Frac w/80 sx	sand			1009-1018, 1055-108
	_		**				m175 · · · · ·		117
						0.114			
+									
TUBING RECORD:	Size:	Set At:	Packer At	:	Liner Run:	Yes No)		
Date of First, Resumed F	Production, SWD or EN	HR. Producing Met	hod:	g 🗆	Gas Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil I	Bbls. Gas	Mcf	Wat	ет В	bls.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:	1	METHOD OF	COMPL	ETION:		PRODUCTI	ON INTER	VAL:
Vented Sold	Used on Lease			Duall	y Comp. Cor	nmingled mit ACO-4)			
(If vented, Sub-	mit ACO-18.)	Other (Specify)		(Cupitut					

BIRK PETROLE 874 12 TH RD SW BURLINGTON, 620-364-1311 - O	WELL CEMENTING KS 66839	ATE: 08/23/12
CHARGE TO ADDRESS_LEASE & WELL KIND OF JOB DIR. TO LOC	NO. DALE AND ST_Z NO. DALE AND ST_Z NO. DALE AND ST_Z	OLD NEW
QUANTITY	MATERIAL USED	SERV. CHG
130 SK	Portland Coment	
į.		
·	DITT K CYLAROE	
	BULK CHARGE BULK TRK, MILES	
	PUMP TRK. MILES	
		· · · · · · · · · · · · · · · · · · ·
	PLUGS	
	TOTAL	
T.D	CSG. SET AT 1/02' V	OLUME
SIZE HOLE 5	-16"	OLUME
	27/0"	
MAX. PRESS	SIZE PIPE & / O	
PLUG DEPTH	PKER DEPTH PLUC	USED
TIME FINISHED		
REMARKS: 10	onnect to pipe Primo Cement into	well. Good Cement
NAME		
	Su 1-3	53/
CEMENTER O	R TREATER OWNER'S REP.	

CEMENTER OR TREATER

*802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any mariner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at toustomer's risk. The maximum allotted time for unlosting trucks is 5 milnutes preyard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or max incidented. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO COWNER.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the sling of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

PB001 B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BURLINGTON KS

BI4/12 B&B COOPERATIVE VENTURES 54 HWY W TO 75 HWY 8 2.5 MI E SD JUST PAST 90TH LOOK FOR TANKS DALE ADAMS#33

		STATE OF THE PARTY OF THE PARTY.				外的国际特殊技术	TO THE PARTY OF TH
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
TIME	TOTAL COLUMN		147373 11 11	% 1000	JŁ .	% AIH	
10:21:54a	WELL	13,00 vd	13.00 yd	0.00	32	0.00	MOODCO
		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
DATE	To Date	COAD #	95, NO 2d				
08-23-12	o Date		13.00 yd	21867	G/yd 0.0	4.00 in	32450
	A CONTRACTOR OF THE PARTY OF TH				=	In Detrimental to Cons	roto Dorformanco

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Ger Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undestigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

ITO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURS LINE; Desr Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his fruck may possibly cause damage to the premises and/or adjacent property it is places the material in this load where you desire it. It is our wish is help-tig. In early wey that we can, but in gide-taylor, this driver is required to the premises and/or adjacent on the driver is required to the premises and/or adjacent property, buildings, sidewalks, drivewary, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street, further, as additional consideration, the undersigned agrees to indemnity and hold harmless the driver of this truck and this supplier to any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this coder.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

QUANTITY CODE	DESCRIPTION			UNIT PRICE	EXTENDED PRICE
13.00 WELL 13.00 MIX&HA 2.00 TRUCKI	UL MIXING &	SACKS PER UNIT) HAULING CHARGE	13.00 13.00 2.50	51.00 25.00 50.00	663.00 325.00 425.00 100.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal # 1177
1300	1210		1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 6. CITATION		Tax % 7.300 (2
CEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN S. OTHER ADDED WATER	TIME DUE	Total 5 19.1 110 110
1000	1110		Particular and the second seco		ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
2HR-				Administration of the	GRAND TOTAL