



WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Conv. to GSW
- Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



1102376

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:      Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR. \_\_\_\_\_ Producing Method:  Flowing  Pumping  Gas Lift  Other (Explain) \_\_\_\_\_

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	--	---

Conservation Division  
Finney State Office Building  
130 S. Market, Rm. 2078  
Wichita, KS 67202-3802



Phone: 316-337-6200  
Fax: 316-337-6211  
<http://kcc.ks.gov/>

Mark Sievers, Chairman  
Thomas E. Wright, Commissioner  
Shari Feist Albrecht, Commissioner

Sam Brownback, Governor

November 24, 2012

Chris Martin  
Tailwater, Inc.  
6421 AVONDALE DR STE 212  
OKLAHOMA CITY, OK 73116-6428


Re: ACO1  
API 15-003-25653-00-00  
P. Winfrey 8-T  
SW/4 Sec.27-20S-20E  
Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully,  
Chris Martin



**VANS**  
**ENERGY**  
**DEVELOPMENT**  
**INC.**

11 Lewis Drive

Paola, KS 66071

**Oil & Gas Well Drilling**  
**Water Wells**  
**Geo-Loop Installation**

Phone: 913-557-9083

Fax: 913-557-9084

**WELL LOG**

Tailwater, Inc.

P. Winfrey #8-T

API#15-003-25,653

October 30 - October 31, 2012

<u>Thickness of Strata</u>	<u>Formation</u>	<u>Total</u>
12	soil & clay	12
4	clay & gravel	16
37	shale	53
26	lime	79
65	shale	144
10	lime	154
8	shale	162
33	lime	195
9	shale	204
24	lime	228
3	shale	231
22	lime	253 base of the Kansas City
37	shale	290
5	sand	295 making gas
130	shale	425
3	lime	428
4	shale	432
14	lime	446
9	shale	455
12	oil sand	467 green, light bleeding
1	coal	468
6	shale	474
14	oil sand	488 green, good bleeding
9	shale	497
1	coal	498
7	shale	505
6	lime	511
15	shale	526
8	lime	534
33	shale	567
7	lime	574
29	shale	603
4	broken sand	607 brown & green, ok bleeding
4	shale	611
1	broken sand	612 brown & green, light show
36	shale	648
1	lime & shells	649

6	oil sand	655 brown, ok bleeding
5	shale	660
4	sand	664 black, no oil show
13	shale	677
1	coal	678
48	shale	726
5	sand	731 grey, no oil
41	shale	772
6	sand	778 white, no oil show
8	oil sand	786 brown, good bleeding
78	shale	864 TD

Drilled a 9 7/8" hole to 21'  
Drilled a 5 5/8" hole to 864'

Set 21' of 7" surface casing cemented with 6 sacks of cement.

Set 854' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.



**CONSOLIDATED**  
Oil Well Services, LLC

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

TICKET NUMBER 35125

LOCATION Ottawa KS

FOREMAN Fred Maden

**FIELD TICKET & TREATMENT REPORT**  
**CEMENT**

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
4/1/12	7806	P. Winfrey # 9-T	SW 27	20	20	AN
CUSTOMER Tailwater Inc			TRUCK #			
MAILING ADDRESS 6421 Avondale Dr			DRIVER			
CITY Oklahoma City			TRUCK #			
STATE OK			DRIVER			
ZIP CODE 73116			TRUCK #			
			DRIVER			

JOB TYPE Long string HOLE SIZE 5 7/8 HOLE DEPTH 864 CASING SIZE & WEIGHT 2 7/8 EVE  
 CASING DEPTH 654 DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT \_\_\_\_\_ SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING 2 1/2" Plug  
 DISPLACEMENT 4.97 BBL DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE 5 BPM

REMARKS: Establish pump rate. Mix + Pump 100# Gel Flush. Mix + Pump 123 SKS 50/50 Por Mix Cement 270 Gal. Cement to surface. Flush pump + lines clean. Displace 2 1/2" Rubber plug to casing ID. Pressure to 800# PSI. Release pressure to set float valve. Shut in casing

Evans Energy Dev. Inc - Travis

*Fred Maden*

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	495	1030 <sup>00</sup>
5406	25 mi	MILEAGE	495	100 <sup>00</sup>
5402	854	Casing footage		N/C
5407	1/2 Minimum	100 Miles	548	175 <sup>00</sup>
5502c	1 1/2 hr	80 BBL Vac Truck	369	135 <sup>00</sup>
1124	123 SKS	50/50 Por Mix Cement		1346 <sup>85</sup>
116B	307 #	Premium Gel		647
4402	1	2 1/2" Rubber Plug		28 <sup>00</sup>
			7.8%	SALES TAX
				ESTIMATED
				TOTAL
				2991.58

Revin 3737


AUTHORIZATION *[Signature]*

TITLE

254364

DATE

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form



11 Lewis Drive

Paola, KS 66071

Oil & Gas Well Drilling  
Water Wells  
Geo-Loop Installation

Phone: 913-557-9083  
Fax: 913-557-9084

WELL LOG  
Tailwater, Inc.  
P. Winfrey #8-T  
API#15-003-25,653  
October 30 - October 31, 2012

<u>Thickness of Strata</u>	<u>Formation</u>	<u>Total</u>
12	soil & clay	12
4	clay & gravel	16
37	shale	53
26	lime	79
65	shale	144
10	lime	154
8	shale	162
33	lime	195
9	shale	204
24	lime	228
3	shale	231
22	lime	253 base of the Kansas City
37	shale	290
5	sand	295 making gas
130	shale	425
3	lime	428
4	shale	432
14	lime	446
9	shale	455
12	oil sand	467 green, light bleeding
1	coal	468
6	shale	474
14	oil sand	488 green, good bleeding
9	shale	497
9	coal	498
1	shale	505
7	lime	511
6	shale	526
15	lime	534
8	shale	567
33	lime	574
7	shale	603
29	broken sand	607 brown & green, ok bleeding
4	shale	611
4	broken sand	612 brown & green, light show
1	shale	648
36	lime & shells	649
1		

6	oil sand	655 brown, ok bleeding
5	shale	660
4	sand	664 black, no oil show
13	shale	677
1	coal	678
48	shale	726
5	sand	731 grey, no oil
41	shale	772
6	sand	778 white, no oil show
8	oil sand	786 brown, good bleeding
78	shale	864 TD

Drilled a 9 7/8" hole to 21'  
 Drilled a 5 5/8" hole to 864'

Set 21' of 7" surface casing cemented with 6 sacks of cement.

Set 854' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.



Conservation Division  
Finney State Office Building  
130 S. Market, Rm. 2078  
Wichita, KS 67202-3802



Phone: 316-337-6200  
Fax: 316-337-6211  
<http://kcc.ks.gov/>

Mark Sievers, Chairman  
Thomas E. Wright, Commissioner  
Shari Feist Albrecht, Commissioner

Sam Brownback, Governor

March 11, 2013

Chris Martin  
Tailwater, Inc.  
6421 AVONDALE DR STE 212  
OKLAHOMA CITY, OK 73116-6428

Re: ACO-1  
API 15-003-25653-00-00  
P. Winfrey 8-T  
SW/4 Sec.27-20S-20E  
Anderson County, Kansas

Dear Chris Martin:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 10/30/2012 and the ACO-1 was received on March 08, 2013 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department