| API NO. 15- 109-20,632000 | R

Logan

STATE CORPORATION CONNISSION OF KANSAS OIL & GAS COMSERVATION DIVISION WELL COMPLETION FORM

DESCRIPTION OF WELL AND LEASE	Ap .NW . NW . SW sec. 13 Twp. 11S Rge. 34 X
Operator: License # 31,120	74 2240 Feet from GYN (circle one) Line of Section
Heme: Pelican Hill Oil & Gas, Inc.	
Address 1401 N. El Camino Real	Footages Calculated from Hearest Outside Section Corner:
#207	NE. SE. ≒₩ or ∰ (circle one)
City/State/Zip San Clemente, CA. 92672	Lease Name Wassemiller Well # 3
Purchaser: NCRA	Field Name Monument West
	Producing Formation LKC. "K"
Operator Contact Person: Al Gross	
Phone (714) 498-2101	Total Depth 4430' PRTD 4366'
Contractor: Name: Abercrombie RTD, Inc.	
License: 30,684	Amount of Surface Pipe Set and Cemented at 261' Feet
Weilsite Geologist: Randall Kilian	
Designate Type of Completion	If yes, show depth set 2659'
XX New Well Re-Entry Workover	If Alternate II completion, cement circulated from 2659*
XX oft SWD SIOW Temp. Abd.	feet depth to surface v/ 415 ex cmt.
Ges ENHR SIGU Dry Other (Core, WSW, Expl., Cathodic, etc	c) Drilling Fluid Management Plan ALT 2 4 7 8-26-97
If Workover/Re-Entry: old well info as follows:	(Data must be collected from the Reserve Pit)
Operator:	· · · · · · · · · · · · · · · · · · ·
Well Name:	
Comp. Date Old Total Depth	- i - 11-8-9i
Deepening Re-perf Conv. to Inj/SWD	Operator Name
	1
Dual Completion Docket No Other (SWD or In]?) Docket No	Lease NameLicense No
9-23-96 9-29-96 10-11-96	Quarter SecTwp\$ RngE/W
Spud Date	County Docket No
Derby Building, Wichita, Kenses 67202, within 120 days	all be filed with the Kansas Corporation Commission, 200 Colorado of the spud date, recompletion, workover or conversion of a well.
Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of 12 months if requested in writing and submitted with the state of the state	on side two of this form will be held confidential for a period of the form (see rule 82-3-107 for confidentiality in excess of 12
months). One copy of <u>all</u> wireline logs and geologist well MUST BE ATTACHED. Submit CP-4 form with all plugged w	report shall be attached with this form. ALL CEMENTING TICKETS
All requirements of the statutes, rules and regulations prom with and the statements herein are complete and correct to	ulgated to regulate the oil and gas industry have been fully complied the best of my knowledge.
J 10770.	
Signature Kandall Kilian	K.C.C. OFFICE USE OWLY F/ Letter of Confidentiality Attached

Title Geologist Date 11-07-96 Subscribed and sworn to before me this 11 day of November 19 96 . Notary Public Date Commission Expires NOTARY PUBLIC - State of Kansas BETTY WILDER

My Appt. Exp. #-14- 88

F Lette	.C. OFFICE USE ORL' er of Confidential line Log Received ogist Report Receiv	ty Attached
KCC KGS	Distribution SMD/Rep Plug	NGPA Other (Specify)

Operator Name Pel	5 34	Dil & Gas, Inc East Mast	Lease Nam		iller County, Kans		3	
INSTRUCTIONS: Show interval tested, time hydrostatic pressure if more space is need.	me tool open a s, bottom hole :	nd closed, flowing temperature, fluid	and shut-in pre	ssures, whet	hèr shut-in pri	essure rea	ched static level	
Drill Stem Tests Tak (Attach Additiona		₩ Yes □ No	XX Log	Formatio	on (Top), Depth	and Datum	Sample	
Samples Sent to Geol	ogical Survey	☐ Yes 🎞 No	Name Anhydri	t o	Top 2626	: 1	Datus	
Cores Taken	•	Tes XX No.	Base	CC	2652	-	+ 536 + 511	
Electric Log Run (Submit Copy.)		₩ Yes □ No	Heeb. S Lansing Stark S "K" zon	4074 days 4304 d		ļ. ļ.	- 875 - 912 -1142	
List All E.Logs Run: RAG		•	Base K	•	4318 4366 4430	j i	-1156 -1204 -1268	
	Report al	CASING RECOR	ᅜᇉᇕᄣᅜ		production, et	c.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks	Type and Percent Additives	
Surface	12 ½"	8 5/8"		261'	60/40 Poz	170	yes	
Production	7 7/8"	4 ½"		4423	ASC	150	10% Salt	
Port Collar				2659	60/40 Poz	415	8% Ge1	
•		ADDITIONA	L CEMENTING/SQUE	EZE RECORD		·	<u> </u>	
Purpose: Depth Top Bottom		Type of Cement	#Sacks Used	sed Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone								
Shots Per Foot		RECORD - Bridge Pl of Each Interval			Fracture, Shot, d Kind of Materi		useze Record Depth	
4 jspf	Perf LKc.	"K" zone 431	8-22'	500 ga. 15% MCA			4318-22	
1				<u>-</u>	1,500 ga. 15	5% NE	4318-221	
TUBING RECORD 2 3/8" EUE	\$ize	Set At 4369'	Packer At	Liner Run .	☐ _{Yes} 점	No		
Date of First, Resum 10-14-96		SWD or Inj. Prod	ucing Method	lowing XX	sping Gas Li	ft 🗆 Oti	ner (Explain)	
Estimated Production Per 24 Hours		83 Gas 0	Mcf Water	tr.	Gas-Oil	Ratio	Gravity 36	
isposition of Gas: Vented Sold (If vented, sub			Hole Pert	puality	Chap. Commi		roduction Interval	

DRILL STEM TESTS

10	INTERVAL	ITT/TIME	ISIP/TIME	FFP/TIME	FSIP/TIME	im/fip	RECOVERY
1.	LKc. "K" 4299– 4350'	41# 41# 30"	291# 45"	62# 93# 60"	291# 75"	2133#	540' G.I.P. 190' Free Oil 115' G&O,C,Mud
2							ORIGINAL
3	·						<u>-</u>
4							
5				·			
6							15-109-20632
7							
8	· ·						:

ORIGINAL

ALLIED CEMENTING CO., INC. 6938

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665		SERV	ICE POINT:	Cley
SEC. TWP. RANGE C	ALLED OUT	ON LOCATION	JOB START	JOB FINISH
DATE 9-23-96 13 11 34	· · · · · · · · · · · · · · · · · · ·	10:15	COUNTY	STATE
TEASE IMPLEM C IDOCATION MANAGEMENT	ment 2 W-	<u> </u>	Locan	Kan
OLD OR (IEW (Circle one)				
CONTRACTOR ADVICES RTD#8	OWNER		<u> </u>	
HOLE SIZE 1274) TD. JAK'			CEMENT	
CASING SIZE & DEPTH 266'	AMOUNT OR	DERED	SK5 69/401	2822
TUBING SIZE DEPTH	3%	cc, 2%10	<u> </u>	
DRILL/PIPE DEPTH				
PRES MAX MINIMUM	COMMON	102 5/4	_@_ <u>7</u> 2	73440
MEAS. LINE SHOE JOINT	POZMIX _	68 583	_@ <u>_31€</u>	214 30
CEMENT LEFT IN CSG. 45'	GEL			215
PERFS.	CHLORIDE_	b sks	_@ <u>_2x≃</u> _ _@	16800
EQUIPMENT				
EQUITIBLE			@ <u></u>	
PUMPTRUCK CEMENTER LALE	 -		_@	
# 102 HELPER 12.15	HANDLING_	120 SKS	- 6 15x	178 50
BULK TRUCK	MILBAGE		/ mile	8/60
# 315 DRIVER United BULK TRUCK		• •	TOTAL	1,40520
# DRIVER			IOIAL	- 4-1
REMARKS:		SERVI	ICE	
Thanks	DEPTH OF JO	OB	261	
	PUMP TRUC			म्भर ∞
Cement Die Cicc.	BXTRA FOO' MILEAGE		- @	7,10
C.emen D.b Circ.		- Upoclan	@	45 00
			@	
CHARGE TO: Peliagn Hill Oile Gas Tuc	,		TOTAL	52420
STREET 1401 N El Camino Real , # 203	-	FLOAT EQU	JIPMENT	.
CITY San Clemen TesTATE Car ZIP 92672	Z	_		
			_@	
				
			@	
			@	
			TOTA	L
	TAY			
To Allied Cementing Co., Inc.				
You are hereby requested to rent cementing equipment		RGE		
and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TBRMS AND CONDITIONS" listed on the reverse side.		i	IF PA	ID IN 30 DAYS
$\alpha \sim 1$				

ORIGINAL ALLIED CEMENTING CO., INC. 6817

			• -	20632.00		
REMIT TO P.O. BOX 31	SERVICE POINT:					
RUSSELL, KANSAS 67665			-17455	<u>e 14</u>		
SEC. TWP. RANGE CA	ALLED OUT	ON LOCATION	JOB START	JOB PINISH		
ATE 9-29-96 13 11 4 34w	12:00 Am	2:00 Am	JOB START 5.00AP	5.45 Am		
EASEWASE MININGELLA ? LOCATION MONUM	cu+ 241	AS 4E	LOUNTY	KANSAS		
LD OR Circle one)						
ONTRACTOR ABERCROMAGE DOIG ATD #8	OWNER					
YPE OF JOB PRODUCTION STAINS			CEMENT			
OLE SIZE 7 % TD 4430		150	ACC	04.0		
ASING SIZE 4 DEPTH 4423	AMOUNT OR	DERED 150c	MASIL I	UASAIT		
Secree DEPTH 26		FRESH -		11503		
OOL DEPTH 4399	42-1201	FRANCE	-5 W/ G//5	4771		
RES. MAX DOOT MINIMUM 300	COMMON					
MEAS LINE SHOE JOINT 39	POZMIX		_ @			
EMENT LEFT IN CSG. 37. 2	GEL			_ 		
ERFS. 72 PE-	CHLORIDE		_@			
	ASC		9 <u>8.70</u>	_13a5.00		
EQUIPMENT	Sell		20 <u>700</u>			
•	<u>G:1</u>	987		404.62		
UMPTRUCK CEMENTER	CFRZ NFR2	/07	9 100	<u>471.70</u> 500.00		
177 HELPER QUIEN	HANDLING		9414 105			
ULK TRUCK	MILEAGE/		- 4 - 104	80.00		
2/8 DRIVER Term - CILL	MD42702					
BULKTRUCK			TOTA	L 310787		
DRIVER			1017			
REMARKS:		SERV	ICE			
	DEPTH OF JO	ıR				
		CHARGE		10900		
	EXTRA FOOT		@			
FIRAT LIFID	MILEAGE		@ <u>285</u>			
Thorry I Chy.	PLUG 1-41	RUBBER				
			@			
•			TOTA	L <u>1159.35</u>		
P. Hui Du tan	T		1014	il Males		
CHARGE TO: PELLICAN HILL DIL & GAS	AAC.					
STREET INOL N. FI Com ino Real Suite	T203	FLOAT EQ	UIPMENT			
TINCLE TO THE TAXABLE		•				
CHINE SA () - T STATE (2 710 9 7477	OWN)				
CITY San Clean Te STATE 69 ZIP 9 2622	OWN	<u>) </u>	@			
CITY San Clonente STATE C9 ZIP 9 2672	(OWN 4% Ret	ATING HEA	o_@			
CITY San Clean Te STATE C9 ZIP 9 2672	4% But) Alma Hea				
CITY San Clean Te STATE 69 ZIP 9 2672	4% Rat) Alma Hed				
CITY San Clean Te STATE 69 ZIP 92672	4% Rd) ATMG HEA				
CITY San Clean Te STATE CQ ZIP 92672	4% Rd) ATMG HEA				
CITY San Clearnie STATE C9 ZIP 92672	4% Res) TATING HEA				
CITY San Clean Te STATE 69 ZIP 92672	4% Res		ю е е тот/			
	4% Res) ATMG HEA	ю е е тот/			
To Allied Cementing Co., Inc.	4% & 1		TOT/			
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment	TAX	RGE —	TOTA	AL		
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or	TAX	RGE —	TOTA			
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was	TAX	RGE —	TOTA	AL		
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	TAX TOTAL CHA	RGE —	TOTA	AL		
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was	TAX TOTAL CHA	RGE —	TOTA	AL		

ORIGINAL 7463

ALLIED CEMENTING CO., INC.

15-109-20632-0000

REMIT TO P.O. BOX 31

SERVICE POINT:

RUSSELL, RANSAS 07003			OHNE	<u>~ '</u> _	
ATE 10 - 10 - 96 SBC. 13 TWP. RANGE 34 W	CALLED OUT	ON LOCATION	JOB START	JOB FINISH	
NEEMILLER 3	. Aut		COUNTY	STATE	
ASSEMILLE 3-13 LOCATION MONUM	IENT ZW-	<u> </u>	LOGAN	1 /5	
LD OR NEW (Circle one)					
ONTRACTOR LEON'S WELL SERVICE	OWNER	SAM	٤		
YPE OF JOB FORT COLLAR			CEMENT		
OLE SIZE TD.		_		_	
ASING SIZE (4/2) DEPTH	AMOUNT O	RDERED 650.	5/3 60/40P	248656	
IBING SIZE 2 DEPTH 2659	14- Plo	-SEAL		16 Hours	
RILL PIPE DEPTH	<u> 4580 4</u>	15 5 to 6 /40 p	02 86651		
BES. MAX MINIMUM	COMMON_	249 2Ks	@ 720	1.792	
RES. MAX MINIMUM EAS. LINE SHOE JOINT	POZMIX	166 SKS	@ 315	522 9	
EMENT LEFT IN CSG.	GEL _	29 5Ks	@ <u>9 50</u>	275	
RFS.	CHLORIDE				
	Flu-Sa	104#	_@ <u>_</u> _	119	
EQUIPMENT				·	
			_@		
IMPTRUCK CEMENTER TEAPY			_ @		
300 HELPER WAYNE	HANDLING	650 SKS	@ <u> 145</u>	682	
JLK TRUCK 12/8 DRIVER JEFF	MILEAGE_			312	
.2/9 DRIVER JEFF		• ,		_	
303 DRIVER DEAN			TOTAL	3,705	
Ditty Ditty					
REMARKS:		SERV	ICE		
PAISSURE SYSTEM TO 1000 PSI. HELD	0				
OPENED PORT COLLAR AND MIXED	DEPTH OF		<u> </u>	~	
415 SKS, CEMENT, CEMENT CERCULATE	~	CK CHARGE	-	55000	
losed PORT CO MAR ANOPRESSURE TO	EXTRA POO		-@ <u>-2≛</u> 5	3430	
100 OPSI. RELEASED + REVERSED DUT.	MILEAGE PLUG	12 miles.	@ <u>_2=</u> _ 	39=	
	, FLOG		_ e		
THONK YOU	·		_ @		
4			TOTAL	5843	
HARGE TO: IS II CAN HE! DILY CAS	<u> </u>				
TREET LASS N. El Camino Rado 203	FLOAT EQUIPMENT				
TREET MAY N. 24 CANTING PARK 202	•				
MY Simbonate STATE Call ZIP92672					
			@		
•					
			@		
			@		
			TOTA	L	
			IUIA	L	
	TAX		_		
To Allied Cementing Co., Inc.		ARGE -			
You are hereby requested to rent cementing equipment					
and furnish comenter and helper to assist owner or	DISCOUN	Γ	IF PA	AID IN 30 DA	
contractor to do work as is listed. The above work was					
done to satisfaction and supervision of owner agent or	•				
contractor. I have read & understand the "TERMS ANI	,				
CONDITIONS" listed on the reverse side.					
70 6000					