Date Commission Expires 12-16-03

FORM MUST BE TYPED SIDE	e one ORIGINAL
STATE CORPORATION COMMISSION OF KANSAS OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM ACO-1 WELL HISTORY DESCRIPTION OF WELL AND LEASE Operator: License #	API NO. 15- 051-25,0230000 County Ellis Sw - Sec. 17 Twp. 11S Rge 19 150 Feet from Nearest Outside Section
120 days of the spud date, recompletion, workover or conversion of a well. Rule 82 confidential for a period of 12 months if requested in writing and submitted with the form logs and geologist well report shall be attached with this form. ALL CEMENTING TICE 111 form with all temporarily abandoned wells. All requirements of the statutes, rules and regulations promulgate and the statements herein are complete and correct to the best of a Signature Ally M. Jack, Production Manager Date	as Corporation Commission, 130 S. Market, Room 2078, Wichita, Kansas 67202, within 1-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held in (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline KETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-ext to regulate the oil and gas industry have been fully complied with my knowledge. K.C.C. OFFICE USE ONLY Letter of Confidentiality Attached C

BARBARA J. DODSON NOTARY PUCLIC STATE OF KANSAS My Appt. Exp. 12: 16:03

Form ACO-1 (7-91)

NGPA
Other
(Specify)

SIDE TWO

Operator name	Murfin Dril	ling Co., Inc.		Lease N	Vame <u>GIINTH</u>	<u>ER-HAGEN UN</u>	<u>IT</u> Well # <u>1-17</u>	
Sec. <u>17</u> Tw	p. <u>11S</u> Rge. <u>1</u>		East West	County	Ellis	5		
INSTRUCTIO interval tested, thydrostatic pres space is needed.	time tool open a sures, bottom h	and closed, flowing to the contract of the con	pase of formating and shut- fluid recove	ations penetrated in pressures, where, and flow rate	L Detail all conether shut-in es if gas to sur	ores. Report all opressure reached face during test.	drill stem tests giving static level, Attach extra sheet if mo	
Drill Stem Tests (Attach Addit		■ Yes	□ No	☐ Log Format	ion (Top), D	epth and Datums	☐ Sample	
Samples Sent to Geological Survey ■ Yes □ No				Name Top Date				
Cores Taken		☐ Yes	■ No		SEE ATTAC	CHED		
Electric Log Ru (Submit Copy List all E.Log Oual Induction Borehole Comp	.) Log. Dual Com	■ Yes upensated Porosit og, Microresisti	v Log					
	Rep	CA ort all strings se	SING REC	ORD New , surface, inter	Used mediate, prod	luction, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	121/4"	85%"	24#	212'	Common	150	3% ∝ 2% gel	
Production	7 7/8*	5 1/2"	15.5#	3696'	ASC	235	10%salt& 2%ge1	
]	ADDITIC	NAL CEMI	ENTING/SQUE	 EZE RECORI	<u> </u>		
			# Sacks	Type and Percent Additives				
_ Plug Back TD _ Plug Off Zone								
Shots Per Foot		TON RECORD - Bridge Phy Footage of Each Interval Pe		Aci (Amount a	d, Fracture, SI and Kind of M	not, Cement Squarerial Used)	eeze Record Depth	
4	3639-40							
4	3590-92	100			·			
TUBING REC			ker At	Liner	ΣΥes	□No		
Date of First, I Inj.	2 7/8' Resumed Produ	ction, SWD or	Producing	Method ng ■ Pumpin		<u></u> .		
Estimated Proc 24 Hours	duction Per	Oil Bbls	Gas -	Mcf	Water I	Bbls. Gas-Oi	l Ratio Gravity	
Disposition of C	as:	MET	HOD OF C	OMPLETION			Production Interval	
☐ Vented ☐ So If vented, subm	old Used on ait ACO-18.)		n Hole Por (Specify)	erf. Dually C	omp. □ Com —	mingled	as above	

FORMATION TOPS & STRUCTURAL GEOLOGY

!	R.19 W.	1	EFERRED TO: IOAC Vade Belle Unit #18-1
	0 0	н. В:	Ap. E's NE SE SE 18
т. 11	A	C:	
s.	÷	D:	
	• • • ·	E:	
	20	J	

STRATIGRAPHIC	SUB	JECT WELL	ST	RUCTURAL I	POSITI	ON	
MARKERS	SAMPLE	E. LOG	DATUM	A B	C	O	E
<u>Anhydrite</u>	1354'	1352	+ 653_	+ 647		· · - · · · · · · · · · · · · · · · · ·	
Base	1393'	1392'	+ 613	+ 604			
Neva	2480'	2454	- 449	<u> </u>			
<u>Topeka</u>	2992'	2993'	- 988	<u> </u>			
Heeb. Sh.	3213'	3213'	-1208	-1214			
Toronto	3231'	3232	-1227	-1230			
Lansing	3251'	3252'	-1247	-1252			
Base Kc.	3471'	3471'	-1466	<u> -1475_</u>			
Smp. Dolo.	3543'	3548'	-1543	-1553	<u>-</u>		
Arbuckle	<u>3555'</u>	3559 '	-15 <u>54</u>	-1566			
T.D.	36951	3697'_	-1692	-1684			
			1				
							-
				-			
-·							
				····			
	 .	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
	 				-		

*Structural position of subject well as compared to referred well.

ORIGINAL

Giinther Unit #1-17 1490' FWL 150' FSL Sec. 17-T11S-R19W Ellis County, Kansas

DST #1 Lansing C 3269-3296' 30-45-60-90, Rec. 2' co, 30' socmw (3% o, 40% m, 57% w), 98' mw (rw .45 ohms @ 33° F); HP: 1570-1556; FP: 15/43 - 47/83; SIP: 700-692; BHT: 101°.

DST #2 Lansing D, E, & F zone, 3300-3340 30-45-60-90; Rec. 10' CO, 150 OCMW (20%oil), 300' WTR; FP: 31/164, 162/265; SIP: 414-412; HP: 1594-1579.

DST #3 Lansing G zone, 3343-3360 30-45-60-90; Rec. 20' CO, GO SOCMW, 120' WTR; FP: 14/56, 61/118; SIP: 587-589; HP: 1584-1580.

DST #4 Lansing H, I, J, K & L zones, 3388-3476 30-45-60-90, Rec. 30' M, 240' MW; FP: 19/74, 81/134; SIP: 938-902; HP: 1608-1599.

DST #5 3550-3566 Arbuckle 30-45-45-90; strong blow obb in 3½ min.; Rec. 100' fluid, 5' CO, 335' SOCW (2% O) 660' W (CH 28,000); FP: 91/329, 340/528; SIP: 997-996; HP: 1703-1714.

DST #6 3574-3588 Arbuckle 30-45-60-90; wk bl inc to 4" under surface; Rec. 330' CO, 24° gravity, 120' OCMW (10% O, 70% W, 20% M); FP: 24/122, 118/191; SIP: 1160-1153; HP: 1782-1732.

CONSERVATION DIVISION Wichita, Kansas RECEIVED STATE CORPORATION COMMISSION

ORIGINAL

REMIT TO	P.O. BOX 31
•	RUSSELL, KANSAS 67665

<u>50</u> 5	7-79	707	7-0	200	\circ
\sim	, – –		_		_

REMIT TO P.O. BOX 31	SERVICE POINT:				
· RUSSELL, KANSAS 67665			<u> </u>		
DATE Z6-00 SEC. TWP. RANGE C	ALLED OUT	ON LOCATION	JOB START	JOB FINISH	
Grantles - Hageh	4 , 1 4	- 70 ~ . 4. ~	COUNTY	STATE	
OLD OR (VEW) (Circle one)	donanto N	A KARAVAL		1.164	
OLD OR (NEW (Citie bile)	<u> </u>		J		
CONTRACTOR Mulain Daly #8	OWNER				
HOLE SIZE 124 T.D. ZIZ	CEMENT				
HOLE SIZE 12"4 T.D. Z1Z CASING SIZE 856 DEPTH 212		DERED 150	cm -3%	22 36.	
TUBING SIZE DEPTH	STATE				
DRILL PIPE DEPTH 8	E				
TOOL DEPTH & S PRES MAX MINIMUM 5 2	S MMON		, , 5		
THE STATE OF THE S	₩MON	729	@ 633	952 5	
MEAS: EINE	ZMIX	3	@ <u>450</u>	28.50	
CEMENT LEFT IN COO. 10'17 5 =	ECHLORIDE _	<u>S</u>	@ <u>45°</u> @ 26°	14000	
PERFS. % & S	≤		_@ 	7340 -	
	IS.		- @ ———— @		
EQUIPMENT	ž		- [©]		
		·	- @		
PUMPTRUCK CEMENTER VV&C			- ©		
# 345 HELPER Some	HANDLING_		@ 105	<u></u>	
BULK TRUCK	MILEAGE	44/54	1 WIE	120 00	
# Z13 DRIVER		1	7		
BULK TRUCK # DRIVER			TOTAL	<u></u>	
# DRIVER					
REMARKS:		SERVI	CE		
Coment Circ V	DEPTH OF JO	B			
- Cenneus - Co		CHARGE		470 00	
		AGE	@		
	MILEAGE		_@ <u>3</u> œ	60 ≅	
$\overline{}$	PLUG_ 8 5/8	wooden	@	4500	
			_ @		
			_ @		
				-a-8	
			TOTAL	. <u>575 °</u>	
CHARGE TO: Muslin Dule					
STREET		FLOAT EQU	IPMENT		
CITYSTATEZIP				-	
			- @ ———		
				·	
To Allied Cementing Co., Inc.					
You are hereby requested to rent cementing equipment			TOTAL		
and furnish cementer and helper to assist owner or			-		
contractor to do work as is listed. The above work was	m				
done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND	TAX		**		
CONDITIONS" listed on the reverse side.	TOTAL CHAR	RGE			
CONDITIONS IISIEU OII IIIE IEVEISE SIUE.					
	DISCOUNT -		IF PA	אט טג או טו או טו	
SIGNATURE			ED MANO		
		PRINT	ED NAME		

15.021.22023.0000

Federal lax I.D .

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SE	ERVICE POINT:
DATE \$4.00 SEC. 7 TWP. / RANGE 19 CA	ALLED OUT ON LOCATION	N JOB START JOB EINISH
LEASE there WILL# 1-17 LOCATION VOCERTS	to N to River Ro	
OLD OR NEW (Circle one)		
CONTRACTOR Martin Dry	OWNER	
TYPE OF JOB Prod String HOLE SIZE 7% T.D. 3697	CEMENT	
CASING SIZE SS DEPTH 3696	AMOUNT ORDERED 25	O ASC
TUBING SIZE DEPTH	500 gol WEB	2-2-
DRILL PIPE DEPTH TOOL Port Collar DEPTH 1358	<u> </u>	
PRES. MAX MINIMUM	COMMON	@
MEAS. LINE SHOE JOINT	POZMIX	
CEMENT LEFT IN CSG.	GEL	
PERFS.	CHLORIDE	
DISPLACEMENT 90 BBL	ASC 250	<u> </u>
EQUIPMENT	WFR-2 500 yol	
345 Drue.		
PUMPTRUCK CEMENTER Mach		
# HELPER	HANDLING	
BULK TRUCK	MILEAGE 4 4 / 5	
# DRIVER		7/
BULK TRUCK # /63 DRIVER BUCK		TOTAL 3012.SC
REMARKS: Plug Let hole + mous & hole	DEPTH OF JOB	VICE
(PATION) 1,3,5,7,9, 12/15, 72.83	PUMP TRUCK CHARGE	
port collor on 23 & Bashet 101	EXTRA FOOTAGE	@
	MILEAGE 20	@ <u>3</u> <u>60 </u>
Floor Hold	PLUG Se Rubber	
	-	
CHARGE TO: Murtin Doly Co Inc		TOTAL
STREET	FLOAT E	QUIPMENT
CITYSTATEZIP	10 Centrilizions	50° 500°
CITTSTATEZII	1 Raskat	
	1 port collar	
	1 Buile Shoe	@ <u></u>
	1 AFU TASETO	@ <u>235∞</u>
To Allied Cementing Co., Inc.	10 SCRAtchens	@ <u>452 </u>
You are hereby requested to rent cementing equipment		TOTAL 3663 =
and furnish cementer and helper to assist owner or		101AL
contractor to do work as is listed. The above work was		
done to satisfaction and supervision of owner agent or	TAX	
contractor. I have read & understand the "TERMS AND	TOTAL CHARGE	
CONDITIONS" listed on the reverse side.		
	DISCOUNT -	IF PAID IN 30 DAYS
SIGNATURE All Legille		
DIDITION AND WELL		

ORIGINAL

⊢egerai lax i.⊔.#

REMIT TO P.O. I		NSAS 676	665	SERVICE POINT:				
DATE 4/8/00	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	v. 1	JOB FINISH	
LEASE HAGEN LIN	:-WELL#	1-17	LOCATION YOURNE	12 to 12	Zweru:ew	COUNTY	STATE KS.	
OLD OR NEW (C				NINTO	<u> </u>		7,0	
CONTRACTOR			I A W	OWNER				
TYPE OF JOB			eulate Cement)					
HOLE SIZE		T.I	_	CEMENT		Lite	مناديد	
	5/2 -	DE	PTH	AMOUNT OR	DERED _30	0 40 60m	Arl 4# Flo	
	2%		EPTH				 	
DRILL PIPE			EPTH 121 or 1					
TOOL PORT COL	kr		EPTH 1368 (NIMUM					
MEAS. LINE			IOE JOINT	. COMMON POZMIX	10.12.12.12.12.12.12.12.12.12.12.12.12.12.	@		
CEMENT LEFT II	N CSG.	51.	IOL JOHVI	GEL		— @ ——		
PERFS.				CHLORIDE _				
DISPLACEMENT	•			-LITE	300	@ 600	180000	
	EO	UIPMENT	<u> </u>	Flosen	75#	@ 773	8 ८ ४५	
	24		•			@		
PUMP TRUCK	CEMEN	TER Pa				@		
# 345	HELPER			- 		@		
BULK TRUCK	11201,231		<u>v.</u>	HANDLING_	A	<u> </u>	_ <u>3,58</u>	
# 254	DRIVER	VC.5	00	MILEAGE	4 4 5K	\w/\\\\\	_ 240≌	
BULK TRUCK				•	, 1	•	m.,, 75	
#	DRIVER	1		_		TOTAL	2441 25	
	loot 6	Circul	tring to Loops	DEPTH OF JC	OB		580 9	
Held - Ren T	ioints	washed	around tog.	EXTRA FOOT	TAGE	@		
Coment ni	Culate	d: L		MILEAGE	20	@ <u></u>	60 €	
						@		
						_	_	
						@	 	
	20 C					TOTA	640=	
CHARGE TO:	Mrc+:			-				
						QUIPMENT		
CITY	S [*]	TATE	ZIP					
						@		
						@		
To Allied Cemer	vina Co	Inc				@		
	-		menting equipment					
and furnish ceme						TOTA	L	
		-	The above work was					
			of owner agent or	TAY				
		-	nd the "TERMS AND)				
CONDITIONS"				TOTAL CHAR	RGE			
, .	- 10	- 2 \		DISCOUNT _	12 1	IF PA	ID IN 30 DAYS	
SIGNATURE			*	M	I Take			
			·····		PRIN	TED NAME		