KCC WICHITA (Rev. 7/03)

Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test (See Instructions on Reverse Side)

| Open Flow | | | | | (00) | 4010 | | | olde) | ADIAL | | , | 151892 | 11600 | 1000 |
|---|---|-------------------------------------|--------------------------------|-------------------------------|--|---|--|--|---|------------------------|-------------------------------------|------------------------------|---------------------|---|---|
| Deliverability | у | | 7 | Test Date: | | 10/0 |)2/201: | | <u>.</u> | API No | , | | | | |
| Company OXY USA Inc | | | | | | Lease STAL | CUP E | 3 2 | | | | | | Well N | umber |
| County Stevens 1 | Le 1250 FNL | ocation & 110 | | _ | ection 30 | | TWP 34S | | | RNG (EM 35W | 1) | | | | Attributed 40 |
| ield VALKMEYER | | | | | eservoir lorrow | | | | | Gas Gatho | | Connection | ו | | |
| Completion Date | • | | _ : | | lug Back 1 6,400' | Total Depth | 1 | | | Packer Se | et at | | | | |
| Casing Size | | /eight 5.5# | | lr | ternal Dia | | Set 6,87 | t at 7' | | Perfor 6,2 5 | | 3 | To 6 , | 267' | |
| Fubing Size | | /eight .7# | | | iternal Dia | meter | | t at 5, 312' | | Perfor | ations | 3 | То | | |
| ype Completion | (Describe) | | | | ype Fluid VATER | Production | | | | Pump Uni | | raveling PI - Beam | | | Yes / No |
| Producing Thru (A Annu | | ubing) | | | % C | Carbon Dio 0.464% | xide | | | % Nitroge 2.203 | | | | .702 | |
| Vertical Depth (H) 6,262' |) | | | | | | ıre Tap nge | S | | | | | (Meter | Run) (I 3.06 | Prover) Size |
| Pressure Buildup: | Shut | in | 10/0 ⁻ | 1 : | 20 12 | at 9:00 | | | Taken | 10/ | 02 | 20 12 | at | 9:00 | - |
| Well on Line: | Shut | in | | | 20 | at | | | Taken | | | 20 | at | | - |
| ···· | | | | | | OBSERV | ED SU | RFACE | DATA | | | Ouration of | Shut-in | 24 | Hours |
| Static / Orifi Dynamic Siz | ice <i>Pro</i> | Meter Differe Prover Pressure in | | Pressure Differentia in | I Flowin Tempera | ture Tempera | Well Head Wellhe Temperature (P _w) o | | ssing Tubin d Pressure Wellhead Pr (P_t) or (P_0) (P_w) or (P_t) | | Pressure () or (P _c) | r (P _c) Duration | | Liquid Produce | |
| Property (inch- | es) | psig (Pm) |) | Inches H _z i | D | t | | 98ig 34.0 | psia 48.4 | ps 15 | | 29.4 | (Ho | urs) 4 | (Barrels) |
| Flow | | | | | 1 | | | - | | - | | | | | <u> </u> |
| | | | | | | FLOW ST | REAM | ATTRII | BUTES | | | | 1 | | 1., |
| Plate Coefficient (F _b) (F _p) Mcfd | Circle one Meter or Prover Press psia | 1 | Pre Exter P _m | nsion | Gravity Factor F _e | Flo Temp Fa | erature actor | Dev Fa | riation actor F _{pv} | Metere R (Mo | ! | (Cubic | GOR : Feet/Barre | el) | Flowing Fluid Gravity G _m |
| (P _c) ² = | | P _w) ² = | 0.0 | | OPEN FL | .OW) (DEL | .IVERA | | CALCU 4.4) + 14 | | ; | <u> </u> | | (P _a) ² = (P _d) ² = | |
| $(P_c)^2 - (P_d)^2$ or $(P_c)^2 - (P_d)^2$ | (P _o) ² - (P _w) ² | Choos | | P _d ² | LOG of formula 1. or 2. and divide by: | P _c ² - P _w ² | Bac | kpressure Slope = "i or Assigned itandard Sl | Curve n" d | nxLOG | | - | Antilog | | Open Flow Deliverability Equals R x Antilog (Mcfd) |
| | | \perp | | | - | | | | | | | | | | |
| Open Flow | 0 | | Mcf | d @ 14.65 | psia | | Deliver | ability | | | | Mcfd @ |) 14.65 pt | sia | |
| the facts stated therein | | | | | | any, states that ecuted this the | | | ed to make ay of | the above re | | that he has k | nowledge | of - | 2012 |
| | | Witne | | | | | | | | | | OXY USA | | / | |
| | | For Comr | | | | | | | . | Da | vid (| Ogden O | xy USA | tnc. | |

Form G-2 (Rev. 7/03)

KCC WICHITA

| | | | NOC WICHTA |
|--|---|---|---|
| on behalf of the operator s application form are true and ds of equipment installation and | OXY USA Inc correct to the best of m for upon type of comple | and that the foregoing knowledge and belief base | ng pressure information and statements od upon available production summaries e of the gas well herein named. |
| y request a one-year exemption | n from open flow | STALCUP B 2 | for the gas well on the grounds that |
| | | | |
| | | | |
| coalbed methane producer | | | |
| cled on plunger lift due to water | г | | |
| source of natural gas for injection | on into an oil reservoir u | ndergoing ER | |
| a vacuum at the present time; | KCC approval Docket N | lo. | |
| t capable of producing at a dail | y rate in excess of 250 i | ncf/D | |
| October 2, 2012 | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | Signatur | David Ogden e: OXY USA\lnc |
| | | Titl | e: Gas Business Coordinator |
| | on behalf of the operator sapplication form are true and dis of equipment installation and y request a one-year exemption coalbed methane producer cled on plunger lift due to water source of natural gas for injection a vacuum at the present time; it capable of producing at a dail see to supply to the best of my a claim for exemption from testing | oxy usa Inc. s application form are true and correct to the best of my ds of equipment installation and/or upon type of complety request a one-year exemption from open flow coalbed methane producer cled on plunger lift due to water source of natural gas for injection into an oil reservoir use a vacuum at the present time; KCC approval Docket Not capable of producing at a daily rate in excess of 250 methods to supply to the best of my ability any and all support claim for exemption from testing. | s application form are true and correct to the best of my knowledge and belief base is of equipment installation and/or upon type of completion or upon use being mad by request a one-year exemption from open flow STALCUP B 2 coalbed methane producer cled on plunger lift due to water source of natural gas for injection into an oil reservoir undergoing ER a vacuum at the present time; KCC approval Docket No. It capable of producing at a daily rate in excess of 250 mcf/D see to supply to the best of my ability any and all supporting documents deemed by the claim for exemption from testing. October 2, 2012 Signatur |

Instructions: If a gas well meets one of the eligibility criteria set out in the KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31st of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.