## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:			(	See Instruct	ions on Re	verse Side	<del>)</del> )			
Open Flow			Test Date	r:			API	No. 15	- ^	
Deliverabilty			5/15/201				023	3-20313 - ℃	)-OO	
Company Prime Operating	Company				Lease Schelpp	)			33-1-1	Vell Number
County Location Cheyenne NENE			Section 33		TWP 3S			/ <b>W</b> )	Acres Attributed	
Field NW Cherry Creek				Reservoir Niobrara				thering Conne <b>Morgan</b>	ction	NOV -
Completion Date 8/18/93			Plug Back 1604	Plug Back Total Depth 1604			Packer :	Set at		KCO
Casing Size Weight			Internal E 4.052"	Diameter		Set at 1634.89'		orations IO'	<sup>To</sup> 1516'	Acres Attributed 160  RECE  NOV 07
ubing Size Weight 3/8" 4.7#		Internal E	Internal Diameter		Set at 1535.59'		orations	То		
ype Completion (			Type Flui	d Production	n		Pump U Yes	nit or Traveling	Plunger? Yes	/ No
roducing Thru (A			% C	arbon Dioxi	de		% Nitro	•	.59	avity - G <sub>g</sub>
/ertical Depth(H)		Pressure Taps Flange					Run) (Prover) Size			
Pressure Buildup:	Shut in 5/15	2	0 11 at 9			Taken 5	/16	20	11 at 9:00 A	M (AM) (PM)
Well on Line:	Started 5/16		0 11 at 9	:00 AM	(AM) (PM)	Taken 5	/18	20	11 <sub>at</sub> 1:00 P	M (AM) (PM)
				OBSERVE	D SURFAC	E DATA			Duration of Shut-	in Hours
Static / Orifice		Flowing Temperature t	Temperature Temperature		Casing Wellhead Pressure $(P_w)$ or $(P_t)$ or $(P_c)$ psig psia		Tubing ead Pressure or (P <sub>t</sub> ) or (P <sub>c</sub> )	Duration (Hours)	Liquid Produced (Barrels)	
Shut-In					80	94	psig	pau		
Flow					20	34				
				FLOW STE	REAM ATTE	RIBUTES				<u> </u>
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		Fac	Gravity Factor F <sub>q</sub>		Deviation Factor F <sub>pv</sub>		Metered Flow R (Mcfd)	GOR (Cubic Fe Barrel)	Flowing et/ Fluid Gravity G	
			(OPEN FL	OW) (DELIV	/FRABILITY	() CALCUI	ATIONS		(0.)	2 0 007
P <sub>c</sub> ) <sup>2</sup> =	(P.,.)2 =		P <sub>d</sub> =					· · · · · · · · · · · · · · · · · · ·		<sup>2</sup> = 0.207 <sup>2</sup> =
$(P_c)^2 \cdot (P_a)^2$ or $(P_c)^2 \cdot (P_d)^2$	(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	Chaose formula 1 or 2:		LOG of formula 1. or 2 and divide p.2.p.2 by:		Backpressure Curve Slope = "n" or Assigned Standard Slope		LOG	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)
		14-43-6-23	05		D-0	La III a			Model @ 44.65	
Open Flow		Mcfd @ 14	.65 psia		Delivera	DIHTY			Vicfd @ 14.65 ps	<u>a</u>
The undersign	ned authority, on				•			he above repor	rt and that he ha	ns knowledge of
	Witness (If	eny)						For C	ompan	
	For Commis	ssion						Chec	ked by	

## RECEIVED

## NOV 0 7 2012

KCC WICHITA I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator PRIME OPERATING COMPANY and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow testing for the SCHLEPP 33-1-1 gas well on the grounds that said well: (Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. \_ is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing. Date: 11/3/12 Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

Title: Tom Roelfs, Drlg / Prod Foremen

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

## Monthly Gauge Sheet

RECEIVED NOV 0 7 2012 **KCC** WICHITA

Well Name: <u>Schlepp 33-1-1</u>

Pumper: <u>2 X 500</u>

<del>Г П</del>				30"			SPM	
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
1	33	38	56			20		
2	33		56			26		
3	33	38 38	56		, <u>.</u>	20		
4	34	39	58			21	,	
5	35	38	58			22		
6	35	38	58			22		
7	35	38	58			22		
8	35	38	58			22		
9	39	38	57		<u> </u>	21		
10	39	38	57			2/		
11	35	38	58			20		
12	33	38	56		ļ	<u> </u>		
13	33	,39	57		ļ	120		
14	33	.39	52		ļ	130		11.04
15		-	0.		<b> </b>	00		skut in 9 AM epen 9 nm 80LB
16	9.3	55	113		<del> </del>	80 50		Epen yum action
17	<b>8</b> 3	45	84		<del> </del>	<u>1,3×€/</u>		
18		39	57			20		
19	33	39,	57		-	20		
20	3.3	39	57		-	20		
21	33	39	57		<del> </del>	20		
22	33	39	57 57	<del> </del>	<del>                                     </del>	20		
23	33	39	57	<del> </del> -	<del> </del>	20	<del> </del>	
24	33	39		-	<del>                                     </del>	20	1	
25 26	33	42	57	<del>                                     </del>		20		
27	3.3	42	59	†	1	20	1	
28	33	42	_		<del>                                     </del>	20		
29	33	38			<del> </del>	20		
30	33	38		†		20		
31	33	38	56			20		

Totals 1573 334

RECEIVED T. 22 T NOV 0 7 2012

Well Name: Schlepp 33-1-1

KCC WICHITA

Totals 1680 16 BBL 1 40905

RECEIVED NOV 0 7 2012

Well Name: Schlepp 33-1-1

KCC WICHITA

ump	er:	2	× ,0	500			Month	7-11
				3011			SPM	
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
1	36	38	58			23		
2	37	36	58			24		
3	35	36 38	58			24 22		
4	36	38	58			23		
5	37	35	57			24	,	
6	37	38 38 37	59			24		
7	37	38	59			24		
8	37	37	58			24		
9	37	37	58			24		
10	37	36	58			24		
11	37	36	58			24		
12	37	36	58			24		
13	37	38	59			24		
14	33	38	36		20	120		
15	133	0	0			/20		cp. down 18hr
16	53	60	89			40		
17	37	42	62		V 2000	24		
18	3 <i>7</i>	42	62			24		
19	33	43	60			20		
20	33	42	59			20		
21	39	34	58			26		
22	38	34	57			25		
23	39	3 Y 35	58			1		
24	79	35	58			26 26	off	
25	39	34	58		·····	26	off	Restarted
26	39 39 39	37	60			26		
27	79	36	60 59			26 26		
28	39	36	39			26		
29	39	37	60		· · · · · · · · · · · · · · · · · · ·	26		
30	39 37	38 37	C1			26		
31	<del>7 /</del>	72	58	46"		24		