Form G-2 (Rev. 7/03)

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

SIP Type Test:			(8	See Instructi	ions on Re	verse Side))				
Open Flor	N		Tank Date	_			450	N- 1F			
Deliverabi	ilty		Test Date 10/01/20					No. 15 199-20369-	0000		
ompany			<u> </u>		Lease						Well Number
laven Resour			Section		Gebhar	as	RNG (E	AAA		2-35	Acres Attributed
ounty Vallace	Locat	lion	35		المتلأ	>	42W	, 44 ;		,	ACIES AMIDOMES
ield			Reservoir Niobrara				Gas Gar DCP M	thering Conr lidstream	ection		RECE
ompletion Date /19/2008	9		Plug Back 996	Total Depti	h		Packer S	Set at			DEC 112
asing Size	Weight 10.5	ht	Internal D 4.090	iameter	Set a 105		Perfo 794	rations		то 825	KOO.
bing Size	Weight	ht	Internal D	iameter	Set 8		Perio	rations		То	RECEI DEC 0 3 KCC WICH
pe Completion				d Production			Pump U	nit or Travelin	g Plunge		/ No
roducing Thru	(Annulus / Tubin	(9)	% C	arbon Dioxid	de		% Nitrog	•		Gas Gr 0.593	avity - G
ubing ertical Depth(H)		0.303	Press	sure Taps		0.347				Run) (Prover) Size
048	•			Flang	•					2.067	
ressure Buildu	p: Shut in 9/3	30 2	08 at 11	1:00 AM	(AM) (PM)	Taken_1()/1	20	08 a	11:00	AM (AM) (PM)
Vell on Line:		*									(AM) (PM)
				OBSERVE	D SURFAC	E DATA			Duratio	on of Shut-	in Hours
Static / Orition ynamic Size roperty (inche	Prover Press	1	Flowing Temperature t	Well Head Temperature t	Cas Wellhead (P _w) or (P	Pressure	Wellhe	Tubing ead Pressure or (P ₁) or (P _c)	1	uration fours)	Liquid Produced (Barrels)
· ·	psig (Pm)	Inches H ₂ 0			psig	psla	psig	psia	24		,,
Shut-In					16.2		16.2		24		
Flow					:						
		1	· r· · · ·	FLOW STR	EAM ATTR	BUTES					
Plate Circle one: Coefficient Meter or (F _a) (F _p) Mcfd psia		Press Extension P _m xh	Extension Facto		or Temperature Factor		Deviation Factor (Modd)		CE VEDCubic Feet/ ORATION COMMERCED ON		Flowing Fluid Gravity G
MCIG		 	- 		F,,			- nor (8 m	20	
	<u> </u>	<u> </u>	(ODEN EL C	OW) (DELIVI	COARU ITY	CALCUI	ATIONS	WATER LAND	-		
. 12 _	· /P \2 -	=:	P ₄ =	% (DELIVE		, CALCUL 2 - 14.4) +		WICHIT	A KS	/Ολ: (P _a) (P.)	² = 0.207 ² =
(c) ² =		Choose formula 1 or 2:			1	ssure Curve		<u>г</u>	<u> </u>	(4)	Open Flow
$(P_e)^2 - (P_g)^2$ or $(P_e)^2 - (P_g)^2$	(P _c) ² - (P _w) ²	 P_c² • P_c² P_c² • P_d² divided by: P_c² • P_c² 	LOG of formula 1, or 2, and divide by:	P _c ² · P _u ²	Slop	pe = "n" - or signed ard Slope	n x	LOG	^	ntilog	Deliverability Equals R x Antilog (Mcfd)
		secure sys. t g · Fw		<u> </u>							
pen Flow		Mcfd @ 14.	65 psia		Deliverab	ility			Mcfd @	14.65 ps	a
	gned authority, onerein, and that s						o make ti day of		ort and	that he ha	us knowledge of, 20
	Witness	(If any)	<u> </u>		-		•	For	Company		
	For Corner	wieslon			-			Che	cked by		

DEC 0 3 2012

KCC WICHITA

	status under Rule K.A.R. 82-3-304 on behalf of the operator Raven Resources It the foregoing pressure information and statements contained on this application form are true and to the best of my knowledge and belief based upon available production summaries and lease records
of equip	oment installation and/or upon type of completion or upon use being made of the gas well herein named. The pest of my knowledge and belief based upon available production summaties and lease records a ment installation and/or upon type of completion or upon use being made of the gas well herein named. The pest of my knowledge and belief based upon available production summaties and lease records and lea
•	(Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No.
	is not capable of producing at a daily rate in excess of 250 mcf/D rther agree to supply to the best of my ability any and all supporting documents deemed by Commission necessary to corroborate this claim for exemption from testing.
Date: _	0/24/2008
	Signature: Author

instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

GEBHARDS 2-35

Sample No: 20082569

PRECISION WIRELINE AND TESTING NATURAL GAS ANALYSIS REPORT

620-624-4505

RECEIVED

DEC 03 2012

KCC WICHITA

Operator: Raven Resources Well Name: Gebhards 2-35
Location: 35-125-42W
County: Wallace
State: Kansas

Analysis Date: 09/01/08 Sample Date: 08/29/08 Sample Pressure:

Sample Temperature:

Time:

Sample Source: Wellhead

Formation: Niabrara Bottle No: P-

Requested By: Raven Resources Sampled By: Clint

NATURAL GAS ANALYSIS

	Mole %	GPM
Helium Hydrogen Oxygen Nitrogen Carbon Dioxide Methane Ethane Propane Iso Butane Normal Butane Iso Pentane Normal Pentane Hexanes Plus	0.077 0.000 0.000 6.947 0.565 91.822 0.519 0.000 0.000 0.016 0.005 0.008	0.139 0.000 0.000 0.005 0.002 0.003 0.018
TOTALS	100.000	0.166
Z Factor: Specific Gravity:		0.9982 0.5931
BTU/cu.ft. (sat, 60 BTU/cu.ft. (dry, 60 Octane Rating	F. 14.73 psia): F. 14.73 psia):	927.1 943.6 119.9

Comments:

> RECEIVED KANSAS CORPORATION COMMISSION

> > NOV 12 2008