## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test  | i:                          |   |  | (   | See Instruct                                | tions on Rev                               | verse Side   | )                  |                             |                               |                           |   |
|--|-----------------------------|---|--|---|---|--|--|--------------------|-----------------------------|-------------------------------|---------------------------|---|
|  | en Flow                     |   |  | T D   |   |  |  |                    |                             |                               |                           |   |
| De   | liverabilty                 |   |  | Test Date<br>October                        | e:<br>r <b>8, 2012</b>                      |  |  |                    | lo. 15<br>21,231-00-        | 00                            |                           |   |
| Company<br>John O.   |                             | Inc.                                    |  |   | ´   | Lease<br>Patterso                          | n  |                    | ·                           |                               | Well Nu                   | mber  |
| County<br>Haskell  |                             | Location<br>2317' FSL                   | n<br>& 2309' FWL   | Section<br>28                               |   | TWP<br>30S                                 |  | RNG (E/V<br>31W    | <b>(</b> )                  |                               | Acres A<br>160            | ttributed                                     |
| Field  |                             |   |  | Reservoi<br>Morrow                          |   |  |  | Gas Gath           | ering Conne                 | ection                        |                           |   |
| Completio<br>01-20-99  |                             |   |  | Plug Bac<br>5513                            | k Total Dept                                | th   |  | Packer Se          | t at                        |                               |                           | A/O   |
| Casing Si<br>4.500   | ize                         | Weight<br>10.500                        |  | Internal [<br>3.927                         | Diameter                                    | Set a<br><b>557</b> 5                      |  | Perfora<br>5409    | itions                      | то<br><b>5424</b>             |                           | MOV<br>KCC W                                  |
| Tubing Si<br>2.375   | ize                         | Weight<br>4.700                         |  | Internal (<br>1.995                         | Diameter                                    | Set a<br>5417                              |  | Perfore            | itions                      | То                            | •                         | CCM   |
| Type Con<br>perfs w/   |                             |   |  | Type Flui                                   | d Production                                | n  |  | Pump Unit          | or Traveling                | Plunger? Yes                  | / No                      |   |
| Producing Tubing Vertical D  |                             | nnulus / Tubing)                        |  | % c<br>.130                                 | Carbon Dioxi                                | de<br>sure Taps                            | ٠  | % Nitroge<br>9.468 | n                           | .699                          | avity - 6<br>Run) (Pr     | over) Size                                    |
| 5417   |                             | <br>Octo                                |  | 10 1  | 2:00  | -  | 0,   |                    |                             | 12 12:00                      |                           | . <u></u>                                     |
| Pressure<br>Well on L  | -                           |   | ber 8 2<br>ber 9 2   |   | 2:00  |  |  | ctober 8           | 20<br>20                    | 12 12:00                      | •                         | AM) (PM)<br>AM) (PM)                          |
|  |                             |   |  | <b>.</b>                                    |   |  |  |                    |                             |                               |                           |   |
|  |                             | Circle one:                             | Pressure   |   |   | D SURFACE<br>Casi                          |  | Tu                 | bing                        | Duration of Shut              | ·in                       | Hours   |
| Static /<br>Dynamic<br>Property  | Orifice<br>Size<br>(inches) | Meter<br>Prover Pressure<br>psig (Pm)   | Differential   | Flowing<br>Temperature<br>t                 | Well Head<br>Temperature<br>t               | Wellhead I                                 | Pressure   | Wellhead           | Pressure                    | Duration<br>(Hours)           |                           | d Produced<br>Barrels)                        |
| Shut-In  | .875                        | Meter                                   |  |   |   | 220.50                                     | рыа  | 108.00             | para                        | 24                            |                           |   |
| Flow   |                             |   | <u></u>  |   |   |  |  |                    |                             |                               |                           |   |
| <u> </u>   |                             | Circle one:                             |  |   | FLOW STR                                    | EAM ATTRI                                  | BUTES  |                    |                             |                               |                           |   |
| Plate<br>Coeffied<br>(F <sub>b</sub> ) (F<br>Mcfd                                | ient<br><sub>p</sub> ) P    | Meter or<br>Prover Pressure<br>psia     | Press<br>Extension<br>✓ P <sub>m</sub> x h   | Grav<br>Fac<br>F                            | tor T                                       | Flowing Femperature Factor F <sub>11</sub> | Fac  | ation<br>ctor      | Metered Flow<br>R<br>(McId) | y GOR<br>(Cubic Fe<br>Barrel) |                           | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub> |
|  |                             |   |  |   |   |  |  |                    |                             |                               |                           |   |
| (P <sub>c</sub> ) <sup>2</sup> =   | :                           | (P <sub>w</sub> ) <sup>2</sup> =        | ·:   | (OPEN FL                                    | OW) (DELIV                                  | ·  | CALCUL<br>- 14.4) +                                  |                    | :                           | (P <sub>a</sub> )             | $a^2 = 0.20$ $a^2 = 0.20$ | 07  |
| (P <sub>c</sub> ) <sup>2</sup> - (F<br>or<br>(P <sub>c</sub> ) <sup>2</sup> - (F | l                           | (P <sub>c</sub> )² - (P <sub>w</sub> )² | 1. $P_c^2 - P_d^2$<br>2. $P_c^2 - P_d^2$<br>3. $P_c^2 - P_d^2$<br>1. $P_c^2 - P_d^2$ | LOG of<br>formula<br>1, or 2,<br>and divide | P <sub>c</sub> <sup>2</sup> -P <sub>w</sub> | Slop                                       | ssure Curve<br>le = "n"<br>or<br>ligned<br>ard Slope | n x LC             | . (<br>DG                   | Antilog                       | Deli<br>Equals            | en Flow<br>verability<br>B x Antilog<br>Mcfd) |
|  |                             |   |  |   |   |  |  |                    |                             |                               |                           |   |
|  |                             |   |  |   |   | <u> </u>                                   |  |                    |                             |                               |                           |   |
| Open Flor  | w                           |   | Mcfd @ 14.   | 65 psia                                     |   | Deliverabi                                 | lity   |                    |                             | Mcfd @ 14.65 ps               | ıa                        |   |
|  | _                           | ed authority, on                        |  |   |   | ·  |  | make the           | -                           | rt and that he ha             |                           | edge of<br>20 12                              |
|  |                             | Witness (if a                           | ny)  |   |   | (  |  |                    | For C                       | Company                       |                           |   |
|  |                             | For Commiss                             | lian   |   |   |  | •  |                    | Chec                        | ked by                        |                           |   |

## NOV 0 9 2012

## KCC WICHITA

| I statements contained on this application form are true and used upon available production summaries and lease records upletion or upon use being made of the gas well herein named.  Open flow testing for the Patterson 1-28 |
|---|
| epletion or upon use being made of the gas well herein named.  open flow testing for the Patterson 1-28   |
| open flow testing for the Patterson 1-28  |
| er  |
|   |
|   |
|   |
| water   |
| njection into an oil reservoir undergoing ER  |
| me; KCC approval Docket No  |
| t a daily rate in excess of 250 mcf/D   |
| sility any and all supporting documents deemed by Commissio   |
| exemption from testing.   |
|   |
|   |
|   |
|   |
| t   |

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **1S** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.