KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

ype Test:				(Se	e Instructio	ns on Reverse	e Side)							
✓ Open Flow Deliverabilty			Test Date: 10/18/201	12	API No. 15 15-071-20854-0000									
ompany				10, 10,20	· 	Lease Burgardt					No. 4	ell Numi	per	
County Location			Section 34		TWP 17S		RNG (E/W) 40W			Acres Attributed				
Greeley SW		Reservoir Towanda / Ft. Riley				Gas Gathering Conne		To KCC WICE		RECEIVE				
Syerly					Packer Set a									
Completion Date 02/18/2007		Plug Back Total Depth 3075				NA Perforations			To	140	<u>01 2 5</u> 20			
asing Size 1/2"				Internal Diameter		Set at 3120		2920			2973 To		WICHI	
ubing Size 3/8"	oing Size Weight			Internal Diameter		Set at 2046		Perforations						
ype Completion (Describe)			Type Fluid Production Salt Water					mp Unit or Traveling Plunge umping unit						
lingle	nru (Ann	iulus / Tubing)			arbon Dioxid	le		% Nitroger	1		Gas Gra	vity - G	1	
nnulus /ertical Dept					Press	sure Taps					(Meter R	un) (Pro	over) Size	
		40.1	7	12 10	0:00		10	D-18	20	12	at 10:00	(/	AM) (PM)	
Pressure Buildup: Shut in 10-		Shut in	20	20 12 at 10:00		(AM) (PM) To	AM) (PM) Taken		20		at	(AM) (PM)		
Weil on Line	:	Started		<u> </u>								2/		
			1 _		OBSERVE	D SURFACE Casing		Tu	bing		tion of Shut-i	<u> </u>	Hours	
Dynamic	Orifice Size	Circle one: Meter Prover Pressur	Pressure Differential	Flowing Well Heat Temperature Temperate t t		Wellhead Pressure (P _*) or (P ₁) or (P ₂)		Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)			Liquid Produced (Barrels)	
	inches)	psig (Pm)	Inches H ₂ 0		<u> </u>	psig 24	psia	psig	psia					
Shut-In Flow														
Flow					FLOW ST	REAM ATTRIE	UTES							
Plate Coefficcier (F _b) (F _p) Mcfd	nt <i>Pr</i>	Circle one: Meter or Prover Pressure psta		Gravity Factor F _g		emperature Fa		eviation Metered Flor Factor R F _{pv} (Mcfd)		GOR (Cubic Fed Barrel)			Flowing Fluid Gravity G _m	
							<u></u>							
						VERABILITY) % (P		+ 14.4 =	:		(P _a) (P _a)) ² = 0.2) ² =	207	
$(P_c)^2 = $)2	$\frac{(P_{w})^{2} = \frac{(P_{c})^{2} - (P_{w})^{2}}{(P_{c})^{2} - (P_{w})^{2}}$: Choose formula 1 or 1. P _a ² - P _a ² 2. P _a ² - P _a ²	LOG of formula		Backpressure Curr Slape = "n"				Antilog	Antilog	De	pen Flow liverability s R x Antilog (Mcfd)	
(P _c) ² - (P _d)2		divided by: Pc2 - P	and divid	e P _c ² -P _w ²		rd Slope						***************************************	
Open Flow Mcfd @ 1						Deliverability					@ 14.65 psia			
The u	ndersign	ned authority, o	n behalf of th	e Company	, states that	he is duly au	thorized	to make t	he above re	oort a	ind that he h	nas kno	wledge of	
the facts sta	ated the	rein, and that s	aid report is tr	ue and corre	ect. Execute	ed this the $\frac{22}{1}$	2	5 day of _C	october	•		-	20 12	
						_	()	mares	o Con	بم	gy U	O		
		Witness	if any)					-	F	or Com	Ala 1			
		For Com	nission						C	hecked	by			

OCT 2 5 2012

KCC WICHITA

exempt status under and that the foregode correct to the best of equipment install I hereby reque	r Rule K.A.R. 82-3-304 on behalf of the operator Cimarex Energy Co. sing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records lation and/or upon type of completion or upon use being made of the gas well herein named. st a one-year exemption from open flow testing for the Burgardt No. 4
(Check ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D eto supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.
Date: <u>10/22/201</u>	Signature: Molure Signature: Administrative Assistant

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.