Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

| Type Test | : | | | | (· | See Instructi | ions on Re | verse Side |)) | | | | | |
|---|-------------|---|---|--|--|-------------------|--|------------------------------|--|---|---------------------------------------|--|--|--|
| Open Flow | | | | | Test Date | | | | ΔĐI | No. 15 | | | | |
| ✓ Deliverabilty | | | | | 04/09/20 | | | API No. 15 023-20582-0000 | | | | | | |
| Company LOBO PRODUCTION, INC. | | | | | | | Lease RUEB | Lease RUEB-FARMS | | | | Well Number 5-2 | | |
| County Location CHEYENNE C NE-SW | | | | | Section 2 | | TWP 5S | | RNG (E/W) 42W | | | cres Attributed | | |
| Field CHERRY CREEK NIOBRARA | | | | | Reservoir NIOBR | | | | | ering Conne | ction TION, INC. | RECO | | |
| Completion Date 8/20/04 | | | | Plug Bac 140 | k Total Dept | h | Packer Set at | | | | NOV | | | |
| Casing Size 4.5 | | | Weight 13.5# | | Internal Diameter | | Set at 1414' | | Perforations 1298' | | ™ 1334' | ACC MILE | | |
| Tubing Size | | | Weight | eight | | Internal Diameter | | Set at | | ations | То | NOV 14 NOC WICH | | |
| Type Completion (Describe) SINGLE GAS | | | | | Type Flui- Non | 1 | Pump Unit or Traveling NO | | | | | | | |
| Producing Thru (Annulus / Tubing) CASING | | | | | % Carbon Dioxide | | | % Nitrogen | | | Gas Gravity - G _g .5956 | | | |
| Vertical Depth(H) TD - 1421' | | | | | Pressure Taps | | | | | | | lun) (Prover) Size TER RUN | | |
| Pressure Buildup: | | | Shut in04/09 |) 2 | 0 12 at 0 | 8:00 | (AM) (PM) | Taken_04 | 4/10 | 20 | 12 _{at} 08:00 | (AM) (PM) | | |
| Well on L | ine: | | | | 0 at | | (AM) (PM) | Taken | | 20 | at | (AM) (PM) | | |
| | | | | | | OBSERVE | D SURFAC | E DATA | | | Duration of Shut-in | 24.00 Hours | | |
| Static / Dynamic Property | ynamic Size | | Circle one: Meter Prover Pressure | Pressure Differential in | Temperature Temperatu | | Casing Wellhead Pressure (P _w) or (P _t) or (P _c) | | Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c) | | Duration (Hours) | Liquid Produced (Barrels) | | |
| Shut-In | | | psig (Pm) | Inches H ₂ 0 | | | psig 176 | psia | psig | psia | : | | | |
| Flow | | | | | | | | | | | | | | |
| | | 1 | | | | FLOW STR | EAM ATTE | RIBUTES | J | | | | | |
| Plate Coefficcient (F _b) (F _p) Mcfd | | Circle one: Meter or Prover Pressure psia | | Press Extension P _m x h | Gravity Factor F _g | | Flowing emperature Factor F _{ft} | ure Eactor | | Metered Flow R (Mcfd) | GOR (Cubic Fee Barrel) | Flowing Fluid Gravity G_m | | |
| L | | | <u>f</u> | | (OPEN FL | OW) (DELIV | ERABILITY | /) CALCUL | ATIONS | *************************************** | (P \2 | = 0.207 | | |
| (P _c) ² = | | .: | (P _w) ² = | : | $P_d =$ | 9 | % (| P _c - 14.4) + | 14.4 = | : | (P _d) ² | | | |
| $(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$ | | (P _c) ² - (P _w) ² | | oose formula 1 or 2 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ ded by: $P_c^2 - P_w^2$ | LOG of formula 1, or 2. and divide p2.p2 | | Backpressure Curve Slope = "n" or Assigned Standard Slope | | nxL | og [| Antilog | Open Flow Deliverability Equals R x Antilog (Mcfd) | | |
| | | | | | | | | | | | | | | |
| Open Flo | w | | | Mcfd @ 14. | 65 psia | | Deliveral | bility | | | Mcfd @ 14.65 psia | ì | | |
| | | | • | | • | | · . | | N.L | e above repo | rt and that he has | 3 | | |
| the facts s | tated the | erei | n, and that said | report is true | and correc | t. Executed | this the _! | <u> </u> | day of | / / | 1 2 | , 20 <u>12</u> . | | |
| | | | Witness (if ar | ıy) | | | - | | nu | houd for | ompany * | till | | |

| to request |
|---------------------------------------|
| |
| e true and |
| se records |
| in named. |
| · · · · · · · · · · · · · · · · · · · |
| |
| |
| |
| |
| |
| |
| Commission |
| |
| |
| |
| |
| |
| <u>J</u> |
| |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.