## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test  | :         |   |  |  | (   | (See Instruc                  | tions on Re  | verse Side                           | ) (5  | 5-095-           | 17042 - 0                     | 00-00   |        |
|--|-----------|---|--|--|---|-------------------------------|--|--------------------------------------|---|------------------|-------------------------------|---|--------|
| <b>✓</b> Op  | en Flor   | w   |  |  | Test Date                                   | a·                            |  |                                      |   |                  |                               |   |        |
| Del  | liverab   | ilty  |  |  | 9/19/12                                     |                               |  |                                      |   |                  |                               |   |        |
| Company<br>BEREXCO LLC   |           |   |  |  | Lease<br>CAMPBELL B                         |                               |  |                                      |   | 2                | Well Number                   |   |        |
| County Location KINGMAN N/2 NE, SW                                   |           |   |  |  | Section<br>33                               |                               |  |                                      | RNG (E.<br>7W   | RNG (E/W)<br>7W  |                               | Acres Attributed<br>N/A                                     |        |
| Field N/A  |           |   |  | 1.77   | Reservoir<br>Mississippi                    |                               |  | Gas Gathering Connection ONEOK  REC  |   |                  | En                            |   |        |
| Completion Date 3/31/1960  |           |   |  | Plug Bac<br>4242   | Plug Back Total Depth<br>4242               |                               |  | Packer Set at<br>N/A                 |   |                  | 0CT 2                         | =IVE  |        |
| Casing Size<br>5.5   |           |   | Weight   |  | Internal I<br>N/A                           | Diameter                      | Set at<br>4261   |                                      | Perforations<br>4158  |                  | то<br>4190                    | K00 -   | U 20   |
| Tubing Size 2 7/8  |           |   | Weigh  | 1  | Internal I                                  | Diameter                      | Set at<br>4200   |                                      | Perfo   | rations          | То                            | RECI<br>OCT 3<br>KCC WI                                     | CHIT   |
| Type Con<br>Single   | pletion   | n (De   | escribe)   |  | Type Flui                                   | id Productio<br>Vater         | n  |                                      | Pump Ui   | nit or Traveling | Plunger? Yes                  |   |        |
|  | Thru      | (Anr  | ulus / Tubing                                      | )  | % (   | Carbon Dioxi                  | ide  |                                      | % Nitrog  | jen              | Gas Gr                        | avity - G   |        |
| ANNUL  | US        |   |  |  | 0.284                                       | 0.284                         |  |                                      |   |                  | 9                             |   |        |
| Vertical D   | epth(H    | i)  |  |  |   | Pressure Taps                 |  |                                      |   |                  | (Meter I                      | Run) (Prover) Size  |        |
| N/A  |           |   |  |  |   | N/A                           |  |                                      |   |                  | N/A                           |   |        |
| Pressure   | Buildu    | p: \$   | Shut in 9/18                                       | <u>3/                                    </u>  | 12 at 9                                     | AM                            | (AM) (PM)  | Taken 9/                             | 19/   | 20               | 12 at 9 AM                    | (AM) (PM)   |        |
| Well on Li   | ine:      |   | Started  | 2  | 0 at  |                               | (AM) (PM)  | Taken                                |   | 20               | at                            | (AM) (PM)   |        |
|  |           |   |  |  |   | OBSERVE                       | D SURFAC   | E DATA                               | 1   |                  | Duration of Shut-             | in 24 Hours   | ;<br>1 |
| Static /<br>Dynamic<br>Property                                      | namic Siz |   | Circle one:<br>Meter<br>Prover Pressu<br>psig (Pm) | Pressure Differential in Inches H <sub>2</sub> 0   | Flowing<br>Temperature<br>t                 | Well Head<br>Temperature<br>t | Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) |                                      | Tubing Wellhead Pressure (P <sub>*</sub> ) or (P <sub>c</sub> ) |                  | Duration<br>(Hours)           | Liquid Produced<br>(Barrels)                                |        |
| Shut-In  |           |   | poig (i iii)                                       | menes 11 <sub>2</sub> 0  |   |                               | psig<br>46   | psia                                 | psig  | psia             | 24                            |   |        |
| Flow   |           |   |  |  |   |                               |  |                                      |   |                  |                               |   |        |
|  |           |   |  |  |   | FLOW STE                      | REAM ATTR  | IBUTES                               |   |                  |                               |   |        |
| Plate<br>Coeffiecient<br>(F <sub>b</sub> ) (F <sub>p</sub> )<br>Mcfd |           | Circle one:  Meter or  Prover Pressure  psia                    |  | Press<br>Extension<br>✓ P <sub>m</sub> x h   | Extension Fac                               |                               | Flowing<br>Temperature<br>Factor<br>F <sub>i</sub> ,                                 |                                      | Deviation Meterer<br>Factor R<br>F <sub>pv</sub> (Mc            |                  | y GOR<br>(Cubic Fe<br>Barrel) | Gravity   |        |
|  |           |   |  |  | (ODEN EI                                    | OWA (DELIN                    | /ERABILITY   | CALCIB                               | ATIONS  |                  |                               |   |        |
| (P <sub>c</sub> ) <sup>2</sup> =                                     |           | :   | (P <sub>w</sub> ) <sup>2</sup> =                   | :  | P <sub>d</sub> =                            |                               |  | ) CALCUL<br>P <sub>c</sub> - 14.4) + |   | :                | (P <sub>a</sub> )             | <sup>2</sup> = 0.207<br><sup>2</sup> =                      |        |
| $(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$                           |           | (P <sub>c</sub> ) <sup>2</sup> · (P <sub>w</sub> ) <sup>2</sup> |  | Choose formula 1 or 2<br>1. $P_c^2 - P_a^2$<br>2. $P_c^2 - P_d^2$<br>divided by: $P_c^2 - P_w^2$ | LOG of<br>formula<br>1, or 2,<br>and divide |                               | Backpressure Curve<br>Slope = "n"<br>- or Assigned<br>Standard Slope                 |                                      | l n v   | rod              | Antilog                       | Open Flow<br>Deliverability<br>Equals R x Antilog<br>(Mcfd) |        |
|  |           |   |  |  |   |                               |  |                                      |   |                  |                               |   |        |
| Open Flow Mcfd @ 14.6  |           |   |  | .65 psia   | l I<br>5 psia Deliverability                |                               |  | Mcfd @ 14.65 psia                    |   |                  |                               |   |        |
|  |           | igned   | authority, or                                      | behalf of the  | Company,                                    | states that h                 | ne is duly at  | uthorized to                         | o make th   | ne above repo    | rt and that he ha             | is knowledge of   |        |
|  |           | -   | •  | id report is tru   |   |                               | •  |                                      | day of C  | •                |                               | , <sub>20</sub> <u>12</u>                                   |        |
|  |           |   | Witness (if  | anul   | <u></u>                                     | <del></del>                   | _  | •                                    | Bel   | H Blog           | Tomasou .                     |   |        |
|  |           |   | **************************************             | ,  |   | <u> </u>                      |  |                                      |   | <i>O</i> "C      | Company                       |   |        |
|  |           |   | For Commi  | ssion  |   | · · · · · · ·                 | -  |                                      |   | Chec             | ked by                        |   |        |

## OCT 3 0 2012

|                    | KCC WICHITA   |
|--------------------|---|
|                    | er penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator BEREXCO LLC   |
| and that the foreg | oing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records   |
| of equipment insta | llation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the CAMPBELL B GMC #2   |
|                    | ounds that said well:   |
| _                  | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing. |
| Date: 10/24/12     |   |
|                    | Signature: PETROLEUM ENGINEER   |

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.