Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

| Type Tes | t: | | | (| See Instruci | tions on Reve | erse Side, |) | | | | |
|--|----------------------------|---|--------------------------------|--|-------------------------------------|---|---------------------------------------|--|-----------------------------|--------------------------------------|---|--|
| Open Flow | | | | Test Date: API No. 15 | | | | | | | | |
| ✓ Deliverability | | | | | | | | | 3-20576-0 | 0-00 | | |
| Company LOBO PRODUCTION, INC. | | | | Lease ADAMS-MC/ | | | | EE | | | Well Number 6-20 | |
| County Location CHEYENNE NE-SW-NW-NE | | | Section 20 | | TWP 4 | RNG (E/W) 41 W | | , | Acres Attributed | | | |
| Field CHERRY CREEK NIOBRARA | | | | Reservoi NIOBF | | | Gas Gathering Conr LOBO PRODUC | | | | RECK | |
| Completion Date 9-25-04 | | | | Plug Bac 1272' | k Total Dept | h | Packer Set at | | | | NOV 14 | |
| Casing Size Weight 4.5 13.5# | | | Internal Diameter | | Set at 1278' | | Perforations 1171' | | TION, INC. To 1203' To 170 | | | |
| Tubing Size Weight | | | Internal Diameter | | Set at | t Perforations | | rations | То | 10/4/ | | |
| Type Completion (Describe) SINGLE GAS | | | | Type Fluid Production | | | | Pump Unit or Traveling Plunger? Yes / No NO | | | | |
| Producing Thru (Annulus / Tubing) CASING | | | | % Carbon Dioxide | | | | % Nitrog | en | | Gas Gravity - G ₉ .5956 | |
| Vertical Depth(H) T.D. 1285' | | | | Pressure Taps | | | | | · | (Meter | Run) (Prover) Size ETER RUN | |
| Pressure Buildup: Shut in 4/5 | | Shut in 4/9 | 2 | 20_12 at 0730 | | (AM) (PM) Taken 4/10 | | 10 | 20 | 12 _{at} 0740 | (AM) (PM) | |
| Well on L | .ine: | Started | 2 | 0 at | | (AM) (PM) 1 | Taken | | 20 | at | (AM) (PM) | |
| | | | | | OBSERVE | D SURFACE | DATA | | | Duration of Shut- | in 24.16 Hour | |
| Static / Dynamic Property | Orifice Size (inches | Circle one: Pressur Meter Different Prover Pressure in psig (Pm) Inches H | | Temperature Temperat | | re Weilhead Pressure (P_w) or (P_t) or (P_c) | | Tubing Welihead Pressure (P _w) or (P _t) or (P _c) | | Duration (Hours) | Liquid Produced (Barrels) | |
| Shut-In | | F3 (*) | mones vigs | | | 176 | psia | psig | psia | | | |
| Flow | | | | | | | | | | | | |
| | | | | | FLOW STR | EAM ATTRIE | BUTES | | | | | |
| Plate Coefficient (F _b) (F _p) Mcfd | | Circle one: Meter or Prover Pressure psia | Meter or Extension er Pressure | | Gravity Factor F _g | | wing Deviation Factor F _{pv} | | Metered Flow R (Mcfd) | v GOR (Cubic Fe Barrel) | Gravity | |
| | | I | | (OPEN FL | OW) (DELIV | ERABILITY) | CALCUL | ATIONS | | (P.) | ² = 0.207 | |
| (P _c) ² = | | (P _w) ² = | : | $P_d =$ | 9 | 6 (Р _с | - 14.4) + | 14.4 = | : | (P _d) | | |
| $(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$ | | $ (P_c)^2 - (P_w)^2 $ Choose formula 1 or. $ 1. P_c^2 - P_s^2 $ $ 2. P_c^2 - P_s^2 $ $ divided by: P_c^2 - P_s$ | | LOG of formula 1. or 2. and divide D 2 D 2 | | Backpressure Curve Slope = "n" or Assigned Standard Slope | | n x LOG | | Antilog | Open Flow Deliverability Equals R x Antilog (Mcfd) | |
| | | | | | | | | | | | | |
| Open Flo | w | | Mcfd @ 14. | 65 neia | | Deliverabili | | | | Mofd @ 14 65 pg | in . | |
| | | ed authority on | - | | states that he | | | make th | | Mcfd @ 14.65 ps rt and that he ha | | |
| | | rein, and that said | | | | | | | ovember | n and that he ha | | |
| | | | | | | | | Kin | but ! | 1. W | Tille- | |
| | ••• | Witness (if a | iny) | | | | | | For C | ompany | <i></i> | |

NOV 1 4 2012

| NOC WICHITA |
|---|
| I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator LOBO PRODUCTION, INC. |
| and that the foregoing pressure information and statements contained on this application form are true and |
| correct to the best of my knowledge and belief based upon available production summaries and lease records |
| of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow testing for the ADAMS-MCATEE 6-20 |
| gas well on the grounds that said well: |
| (Check one) |
| is a coalbed methane producer |
| is cycled on plunger lift due to water |
| is a source of natural gas for injection into an oil reservoir undergoing ER |
| is on vacuum at the present time; KCC approval Docket No |
| is not capable of producing at a daily rate in excess of 250 mcf/D |
| I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing. |
| Date: 11/01/2012 |
| Signature: Rubaud A. Mills Title: OWNER/OPERATOR |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.