STATE OF KANSAS STATE CORPORATION CONSISSION CONSERVATION DEVISION P. O. BOX 17027 WICHTA KANSAS 67217

WELL PLUGGING RECORD

CHITA, KANSAS 67317	Ness		County				
NORTH	Location as "NE	/CNWXSWX* o Donald C	or footage from	lines C	NE NE		
	Lease Owner	#1 Foos		<u> </u>		_ Well No.	1
	Lease Name	100 100		, Wichit	a. Kansas	67202	<u> </u>
	- Character of We				dry hole		
	Date well comp				October		1975_
	Application for p	lugging filed			October		19/
	Application for p	lugging approv	ed		October		19/
i !	Plugging comme						197
	Plugging comple	ted		C		79	19
	Reason for abanc	donment of well	l or producing	dry ho	le		
	If a producing v	uall is abandon	ed date of les				19
	Was permission	ohtained from	the Conserva	tion Division	or its agents bel	ore pluggin	g was com
Locate well correctly on above			₹7△0	2			
Section Plat of Conservation Agent who sup	pervised plugging of this	well Leo I	Massey,]	09 West	<u> 15th St.,</u>	Hays Ka	nsas 6
acing formation.	D	epth to top	Bottom		. Total Depth of	Well	F
depth and tlackness of all water	er, oil and gas formation:	5 .					
IL, CAS OR WATER RECOR						CASING R	ECORD
	CONTENT	FROM	тр	SIZE	PUT IN	PULLS	D OUT
FORMATION 8 5/8"	4381	PROFF			4431		
0 3/0	430		 				
	-						
			1		<u> </u>	_	
Describe in detail the manner stroducing it into the hole. If confect for each plug	ement or other plugs we	lugged, indicati re used, state ti	ing where the he character o	mud fluid was f same and de	placed and the post placed, from	method or m	feet (
stroducing it into the hole. If co	ement or other plugs we	w/70 sx w/20 sx	ing where the	mud fluid was f same and de	placed and the oth placed, from	method or m	feet (
stroducing it into the hole. If co	ement or other plugs we set. 1st plug @600' 2nd plug @ 300	w/70 sx w/20 sx	ing where the	mud fluid was f same and de	placed and the pth placed, from	method or m	feet (
stroducing it into the hole. If co	ement or other plugs we set. 1st plug @600' 2nd plug @ 300	w/70 sx w/20 sx	ing where the	mud fluid was	placed and the oth placed, from	method or m	feet (
stroducing it into the hole. If co	ement or other plugs we set. 1st plug @600' 2nd plug @ 300	w/70 sx w/20 sx	ing where the	mud fluid was	placed and the pth placed, from	method or m	seet (
ntroducing it into the hole. If co	ement or other plugs we set. 1st plug @600' 2nd plug @ 300	w/70 sx w/20 sx	ing where the	mud fluid was	placed and the pth placed, from	method or m	feet (
atroducing it into the hole. If control into the hole is a second of the hole into the hole. If control into the hole is a second of the hole is a second of the hole into the hole. If control into the hole is a second of the hole is a second of the hole. If control into the hole is a second of	ement or other plugs we set. 1st plug @600' 2nd plug @ 300 3rd plug @ 40'	w/70 sx w/20 sx w/10 sx	he character of	f same and de	placed and the pth placed, from	method or m	feet (
ntroducing it into the hole. If controducing it into the hole. If controdu	ement or other plugs we set. 1st plug @600' 2nd plug @ 300 3rd plug @ 40' Slawson Drill	w/70 sx w/20 sx w/10 sx	cessery, use BACI	f same and de	pth placed, from	method or m	seet (
ntroducing it into the hole. If controducing it into the hole. If controdu	ement or other plugs we set. 1st plug @600' 2nd plug @ 300 3rd plug @ 40'	w/70 sx w/20 sx w/10 sx	cessery, use BACI	f same and de	pth placed, from	method or m	seet (
ne of Plugging Contractor	ement or other plugs we set. 1st plug @600' 2nd plug @ 300 3rd plug @ 40' Slawson Drill 408 120 Build	w/70 sx w/20 sx w/20 sx w/10 sx description is needing Compa	eessy, up BACI ny, Inc. ita, Kan	f same and de	pth placed, from	method or m	seet (
ntroducing it into the hole. If contractor	Ist plug @600' 2nd plug @ 300 3rd plug @ 40' Slawson Drill 408 120 Build	w/70 sx w/20 sx w/10 sx w/10 sx description is needing Compa ling, Wich	resury, up BAC ny, Inc. ita, Kan	(of this sheet)	pth placed, from		seet (
ne of Plugging Contractor dress ATE OF Kansas James C. Remsbe	Slawson Drill 408 120 Build	w/70 sx w/20 sx w/10 sx w/10 sx I description is nee ing Compa ling, Wich	essay, up BACI ny, Inc. ita, Kan edgwick (employee of	same and description of this sheet) Sas 67202 owner) or (or	pth placed, from	r) of the abo	seet (
nc of Plugging Contractor ltcss ATE OF Kansas James C. Remsbe Il, being first duly sworn on oat	Ist plug @600' 2nd plug @ 300 3rd plug @ 40' Slawson Drill 408 120 Build	w/70 sx w/20 sx w/20 sx w/10 sx idescription is needing Compa	cessey, us BACI ny, Inc. ita, Kan dedgwick (employee of	same and de	pth placed, from	r) of the abo	seet (
me of Plugging Contractor ATE OF Kansas James C. Remsbe 11. being first duly sworn on oat	Ist plug @600' 2nd plug @ 300 3rd plug @ 40' Slawson Drill 408 120 Build	w/70 sx w/20 sx w/20 sx w/10 sx idescription is needing Compa	cessey, us BACI ny, Inc. ita, Kan dedgwick (employee of	same and de	pth placed, from	r) of the abo	seet (
ne of Plugging Contractor ltess ATE OF Kansas	Ist plug @600' 2nd plug @ 300 3rd plug @ 40' Slawson Drill 408 120 Build	w/70 sx w/20 sx w/20 sx w/10 sx idescription is needing Compa ling, Wich	ecsay, us BACI ny, Inc. ita, Kan edgwick (employee of	(of this sheet) Sas 67202 owner) or (or ents, and mate	ss. where or operator ters herein cont	r) of the abo	seet (
nc of Plugging Contractor ltcss ATE OF Kansas James C. Remsbe Il, being first duly sworn on oat	Ist plug @600' 2nd plug @ 300 3rd plug @ 40' Slawson Drill 408 120 Build	w/70 sx w/20 sx w/20 sx w/10 sx w/10 sx I description is nee ing Compa ling, Wich	ecsay, us BACI ny, Inc. ita, Kan edgwick (employee of	same and de	ss. where or operator ters herein cont	r) of the abo	seet (
me of Plugging Contractordress ATE OF Kansas	Slawson Drill 408 120 Build corg th, says: That I have known are true and the same are true and the set.	w/70 sx w/70 sx w/20 sx w/10 sx w/10 sx indescription is needing Compa ing, Wich NTY Of S cowledge of the and correct. So (Signature)	essay, use BACIny, Inc. ita, Kan edgwick (employee of a fact statem	owner) or (or ents, and mate.	ss. where or operator ters herein control	e) of the about aimed and the	seet (
me of Plugging Contractor	Ist plug @600' 2nd plug @ 300 3rd plug @ 40' Slawson Drill 408 120 Build arg th, says: That I have keeper are true are	w/70 sx w/70 sx w/20 sx w/10 sx w/10 sx w/10 sx I description is nee ing Compa ling, Wich Source Source Source Signature	essay, use BACIny, Inc. ita, Kan edgwick (employee of a fact statem	owner) or (or ents, and mate.	ss. where or operator ters herein control	r) of the abo	seet (
me of Plugging Contractordress ATE OF Kansas	Slawson Drill 408 120 Build cefore me this. 7t	w/70 sx w/70 sx w/20 sx w/10 sx w/10 sx indescription is needing Compa ing, Wich NTY Of S cowledge of the and correct. So (Signature)	essay, use BACIny, Inc. ita, Kan edgwick (employee of a fact statem	owner) or (or ents, and mate. Remsbe:	ss. where or operator ters herein control	of the about ained and the same of the sam	ove-describ
me of Plugging Contractordress	Slawson Drill 408 120 Build cefore me this	w/70 sx w/70 sx w/20 sx w/10 sx w/10 sx indescription is needing Compa ing, Wich NTY Of S cowledge of the and correct. So (Signature)	essay, use BACIny, Inc. ita, Kan edgwick (employee of a fact statem	same and design of this sheet) sas 67202 owner) or (or ents, and mate Remsber	where or operator ters herein control (Address)	of the about ained and the same of the sam	seet (
me of Plugging Contractor dress ATE OF Kansas James C. Remsbe Strascribed well as filed and to see the second s	Slawson Drill 408 120 Build arg th, says: That I have before me this. 7th PRES B. COADY NOTARY PUBLIC	w/70 sx w/70 sx w/20 sx w/10 sx w/10 sx indescription is needing Compa ing, Wich NTY Of S cowledge of the and correct. So (Signature)	echaracter of the character of the chara	same and design of this sheet) sas 67202 owner) or (or ents, and mate Remsber	where or operator ters herein control (Address)	of the about ained and the same of the sam	ove-describ
me of Plugging Contractor dress ATE OF Kansas James C. Remsbe Strescribed well as filed and to	Slawson Drill 408 120 Build arg th, says: That I have known that the same are true and	w/70 sx w/70 sx w/20 sx w/10 sx w/10 sx indescription is needing Compa ing, Wich NTY Of S cowledge of the and correct. So (Signature)	echaracter of the character of the chara	same and design of this sheet) sas 67202 owner) or (or ents, and mate Remsber	where or operator ters herein control (Address)	of the about ained and the same of the sam	ove-describ
me of Plugging Contractor	Slawson Drill 408 120 Build arg th, says: That I have keeping the same are true and th	w/70 sx w/70 sx w/20 sx w/10 sx w/10 sx indescription is needing Compa ing, Wich NTY Of S cowledge of the and correct. So (Signature)	echaracter of the character of the chara	owner) or (o ents, and materials. Remsberer	ss. where or operators ters herein controls Address 16	r) of the about aimed and the same of the	ove-describbe log of the log ary Public.
me of Plugging Contractor	Slawson Drill 408 120 Build arg th, says: That I have known that the same are true and	w/70 sx w/70 sx w/20 sx w/10 sx w/10 sx indescription is needing Compa ing, Wich NTY Of S cowledge of the and correct. So (Signature)	echaracter of the character of the chara	owner) or (o ents, and materials. Remsberer	ss. where or operators ters herein controls Address 16	r) of the about aimed and the same of the	ove-describbe log of the log ary Public.
me of Plugging Contractor	Slawson Drill 408 120 Build arg th, says: That I have keeping the same are true and th	w/70 sx w/70 sx w/20 sx w/10 sx w/10 sx indescription is needing Compa ing, Wich NTY Of S cowledge of the and correct. So (Signature)	echaracter of the character of the chara	owner) or (o ents, and materials. Remsberer	ss. where or operators ters herein controls Address 16	r) of the about aimed and the same of the	ove-describbe log of the log ary Public.
me of Plugging Contractor	Slawson Drill 408 120 Build arg th, says: That I have keeping the same are true and th	w/70 sx w/70 sx w/20 sx w/10 sx w/10 sx indescription is needing Compa ing, Wich NTY Of S cowledge of the and correct. So (Signature)	echaracter of the character of the chara	owner) or (o ents, and materials. Remsberer	ss. where or operators ters herein controls Address 16	r) of the about aimed and the same of the	ove-describbe log of the log ary Public.
me of Plugging Contractor dress ATE OF Kansas James C. Remsbe Strascribed well as filed and to Strascrib	Slawson Drill 408 120 Build arg th, says: That I have keeping the same are true and th	w/70 sx w/70 sx w/20 sx w/10 sx w/10 sx indescription is needing Compa ing, Wich NTY Of S cowledge of the and correct. So (Signature)	echaracter of the character of the chara	owner) or (o ents, and materials. Remsberer	where or operator ters herein control (Address)	of the about of the same of th	ove-describbe log of the log ary Public.

CONSTRUCTION DIVISION WISHIN, Mension

WELL LOG

OPERATOR:

Donald C. Slawson

408 120 Building

Wichita, Kansas 67202

LEASE:

#1 Foos 'F'

C NE NE Sec. 11-20-23W Ness County, Kansas

CONTRACTOR:

Slawson Drilling Company, Inc.

COMMENCED:

October 20, 1975

COMPLETED:

October 29, 1975

CASING:

Set 8 5/8" @ 443' w/300 sx

TOTAL DEPTH:

4450'

0 - 280 Surface hole 280 - 448 Shale w/sand streaks

448 - 1656 Shale

Shale and Red Bed 1656 - 1902

1902 - 4072 Shale and Lime 4072 - 4175 Lime 4175 - 4345 Lime and Shale

4345 - 4450 Lime 4450 RTD

STATE COMPOSITION COMMISSION

NOV 1 0 1975

CONSERVATION DIVISION Wichita, Kansas

STATE OF KANSAS

SS.

COUNTY OF SEDGWICK

I, JAMES C. REMSBERG of the Slawson Drilling Company, Inc. upon oath state that the above and foregoing is a true and correct copy of the log of the #1 Foos 'F' well.

James C. Remsberg

Subscribed and sworn to before me this 7th day of November, 1975.

oud Notary Public Dolores B. Coady,

SANG 1944 IN THE GRAPH WARRE WARREN DUTINISED B. COADY STATE NOTARY PUBLIC SECONICK COUNTY, NAME

Comm. Expires Mar. 7, 1976

Second Scool Sc

FORM C-2

STATE OF KANSAS STATE CORPORATION COMMISSION - CONSERVATION DIVISION 3830 South Meridian - Box 17027 Wichita, Kansas 67217

DATA AND AFFIDAVIT

(On Cementing in Surface or Drive Pipe and required by Rule 82-2-123 of the Commission for compliance with Section 55-136, 55-137 and 55-138, 1947 Supplement to G. S. Kansas 1935)

LEASE OWNER Donald C. Slawson
OFFICE ADDRESS 408 120 Building, Wichita, Kansas
LEASE NAME #1 Foos 'F' WELL NO. 1 COUNTY Ness
EXACT SPOT LOCATION C NE NE SEC. 11 TWP. 20 RGE. 23W (E)
CONTRACTOR Slawson Drilling Company, Inc.
OFFICE ADDRESS 408 120 Building, Wichita, Kansas 67202
Drilled with (dable) or (Rotary) tools: Date pipe set10/21/75
SURFACE HOLE DATA SURFACE PIPE DATA
Size of Hole 12½" Csg. (new) or (used) Size 8 5/8" Wt.
Depth 448' Where set 443'
METHOD OF CEMENTING
Cement: Amount and kind 300 sx 60/40 poz
Method: (By Service Co., Dump, Tog., etc.)
Est. Height Cement behind pipe
GROUND WATER INFORMATION Depth to bottom of lowest fresh water producing stratum
Depth to bottom of lowest fresh water producing stratum
Name of lowest fresh water producing stratum
Surface elevation of well
ADDITIONAL INFORMATION
(Additional information may be submitted on separate sheet)
AFFIDAVIT
STATE OF KANSAS , COUNTY OF SEDGWICK SS,
I, JAMES C. REMSBERG of the SLAWSON DELLIANCE COMPANY
being first duly sworn on oath, state: That I have knowledge of the facts, statements and matters herein contained and that the same are true and correct.
Lame C. Romber
James C. Remsberg
Subscribed and sworn to before me on this 7th day of November 195
My Commission Expires: One of the Control Office of the Control O
DOLORES B. COADY STATE NOTARY PUBLIC STATE NOTARY, KANSAS SEDGWICK COUNTY, KANSAS Comm. Expires Mar. 7, 1976 Comm. Expires Mar. 7, 1976