RECEIVED NOV 2 6 2012

Kansas Corporation Commission KCC WICHITA One Point Stabilized Open Flow or Deliverability Test (See Instructions on Reverse Cid-1)

Form 0-2

| Type Test: | | | | | (See | instruction | ns on Re | everse | Side) | | | | | | | |
|--|---|--------------------------------|--|--|---|---|--------------------------------|--|------------------------|---|----------------|----------|---------------------------------------|---------------------------|-----------------------|---|
| Open Flow Deliverability Test D | | | Test Date: | Date: 10/04/2012 | | | | | API No. | | | | 151752 | 21962 | -00-01 | |
| Company OXY USA | Inc | | _ | | | Lease BROW | N C 4 | | | | | - | | | Well N | lumber |
| County Location Seward 460 FNL & 800 FEL | | | | Section 17 | | | TWP 34S | | | RNG (E/W) 33W | | | Acres Attributed 640 | | | |
| Field SALLEY | | | | eservoir orrow | | | | Gas Gathering Cor Oneok Field Se | | | | 1 | | • | | |
| Completion Date 05/18/2005 | | | | | ug Back To 6,308' | otal Depth | | | | Pac | ker Set at | | | | | |
| Casing Size Weight 4 1/2" 10.5# | | | Int | ternal Dian 4.052" | neter | Set at 6,600' | | | Perforations 6,005' | | | | To 6,056 ' | | | |
| Tubing Size Weight 2 3/8" 4.7# | | | | Internal Diameter Set at 1.995" 6,056' | | | | | Perforations | | | | То | | | |
| Type Completion (Describe) SINGLE-GAS | | | | | Type Fluid Production WATER | | | | | Pump Unit or Traveling F Yes - Beam | | | | n Pump | | |
| Producing Thru (Annulus / Tubing) Annulus | | | | · | % Carbon Dioxide 0.279% | | | | | % Nitrogen 2.807% | | | | Gas Gravity - Gg 0.678 | | |
| /ertical Dep 6,031 | | | | | | Pressur Flan | | | | | | | | ` | Run) (l 3.06 | Prover) Size 8" |
| Pressure Bu | ildup: | Shut in _ | 10/0 | 20 | 0 <u>12</u> a | t 9:00 | | | Taken | | 10/04 | _ | 20 <u>12</u> | at | 9:00 | - |
| Vell on Line |) : | Shut in _ | | 20 | 0a | ıt | | | Taken | | | | 20 | at | | |
| | | | | | (| OBSERVE | D SURF | ACE | DATA | | | Dura | tion of | Shut-in | 24 | Hours |
| Static / Dynamic | Orifice Size | e Prover Pressure | | Pressure Differential Flowing in Temperature | | | ure (f | Casing Wellhead Pressure (P _w) or (P _t) or (P _c) | | (P _w) or (P _t) or | | Press | ssure f (P _c) Duration | | | Liquid Produced |
| Property Shut-In | (inches) | psig | (Pm) | Inches H ₂ O | t |] t | $\overline{}$ | sig).0 | psia 84.4 | | | _ | psia 4.4 | (Hours) | | (Barrels) |
| Flow | | 1 | | | 1 | +-~ | | - 04 | - 0.0 | | | | | | | |
| 7.011 | · | 1 | | | | LOW STR | EARA. | TTDIE | L | | | | | | | |
| Plate | | V | Pre | T | | | T | IINE | 30 1E3 | r | | | | | | 5 1. 3 |
| Coefficient | | Meter or Extensiver Pressure | | rsion Gravity Factor x h Fg | | Flowing Flowing Factor | ature or | Deviation Factor F _{pv} | | Metered Flow R (Mcfd) | | | GOR (Cubic Feet/Barret) | | 31) | Flowing Fluid Gravity G _m |
| | | | | | | | | | | | | | | | | |
| P _c) ² = | : | (P _w) ² | ² = <u>0.0</u> | | P _d = _ | W) (DELIV | | | CALCU 1.4) + 14 | | | | : | | $(P_a)^2 = (P_d)^2 =$ | |
| $(P_c)^2 - (P_g)^2$ or $(P_c)^2 - (P_d)^2$ | $(P_c)^2 - (P_e)^2$ or $(P_c)^2 - (P_e)^2$ | | Choose Form 1. P _c ² - 2. P _c ² - divided by: F | | LOG of formula 1. or 2. nd divide by: | P _c ² - P _w ² | Backpressure Curve Slope = "n" | | " | n x LOG | | | Antilog | | E | Open Flow Deliverability Equals R x Antilog (Mcfd) |
| | | | | | -: | | | | | _ | | \dashv | | | + | · |
| Open Flow | | 0 | Mcf | d @ 14.65 p | sia | D | Deliverabil | lity | | | | İ | Vicfd @ | 14.65 ps | ia | |
| he facts stated | therein, and | | | | | states that he | e is duly au | | d to make | the ab | ove report and | | | owledge o | of , | 2012 |
| <u> </u> | | | Mtness | | | | | _ | | | Ç | | USA r Compar | | | |
| | | • | | | | | | | | | David C | | - | | Inc. (| 4/ |
| | • | For C | ommission | | - | | | | | | David | -yu | on OX | , GOA | | 114 |

RECEIVED NOV 2 6 2012

Form G-2 (Rev. 7/03)

| | KCC WICHTA |
|-------------------------------------|---|
| C.A.R. 82 contained and lease | eclare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule 2-3-304 on behalf of the operator OXY USA Inc. and that the foregoing pressure information and statements on this application form are true and correct to the best of my knowledge and belief based upon available production summaries a records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow BROWN C 4 for the gas well on the grounds that |
| (Check o | one) |
| | is a coalbed methane producer |
| | is cycled on plunger lift due to water |
| | is a source of natural gas for injection into an oil reservoir undergoing ER |
| | is on a vacuum at the present time; KCC approval Docket No. |
| V | is not capable of producing at a daily rate in excess of 250 mcf/D |
| ate: | November 21, 2012 |
| _ | |
| | |
| | |
| | |
| | |
| | David Ogden Signature: OXY USA Inc |
| | Title: Gas Business Coordinator |

Instructions: If a gas well meets one of the eligibility criteria set out in the KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

> At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

> The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31st of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.