KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:					(See Instructi	ions on Reve	erse Side,)				
✓ Ope	n Flov	ı		• .	Test Date		٠		ΔPI	No. 15			
Deli	iverabi	ty			8/10/12	*. :			081	-20401 - 4	00·0c		
Company BEREXCO LLC					Lease TILLER			Well Number 1-27			imber		
County HASKE	LL		ocation SW N		Section 27		TWP 30S		RNG (E/ 33W	W)	1. 1	Acres A	Attributed
Field RIVAL F	RIDG	E .:			Reservoir MORR				Gas Gati ONEO	hering Conne	ection		:
Completio 10/5/198		. :		1	Plug Back 5658	Total Depti	h ·		Packer S N/A	et at	1 .	-	:
Casing Siz	ze		Veight 7		Internal D 4.872	iameter	Set at 5699		Perfor	rations	то 5394		
Tubing Siz			Veight		Internal D	liameter	Set at		Perfo	rations	То		
2 3/8	nletion	(Describe)	.7	*		d Production	5347			it or Traveling	Plunger? Yes	/ No	
SINGLE					WATE		•		NO	in or travoling	r langer ? Too	, 110	
		(Annulus / 1	Tubing)		% C	arbon Dioxid	de		% Nitrog	en	Gas G	ravity - (G _o
ANNULI Vertical De		<u> </u>			:	Press	sure Taps				(Meter	Run) (P	rover) Size
5384		,	٠							. 1		, (-	
Pressure I	Buildup	: Shut in	8/9/	2	0 12 at 8/	AM	(AM) (PM) 1				12 _{at} 8 AM	9	(AM) (PM)
Well on Li	ne:	Started		20	0 at		(AM) (PM)	Taken	:	20	at	((AM) (PM)
						OBSERVE	D SURFACE	DATA			Duration of Shut	-in_24	Hours
Static / Dynamic Property	Orific Size	Prover	one: eter Pressure	Pressure Differential in	Flowing Temperature t	Well Head Temperature t	Casin Wellhead P (P _w) or (P _t)	ressure	Wellhe	ubing ad Pressure (P ₁) or (P _c)	Duration (Hours)		d Produced Barrels)
Shut-In		psig	(Pm)	Inches H ₂ 0			psig 130	psia	psig	psia	24	 	
Flow								:					
<u> </u>		!:::		1		FLOW STR	EAM ATTRI	BUTES		11	:	-1-i	
Plate Coeffici (F _b) (F _p Mcfd	ent	Circle one: Meter or Prover Press psia	.	Press Extension P _m xh	Grav Fact	tor T	Flowing emperature Factor F ₁₁	Fac	ation ctor	Metered Flow R (Mcfd)	GOR (Cubic Fe Barrel)	eet/	Flowing Fluid Gravity G _m
				,				:		::::			
					(OPEN FL	OW) (DELIV	ERABILITY)	CALCUL	ATIONS		(D)	12 00	107
(P _c) ² =		_ : (1	P _w) ² =	<u> </u>	P _d =		** :	- 14.4) +	1	<u> </u>	(P _a ,) ² = 0.2) ² =	
1. 1		(P _c) ² - (P _w	(P _c) ² - (P _w) ²		LOG of formula 1. or 2. and divide	P.2. P.2	Backpressure Curve Slope = "n" Assigned Standard Slope		n x LOG		Antilog	Open Flow Deliverability Equals R x Antilog (Mofd)	
				deal by: P _c ² - P _w	-,-				1				:
						1. 1					:		
Open Flov			······································	Mcfd @ 14.	65 psia		Deliverabil	ity			Mcfd @ 14.65 ps	ia	
		-	-		e and correc	t. Executed ಚಟ್ಟಿದ್ದಾಗ	e is duly aut			over repo	rt and that he h		ledge of 20 12 .
• ::		*****	itnaca (**		ASMACA	8000-11 11 		1	HI	osy	company		
<u> </u>	<u>: : : : : : : : : : : : : : : : : : : </u>		itness (if ar			NOV 2	1 2012				ked by		

CONSERVATION CARROLLS WICHITA, KE

I declare under per	halty of perjury	under the laws of t	he state of Kansas that I ar	n authorized to request
· ·			operator_BEREXCO LLC	
			nts contained on this applic	ation form are true and
,			available production summ	•
•	•	·	upon use being made of the	
• •		•	testing for the TILLER 1-2	-
gas well on the grounds		· ·		
		•		
(Check one)				
is a c	coalbed methan	ie producer		
is cy	cled on plunger	r lift due to water		
is a	source of natura	al gas for injection ir	nto an oil reservoir undergoi	ng ER
ison	vacuum at the	present time; KCC a	approval Docket No	· · · · · · · · · · · · · · · · · · ·
. ✓ is no	ot capable of pro	oducing at a daily ra	ate in excess of 250 mcf/D	·
•			nd all supporting document	s deemed by Commission
staff as necessary to co	orroborate this o	claim for exemption	from testing.	
Date: 11/19/12	.			
Date: 11/19/12	<u>.</u>			
Date: 11/19/12	<u>.</u>			
Date: 11/19/12	<u>.</u>			1738940 - RECKEN
Date: 11/19/12	<u>. </u>		B. H. Blue	ONBAS CORPORATION COMMU
Date: 11/19/12	:	Signature:	Bett Blyn	NOV 2 1 2016
Date: 11/19/12		•	BH Bly TROLEUM ENGINEER	ONSERVE 1 2012
Date: 11/19/12		•	y	NOV 21 2012

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.