

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1105660

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33551		API No. 15 - 15-013-24169-00-00				
		Spot Description:				
Address 1: PO BOX 184		SW_NW NW SE Sec. 18 Twp. 25 S. R. 22 Feast West				
Address 2:	<u> </u>	2145 Feet from North / 🗹 South Line of Section				
City: BLUE MOUND State: KS	Zip: 66010 + 0184					
Contact Person: Steve Jackson Phone: (913) 756-2622		Footages Calculated from Nearest Outside Section Corner: □ NE □ NW ☑ SE □ SW				
CONTRACTOR: License # 33551		County: Bourbon Lease Name: Page Well #: 12				
Name: S & K Oil Production, Inc.						
Wellsite Geologist: NA		Field Name:				
Purchaser:		Producing Formation: Bartlesville				
Designate Type of Completion:		Elevation: Ground: 1036 Kelly Bushing: 0				
✓ New Well Re-Entry	Workover	Total Depth: 730 Plug Back Total Depth:				
✓ oil	/D SIOW	Amount of Surface Pipe Set and Cemented at: 20 Feet				
Gas D&A DEN	HR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No				
og [_ gs	W Temp. Abd.	If yes, show depth set:				
CM (Coal Bed Methane)		If Alternate II completion, cement circulated from: 0				
Cathodic Other (Core, Expl., etc.	p.):	feet depth to: 20 w/ 5 sx cmt.				
If Workover/Re-entry: Old Well Info as follo	ws:					
Operator:		Drilling Fluid Management Plan				
Well Name:		(Date must be collected from the Reserve Pit)				
Original Comp. Date: Original Comp. Date: Original Comp.	inal Total Depth:	Chloride content: ppm Fluid volume: bbls				
	onv. to ENHR Conv. to SWD onv. to GSW	Dewatering method used:				
Plug Back:		Location of fluid disposal if hauled offsite:				
	#:					
- "	#:	Operator Name:				
•	#:	Lease Name: License #:				
	#:	Quarter Sec. Twp. S. R. East West				
GSW Permit	#:	County: Permit #:				
11/5/2012 11/7/2012	12/17/2012	:				
Spud Date or Date Reached TD	Completion Date or Recompletion Date					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:				
Confidential Release Date:				
✓ Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I I II Approved by: Deams Garrison Date: 12/28/2012				

Side Two

1105660

Well #: 12 Operator Name: S & K Oil Production, Inc. Lease Name: County: Bourbon INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report. Sample Log Formation (Top), Depth and Datum [] Yes [√] No **Drill Stem Tests Taken** (Attach Additional Sheets) Datum Name Тор **₹**No Samples Sent to Geological Survey Yes 690 674 Bartlesville ✓ No Yes Cores Taken ✓ Yes □ No Electric Log Run Electric Log Submitted Electronically ✓ Yes No (If no, Submit Copy) List All E. Logs Run: Gamma Ray/Neurtron/CCL CASING RECORD ✓ New Report all strings set-conductor, surface, intermediate, production, etc. Size Casing Weight Setting # Sacks Type and Percent Size Hole Type of Purpose of String Drilled Set (In O.D.) Lbs. / Ft Depth Used Additives Surface 9.08750 6 20 One None 6 2.08750 719 One 70 None Casing 5.06250 ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose Depth # Sacks Used Type of Cement Type and Percent Additives Top Bottom Perforate Protect Casing Plug Back TD Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot (Amount and Kind of Material Used) Specify Footage of Each Interval Perforated Depth TUBING RECORD: Packer At: Liner Run: Yes No Date of First, Resumed Production, SWD or ENHR. Producing Method: Gas Lift Flowing Other (Explain) Pumping Gas-Oil Ratio Water Estimated Production Oil **Bhis** Gas Mcf **Bhis** Gravity Per 24 Hours METHOD OF COMPLETION: **DISPOSITION OF GAS:** PRODUCTION INTERVAL: Open Hole Perf. Dually Comp. Commingled Vented Sold Used on Lease (Submit ACO-5) (Submit ACO-4)

Other (Specify)

(If vented, Submit ACO-18.)

Lone Jack Oil Company Blue Mound, KS

1-913-756-2307 1-620-363-0492

Lease:										
Contractor: Lone Jack Oil Company, Data Start 1 API # 15-011-24169-00-00										
Total Depth: 730 feet		730 feet	feet Wall #		Date	Completed:	11/7/12			
Surface Pipe: 20' 7"		20' 7"	Surface Dite	0.7/0	Hole Size:		5 5/8			
Depth of Seat Nipple: Rag Packer At: Length and Size of Casing: 7103 276										
Length an	d Size o	f Casing:	710	g racker At; _						
Legal Des	Length and Size of Casing: Legal Description: SW NW NW Thickness Depth Type of		E Sec: 18	- 4 //8 Tun: 250	_ Sacks	of Cement:	70			
Thickness	s Depti	h Type of I	formation	Thickness	Kange	: 22E Cou	inty: Bourbon			
	1	Top Soil		3	Deptil	Lype	Of Formation			
1	2	Clay		2	690	(Ditte	ey)			
10	12	Lime (Sandy)		2	692	Sandy Shale				
30	42	Lime		8	694	Shale				
3	45	Shale		4	702	Sandy Shale				
3	48	Lime		16	706	Oil Sand (Sha	ıley)			
7	55	Shale		5	722	Shale				
22	77	Lime		3	727	Sand (No Oil)				
51	128	Shale			730	Sandy Shale				
5	133	Lime			730	TD				
133	236	Shale								
1	237	Lime								
3	240	Shaley Lime			<u> </u>					
4	244	Lime		•						
9	253	Shale								
7	260	Lime								
22	282	Shale								
3	285	Lime								
55	340	Shale								
2	342	Lime								
	343	Shale								
20	363	Lime								
43	406	Shale	···							
16	422	Lime		·						
	430	Shale				·				
5	435	Lime								
12	447	Shale								
7	454	Oil Sand (Shaley)	Little Bleed)							
2	456	Sandy Shale	27000)							
54	510	Shale								
2 34	512	Lime								
34	546	Shale								
		Lime								
26		Shale								
		Oil Sand (Shaley)								
	580	Oil Sand (Good B	leed)							
	584	Oil Sand (Good B	leed Shalani							
	587	Oil Sand (Good B	lead)							
		(Occur)	1000)							