

Kansas Corporation Commission Oil & Gas Conservation Division

1104225

15-125-32272-00-00

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name: Horton, Jack	Spot Description:
Address 1: PO BOX 97	NW_SE_NW_SE_Sec. 2 Twp. 34 S. R. 14 🗹 East 🗌 West
Address 2:	
City: SEDAN State: KS Zip: 67361 + 0097	Feet from East / West Line of Section
Contact Person: Jack Horton	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 249-4476	□NE □NW ☑ SE □SW
CONTRACTOR: License # 31486	County: Montgomery
Name: Horton, Jack	Lease Name: Melander Well #: 49
Wellsite Geologist: Fred Jones	Field Name:
Purchaser:	Producing Formation: Wayside
Designate Type of Completion:	Elevation: Ground: 889 Kelly Bushing: 893
✓ New Weil Re-Entry Workover	Total Depth: 720 Plug Back Total Depth:
	Amount of Surface Pipe Set and Cemented at: 20 Feet
	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd.	
CM (Coal Bed Methane)	If yes, show depth set: Feet If Alternate II completion, cement circulated from: 0
Cathodic Other (Core, Expl., etc.):	feet depth to: 710 w/ 80 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	feet depth to: sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
	Chloride content: 0 ppm Fluid volume: 300 bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit#:	
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R East West
GSW Permit #:	County: Permit #:
11/19/2012 11/21/2012 12/7/2012	
Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY	
Letter of Confidentiality Received	
Date:	
Confidential Release Date:	
✓ Wireline Log Received	
Geologist Report Received	
UIC Distribution	
ALT I I II Approved by: Deama Garrisor Date: 12/13/2012	

Side Two



1104225 Melander Operator Name: Horton, Jack _Well #: __49 Lease Name: Sec. 2 Twp.34 S. R. 14 Fast West County: Montgomery INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report. Formation (Top), Depth and Datum Log Sample **Drill Stem Tests Taken** ☐ Yes **V** No (Attach Additional Sheets) Name Top **Datum** √ No Samples Sent to Geological Survey Yes Wayside 650 240 ☑ No Yes Cores Taken ✓ Yes ☐ No Electric Log Run Electric Log Submitted Electronically ✓ Yes No (If no, Submit Copy) List All E. Logs Run: Gamma Ray Neutron **✓** Used CASING RECORD New Report all strings set-conductor, surface, intermediate, production, etc. Weight Lbs. / Ft. Size Casing Type and Percent Setting # Sacks Size Hote Type of Purpose of String Set (In O.D.) Depth Cement Additives Drilled 20 **Portland** Surface 9.875 7 18 8 710 6.5 Portland 80 Longstring 5.625 2.875 ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth # Sacks Used Type and Percent Additives Type of Cement Top Bottom Perforate Protect Casing Plug Back TD Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Acid Fracture, Shot Cement Squeeze Record Shots Per Foot (Amount and Kind of Material Used) Depth Specify Footage of Each Interval Perforated 2 6000lbs sand 656-676 Packer At: Liner Run: TUBING RECORD: Size: Set At: ✓ No Yes Date of First, Resumed Production, SWD or ENHR. Producing Method: Pumping Gas Lift Other (Explain) Flowing Water Bbls. Gas-Qii Ratio Gravity Estimated Production Gas Mcf Oil Bbls. Per 24 Hours PRODUCTION INTERVAL: METHOD OF COMPLETION: **DISPOSITION OF GAS:** Perf. Dually Comp. Open Hole Commingled 656

Other (Specify)

(Submit ACO-5)

(Submit ACO-4)

676

☐ Vented ☐ Sold ☐ Used on Lease

(If vented, Submit ACO-18.)

STATEMENT

ELMORE'S INC.

Box 87 - 776 HWY99 Sedan, KS 67361 Cell: (620) 249-2519

Eve: (620) 725-5538

Date 1/-21-12

Address State Zip City Description Price Amount Oty. 1000 SKS 110,00 00 85,00 255 00 00 50,00 5,00 00 00 85,00 25,00 00 40,00 00 00 131, Tax

Thank You - We appreciate your husiness!

Rec'd. by

TERMS: Account due upon receipt of services. A 195% Service Charge, which is an annual percentage rate of 189% will be charged to accounts after 30 days.