

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710	API No. 15 - 15-207-28459-00-00
Name: Laymon Oil II, LLC	Spot Description:
Address 1: 1998 SQUIRREL RD	NW_SE_SE_SE_Sec. 32 Twp. 23 S. R. 16 ▼ East West
Address 2:	
City: NEOSHO FALLS State: KS Zip: 66758 + 7124	
Contact Person:Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
CONTRACTOR: License #_32710	County: Woodson
Name: Laymon Oil II, LLC	Lease Name: Newby Well #: 1-12
Wellsite Geologist: none	Field Name:
Purchaser:	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1095 Kelly Bushing: 1100
✓ New Well Re-Entry Workover	Total Depth; 1200 Plug Back Total Depth:
✓ oil □ wsw □ swb □ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes V No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to: 40 w/ 10 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid volume: 100 bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used: Evaporated
Conv. to GSW	
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
☐ Dual Completion Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R East West
GSW Permit #:	County: Permit #:
12/11/2012 12/13/2012 12/14/2012	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I Approved by: Deanna Garrison Date: 01/09/2013

Side Two

1106792

Operator Name: Laye	mon Oil II, LLC			Lease	Name: _	Newby		Well #:1-1	2	
Sec. 32 Twp.23	s. R. <u>16</u>	✓ East	West		ty: Woo					
INSTRUCTIONS: Shot time tool open and clos recovery, and flow rate line Logs surveyed. At	sed, flowing and shu s if gas to surface to	ut-in pressu est, along w	res, whether s ith final chart(hut-in pre	ssure rea	ched static level,	hydrostatic p	ressures, bottom h	ole tempe	erature, fluid
Drill Stem Tests Taken (Attach Additional S		☐ Ye	s √ No			og Formatio	n (Top), Depti	h and Datum	s	Sample
Samples Sent to Geold Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	l Electronically	☐ Ye ☐ Ye ✔ Ye	s ☑No s ☑No		Nam Attach			Top Attached		Datum tached
List All E. Logs Run:										
Gamma Ray Neutro	n									
		Popp		RECORD		ew Used ermediate, producti	ion etc			
Purpose of String	Size Hole Drilled	Size	Casing (In O.D.)	We	eight s. / Ft.	Setting Depth	Type of Cement			and Percent dditives
Surface	10.2500	8.6250	`	24		40	Portland	10		
Production	6.1250	2.8750		7		1195	common	220		
		<u> </u>	ADDITIONAL	CEMENT	TING (CO)	JEEZE DECODO	1		<u> </u>	·
Purpose:	Depth Top Bottom	Туре	of Cement		ks Used	JEEZE RECORD	Туре а	and Percent Additives		
Protect Casing Plug Back TD	-			ļ. <u>.</u>						
Plug Off Zone	-			<u> </u>						
Shots Per Foot			D - Bridge Plug ach Interval Per)			ment Squeeze Recor of Material Used)	t	Depth
										
-			- <u>-</u>				<u> </u>			
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes] No		
Date of First, Resumed f	Production, SWD or Ef	IHR.	Producing Met	hod:	ing	Gas Lift 🔲 C	Other (Explain) _			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio		Gravity
DICEOCITIC CO.	NI OF CAS:		-			TION				
DISPOSITIO	ON OF GAS:		_	METHOD C	F COMPLE Dually	Comp. Cor	nmingled	PRODUCTIO)N INTERV 	AL:
(If vented, Sub-	_	□ 0	ther (Specify)		(Submit /	4CO-5) (Subi	mit ACO-4)			

Form	ACO1 - Well Completion	
Operator	Laymon Oil II, LLC	
Well Name	Newby 1-12	
Doc ID	1106792	

Tops

Soil	0	6
Shale	6	60
Lime & Shale	60	340
Lime	340	540
Shale	540	585
Lime	585	685
Shale	685	688
Lime	688	725
Shale	725	930
Lime	930	1000
Shale	1000	1010
Lime	1010	1040
Black Shale	1040	1042
5' Lime	1042	1047
Black Shale	1047	1048
Upper Squirrel Sand	1048	1065
Shale	1065	1092
Cap Rock	1092	1093
Shale	1093	1095
Cap Rock	1095	1096
Shale	1096	1200

New Kleindurton 201 West Madison Jelle KS 66749

ISTONER NO.	.CA BOL	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	9 LOLD
Lay	w ex	c Oil	S H 1 P			

					0.530000000		 	ETINU	FRICE/PER	EXTENSION
SHIPPED	ORDERED	NW	PC	5	DESCRIPTIO	emen	4	300	945	2835°×
	300	.	۲Ŀ.	8 R M	land		σ		, 1 1	39
								i .	tox	2429
	<u> </u>									307739
							Ì			30 / 1 ~
Mars		(D -	12-100	LED		35 97-		, N.	why !	12
She how	hick	15-	a look	s.	Dec	3596.	12			
Dris	لہ ۔ شوہ ۔	13-	12 100	es.	ales	cander o	18-12			
Drus	ار علوی ،	#1	12 10	oks	- Uler	yander'	97-12			<u>,</u>
Wins	افار	况	12 10	Day b	مىليا مىليا	+gR Le	1-1 axin	2		
Jan.	ve his	, þ (1-12 10	1 ack	es lile	of IR Le	uiro 31	<u> </u>		
·	rahis		D-12 10	Dal	teo W.	estyr &	euro 2	-12		
4	Takil		11-12 16	s De	2. Gu	j West	ion_1-1	2		
X	nest	VED B	1225/2		D	charne	ek 17	-12		
40	rth S	Ł	Jan 10 201.	-12 1	Obok	Schorin	rek 16	-12		

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER.

Failure of this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005 LAYMON DIL II, L.L.C. 1998 SOUIRREL RD.

NEOSHO FALLS KS

LA /NEWBY LAYMON OIL II. LLC 54 W TO WILLOW N TO 180TH W SMI TO QUAIL RD N 1.25MI W SD

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
02:46:59p	WELL	11.00 yd	22.00 yd	% CAL 0.00	JT 35	% AIR 0.00	Wooco
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
12-44-12	o Date	1	11.00 yd 11.00 yd	2 2964	G/yd 0.0	4.00 in	33314

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Porliand Cement. Wear Rubber Books and Gloves. PROLONGED CONTACT MAY
CARLISE BURNS. Avaid Contact With Skin. In Case of
Contact With Skin or Eyes. Plant Thoroughly With Water, If Irritation Persists, Get Medical
Amention. KEEP CHILDREN AWAY.

CONCRETE IS A PERSHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LERBYNS the PLANT ANY CHANGES OR CANCELLATION Of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting are sums owed.

All accounts not ped within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality, No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50.HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

TO BE SINKED F DELIVERY TO BE MADE NISDE CLARE LINES DEAT CONTINUES the driver of the truck in presenting this RELEASE to you for your signature is of the opinion that the late and weight of his truck ray, possibly cause damage to the premises and/or adjacent properly if place the measure in the blook makes you deep it. It is not with 10 key you is suvery wey that we cant, but in order to do this dismit in reasoning they you sign this RELEASE relieving him and his dismit in reasoning they you sign this RELEASE relieving him and the dismits and the result of adjacent properly. But dismits, and that you also against to the late, by the delivery of this material, and that you also agains to the late, by the delivery of this material, and that you also agains to the late, by the delivery if this material, and that you also agains to the late, by the delivery in the late of the late of

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARN NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUS WHEN DELIVERING INSIDE CURB LINE

LOAD RECEIVED BY

X_

QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE MELL 11.00 WELL (10 SACKS PER UNIT) 11.00 51.00 561.00 11,00 MIXSHAUL MIXING & HAULING 11.00 275.00 25.00 25 00 TRUCKING TRUCKING CHARGE 2.00 50.00 100.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TA	KEN TIME ALLOWED		
LEFT PLANT	ARRIVED JOB	START UNLOADING	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 5. ADDED WATER	TIME DUE	SubTotal \$ 936.0 Tax % 7.300 68.3 Total \$ 1004.3	33
3:40	4:05		o. ALDES WATER	TIME OC	ADDITIONAL CHARGE 1	33
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2	
					GRAND TOTAL	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



LAYMON OH II, L.L.C. 1998 SQUIRREL RD.

LAZNEWBY LAYMON OIL II, LLC 54 W TO WILLOW N TO 180TH W 6MI TO QUALL RD N 1.25MI W SD

NEOSHO FALLS KS

NEWBY # 1-12

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
03:01:46p	WELL	11,00 vd	22,00 vd	% CAL 0.00	MA 32	% AIR 0.00	MOOCO
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
12-14-12	o Date Today	2	55.00 Aq	22965	G/yd 0.0	4.00 in	33315

WARNING

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, it Irritation Pereists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IN A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Nor Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE. Dear Castonie-The driver of the truck in presenting his RELEASE to you for your aignature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if a places the material in their Blood where you desire it. It is our with to help you in every way that we can, but in order to do this the driver is requesting that you disp this RELEASE relieving him and this supplier from any responsibility froid any damage that may occur to the premises and/or adjacent pipetry buildings, idevelves, driverage, curbs, etc. by the delivery of this material, and that you also agree to help firm is menove mult some the wheels of his syndice and or supplier for any and at James the driver of this truck and this supplier for any and at James the driver of this truck and this supplier for any and at James the driver of this truck and this supplier for any and at James the driver of this property which may be delived by anyone to have arisen out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

QUANTITY	CODE	DESCRIPTION		UNIT PRICE	EXTENDED PRICE
11.00	WELL MIX8HAUL TRUCKING	WELL (10 MIXING & TRUCKING	22.00 22.00 4.00	51.00 25.00 50.00	561.00 275.00 100.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	AbTotal \$ 936.00
			JDB NOT READY 8. TRUCK BROKE DOWN SLOW POUR OR PUMP TRUCK AHEAD ON JOB 8. CITATION		68 # 7,300 68.33
	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADOED WATER	TIME DUE	der \$ 2008.66		
3:45					ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
4					GRAND TOTAL