

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1106761

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #32	710		API No. 15
Name: Laymon Oil II, L			Spot Description:
Address 1: 1998 SQUIRRE	L RD		E2 - E2 - SE Sec. 1 Twp. 24 S. R. 14 ▼ East West
Address 2:			1320 Feet from North / South Line of Section
City: NEOSHO FALLS	_ State: KS Z	ip: 66758 + 7124 _	Feet from
Contact Person: Michael La	aymon	·	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963-249			□ NE □ NW ☑ SE □ SW
CONTRACTOR: License #			County: Woodson
Name: Laymon Oil II, LLC			Lease Name: Well #: 1-12
Wellsite Geologist: none			Field Name:
Purchaser:			Producing Formation: Squirrel
Designate Type of Completion):		Elevation: Ground: 1113 Kelly Bushing: 1118
	Re-Entry	Workover	Total Depth: 1320 Plug Back Total Depth:
☑	SWD	□ SIOW	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A		☐ sigw	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
☐ o G	☐ gsw	Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	_		If Alternate II completion, cement circulated from:
Cathodic Other	Core, Expl., etc.):		feet depth to: 40 w/ 10 sx cmt
If Workover/Re-entry: Old We	II Info as follows:		reet depth to:sx cmt
Operator:			
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date:			
☐ Deepening ☐ Re-	_ *	o ENHR Conv. to SWD	Chloride content: 0 ppm Fluid volume: 100 bbls
	Conv. t		Dewatering method used: Evaporated
Plug Back:	_		Location of fluid disposal if hauled offsite:
Commingled	Permit #:		Operator Name:
Dual Completion	Permit #:		
SWD	Permit #:		Lease Name: License #:
ENHR	Permit #:		Quarter Sec TwpS. R East West
GSW		***	County: Permit #:
11/29/2012 12/	04/2012	12/05/2012	
Spud Date or Date Recompletion Date	Reached TD	Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY									
Letter of Confidentiality Received									
Date:									
Confidential Release Date:									
☑ Wireline Log Received									
Geologist Report Received									
UIC Distribution									
ALT I I II Approved by: Deanna Garrison Date: 01/09/2013									

Side Two

1106761

Operator Name: Layn	non Oil II, LLC		Lease N	Name: _	GW Weston		Well #:1-1	2
Sec. 1 Twp. 24		✓ East West	County	Wood	dson			
INSTRUCTIONS: Shortime tool open and clos recovery, and flow rates line Logs surveyed. Att	ed, flowing and shu if gas to surface to	ut-in pressures, wheth est, along with final ch	er shut-in press	sure read	ched static level	, hydrostatic pres	ssures, bottom h	ole temperature, fluid
Drill Stem Tests Taken (Attach Additional St	neets)	☐ Yes 🗸 No)		og Formatio	on (Top), Depth a	and Datum	Sample
Samples Sent to Geological Survey Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Yes V No Yes No Yes No Yes No))	Nam Attach			Top Attached	Datum Attached
List All E. Logs Run:								
Gamma Ray Neutron	1							
			ING RECORD	✓ Ne	ew Used ermediate, produc	tion etc		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig	ght	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10.2500	8.6250	24		40	portland	10	
Production	6.1250	4.5	10		1310	common	180	
		ADDITIC	NAL CEMENTII	NG / SQL	JEEZE RECORD)		
Purpose: —— Perforate —— Protect Casing	Depth Top Bottom	Type of Cement	# Sacks	Used		Type and	Percent Additives	
Plug Back TD Plug Off Zone	-							
Shots Per Foot		ION RECORD - Bridge Footage of Each Interva				acture, Shot, Ceme		d Depth
			<u> </u>			<u> </u>		
TUBING RECORD:	Size:	Set At:	Packer A	ıt:	Liner Run:	Yes N	lo	
Date of First, Resumed P	roduction, SWD or Ef	NHR. Producing		ng [Gas Lift	Other (Explain)	· · · · · · · · · · · · · · · · · · ·	
Estimated Production Per 24 Hours	Oil	Bbis. Gas	Mef	Wat		Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO			METHOD OF		·		PRODUCTIO	DN INTERVAL:
Vented Sold (If vented, Subn	Used on Lease	Open Hole	☐ Perf.	UDually (Submit)		ommingled bmit ACO-4)		

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	GW Weston 1-12
Doc ID	1106761

Tops

Soil	0	12
Lime	12	35
Shale	35	80
Lime & Shale	80	440
Lime	440	640
Shale	640	680
Lime	680	790
Shale	790	796
Lime	796	840
Shale	840	945
Lime & Shale	945	1125
Shale	1125	1144
Lime	1144	1150
Shale	1150	1178
Lime	1178	1181
Shale	1181	1187
5' Lime	1187	1190
Shale	1190	1195
Upper Squirrel Sand	1195	1214
Shale	1214	1220
Cap Rock	1220	1222
Shale	1222	1320

Klein Lumber

New Klein Lumber Soi West Madison July KS 66749

						DATE	TIME
ISTOMER NO.	JOS NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	9/20/1	
Jan	wex	Gil	S H I I			•	
, 1 (70				

					UNITS	FRICE/PER	EXTENSION
SHIPPED	ORDERED	UM	SKU	DESCRIPTION	l dixi15		40.000
	170		PC.	Dath	300C	945	2835°×
	300	1	₹७.	Portlandiement		1 ^	39
		1				1.	2439
					ļ	tal	~12
					j		
	1	1			İ		200031
	ļ		į		ł	Į	307739
		1		}	1		
	. ~):1	12 100	12 Dec 35 37-12			1
VInso	Ait シ ダ	SIC)	12-1000	de finale de la companya della companya de la companya de la companya della compa	1		
						ļ	l i
- We him	mile	ND-	a look	ps. Dec 5596-12			
,,,,,,,,,			1. 12.		1	ļ	
Drus	بكوك و	43.	12 100	les. Alexander 98-12			
. 1 .	[,	1.	1	10 b 1 1 1 97-12	({ 	•
Dru.	sher .	A١	-12 10	sks alexander 97-12	İ		!
• •		4	1. 2	No bo	, h	1	•
- DITA	ا عاد	K.	112 10	Dan les ulest granis 1-1	*		
						1	1
1033V1	re his	ig(ig)	7-12 10	Cocks West &R Luis 31	<u>dl</u>		<u> </u>
<u></u>		_	1	Daves West & Lewis 2	-12		
Jan	rahull	P	10-18 11	DESTENDED WEST			
100.	ratio.	Q	11-12 16	sas. Gwileston 1-	リン		
A CAP CAP CAP CAP CAP CAP CAP CAP CAP CA	. 1		لا كلاله الم)1			
A Just	The land	2/-1 VED 5	ON THE PARTY	<u></u> 1			
7-2-	NECE	vev t	a · · ·	10 10 00 00			

Morth gr haris 11-12 10 Dacks

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

SOLUTOR

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying malerial or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005 LAYMON OIL II, L.E.C. 1998 SOUIRREL RD.

NEOSHO FALLS KS

LA/GW NEST LAYMON OIL II L.L.C. 54 W TO 75 N 7 MI TO 180TH RD W AMI TO INDIAN RD N 1/2MI NSD

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
08:14:16p	WELL	12.50 yd	18.00 yd	% CAL NO.00	/ MA / 32	% AIR 0.00	иорсо 1
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
12-05-12	o Date	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	12.50 yd 12.50 yd	22884	\$/yd 0.0	14.00 in	33263

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS: Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Intation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of GRIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable altorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIYERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Castome-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly ocuse damage to the premises and/or adjacent
propery if a place the material in this load where you desire it it is
our with to help you in every way that we can, but in order to do this
driver is requested that visu sale in this RELEASE relieviny him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewalks,
chineways, carbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his welfice as
that he will not filter the public samet Lutther, as additional consideration, the undersigned agrees to indicarryl and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

QUANTITY	CODE	DESCRIPTION			UNIT PRICE	EXTENDED PRICE
12.50 12.50 3.00	MELL MIXEMAUL TRUCKING		SACKS PER UNIT) HAULING CHARGE	12.50 - 12.50 - 3.00	751.00 25.00 50.00	637,50 - 312,50 - 150,00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	bTotal 4 1400.00
			1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	İ	tal 1 1180.30
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	
3:01	3'.45				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

LA005

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable roadunder truck's own power. Due to delivery at owner's or intermedary's direction,
seller assumes no responsibility for damages in any manner to sidewalks,
roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's
risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A
charge will be made for holding trucks longer. This concrete contains correct
water contents for strength or mix indicated. We do not assume responsibility for
strength test when water is added at customer's request.

NOTICE TO GWNER

Failure of this contractor to pay those persons supplying material or services to
complete this contract or nesult in the filing of a mechanic's lien on the property
which is the subject of this contract.

LAYMON OIL II, LAL.C. 1998 SOUTRREL RD.

NEOSHO FALLS KS

LA/GU WEST LAYMON DIL IT L.L.C. 54 W TO 75 N 7 MI TO 180TH RD W 4MI TO INDIAN RD W 1/2MI, USD

G W WESTON#1-12

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	-/ DOI	DRIVER/TRUCK	4 010	PLANT/TRANSACTION #
02:26:09p	UELL	5.50 yd	18.00 yd	0.00	32	0.60	MODEO
DATE	1 1 1 1	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
12-05-12	Today	e l	18.00 yd	28885	G/yd (0 0,0	4.00 in	33264

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Initiation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys less, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality, No Claim Allowed Unless Made at Time Material to Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

TO BE SIGNOD IF DELIVERY TO SE MADE INSIDE CURB LINE;

Dear Custome-The driver of this fruck in presenting this RELEASE to you to ryour signature is of the opinion that the size and weight of his truck may possibly oause diamage to the premises and/or adjacent property; if It places the material in this load where you desire it, it is cor with to help you in every wey filture were, but in order to do this the driver is requesting that you sign this RELEASE relievility him any damage that may coour to the premises and/or adjacent property, buildings, sidewalls, criticevarys, curbs, etc. by the delivery of this metarial, and that you also agree to help him remove must from the wheels of his while so must he will not filting the public store. Further, as additional consideration, the undesigned/signers to indemnificated hold harmings, the other of this truck and this stupplet for any and fall damage to, the premises and/or adjacent property which may be claimed by anyone to have easier out of delivery of the order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

QUANTITY	CODE	DESCRIPTION			UNIT PRICE	EXTENDED PRICE
5.50	WELL MIX8HAUL		SACKS PER UNIT) HAULING	18.00 18.00	51.00 25.00	280.50 137.50

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	bTotal \$ 418.00
			1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION		Tax % 7.300 30.51
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN DOWN ADDED WATER	TIME DUE	Order \$ 1628.8
70.5					ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	- 1	DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL