

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1108468

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8210		API No. 15 - 15-031-23363-00-00
Name: Birk, Edward E.		Spot Description:
Address 1: 302 S 16TH ST		NE_SW_SW_SW_Sec21 Twp22 S. R17 ▼ East West
Address 2:		495 Feet from North / South Line of Section
City: BURLINGTON State: L	KS Zip: 66839 + 2329	Feet from
Contact Person: Edward E Birk		Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311		□NE □NW Øse □sw
CONTRACTOR: License # 8210		County: Coffey
Birk Edward E		Lease Name: Justin Rolf Well #: 16
Wellsite Geologist: None		Field Name: Parmely
Purchaser: Coffeyville Resources		Producing Formation: Squirrel
Designate Type of Completion:	<u> </u>	Elevation: Ground: 1086 Kelly Bushing: 1086
✓ New Well	/ Workover	Total Depth: 1023 Plug Back Total Depth: 1023
	SWD SIOW ENHR SIGW	Amount of Surface Pipe Set and Cemented at: 42 Feet Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
□ og □	GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)		If Alternate II completion, cement circulated from: 1007
☐ Cathodic ☐ Other (Core, Expl	., etc.):	feet depth to: 0 w/ 120 sx cmt
If Workover/Re-entry: Old Well Info as	follows:	
Operator:		Drilling Fluid Management Plan
Well Name:		(Data must be collected from the Reserve Pit)
Original Comp. Date:	_ *	Chloride content: 0 ppm Fluid volume: 0 bbls
	Conv. to ENHR Conv. to SWD	Dewatering method used: Evaporated
Plug Back:	Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Per	mit #:	Operator Name:
☐ Dual Completion Per	mit #:	Lease Name: License #:
☐ SWD Per	mit #:	
☐ ENHR Per	mit #:	Quarter Sec TwpS. R East West
☐ GSW Per	mit #:	County: Permit #:
10/08/2012 10/09/2012	10/09/2012	
Spud Date or Date Reached Recompletion Date	TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
✓ UIC Distribution				
ALT I I III Approved by: Dearns Garrison Date: 01/23/2013				

Side Two

1108468

Operator Name: Birk, Edward E. Sec. 21 Twp.22 S. R. 17 V East West			Lease Name	Lease Name: Justin Rolf County: Coffey			Well #:16		
time tool open and clos	sed, flowing and shu s if gas to surface te	d base of formations pen t-in pressures, whether s est, along with final chart(s well site report.	hut-in pressure	reached static leve	l, hydrostatic press	ures, bottom I	nole temperature, fluid		
Drill Stem Tests Taken (Attach Additional St	heets)	☐ Yes ✓ No		Log Formati	on (Top), Depth an	d Datum	✓ Sample		
Samples Sent to Geolo	ogical Survey	☐ Yes 🗸 No		Name quirrel Sand		Тор 1012	Datum +74		
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	=	Yes V No Yes No		quii o ounu					
List All E. Logs Run:									
	, , ,	CASING Report all strings set-		New / Used	414-				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
Surface Casing	9.875	7.0	17	42	Portland	11	Calcium		
Long String	6.125	2.875	6.5	1007	Portland	120			
Purposo:	Donth		T	SQUEEZE RECORI					
Purpose: Depth Top Bottom Perforate Top Bottom Protect Casing Plug Back TD		Type of Cement	# Sacks Use	id .	Type and Percent Additives				
Plug Off Zone	-		,						
Shots Per Foot		ION RECORD - Bridge Plug Footage of Each Interval Per			acture, Shot, Cement Amount and Kind of Ma		rd Depth		
0	Open Hole 1007-	1023			***************************************				
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	☐ Yes ☐ No				
Date of First, Resumed	Production, SWD or Ef	NHR. Producing Met	thod:	Gas Lift	Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity		
DISPOSITIO	ON OF GAS:	Coon Male		Dually Comp. 🔲 C	ommingled	PRODUCTI	ON INTERVAL:		
(If vented, Sut.	omit ACO-18.)	Other (Specify)		`	· 1				

CHARGE TO ADDRESS LEASE & WELL	WELL CEMENTING KS 66839 FFICE, 620-364-6719 - CELL COUNTY DATE: 10/19/ CITY ST ZIP	12_
QUANTITY	MATERIAL USED	SERV. CHG
120 SX	Hortland Cement	
	BULK CHARGE	
	BULK TRK. MILES	
	PUMP TRK. MILES	
	PLUGS	
	TOTAL	
T.D. //)2	3 ' CSG. SET AT 1007 ' VOLUME	
SIZE HOLE	TBG SET AT VOLUME	
MAX. PRESS	SIZE PIPE 27/8"	
PLUG DEPTH	PKER DEPTHPLUG USED	
TIME FINISHED		
REMARKS:	nnect to pipe. Pump Cement Into Well. God Joh complete:	d Circ. to
NAME	i dun d n · 1.	
- 14	Fduard Birk	

CEMENTER OR TREATER

802 N. Industrial Rd. PLO. Birt 664 Solo, Econopy 66749 Phone: (420) 345-5588

SIDE OF THE

Payless Concrete Products, Inc.

CONDITIONS
Concrete to be delivered to the hearest accessible point over bessable under truck's own power. Due to delivery at owner's or intermediary's diseless assumes no responsibility for damagles in any manner to all readways, driveways, buildings, tieses, shrubbery atc., which are at our fisk. The maximum allottle films for unloading trucks is 5 minutes per charge will be made for holding trucks longer. This concrete contains water contents for strength or mix indicated. Wire do not assume responsibilities then water is added at customer's request.

NOTICE TO OWNER

SHIP TO:

B & B COOPERSTIVE VENTURES S. FORTH ST.

> BURLINGTON KS 66839

BI/J. ROLF 8 8 B COOPERATIVE VENTURES S8 W TO WAYSIDE N 2 MI TO 6TH F ON N SD & TANKS ...

. .

FASE THET'N ROLE #16

TIME	FORMULA	LOAD SIZE "	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
12:38:17p	WELL	12.00 yd	12.00 yd	% CAL 0.00	940 38	% AIR 0.00	corco
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	A SLUMP	TICKET NUMBER
10-09-12	o Date oday	2	24.00 yd = 18.00 yd	22251	8/yd 0.0	4.00 in	32755

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cernent. Wear Rupber Boots and Gloves. PROLONGED CONTACT MAY

CAUSE. BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of

Contact With Skin or Eyes, Flush Thoroughly With Water, it Irritation Persists. Get Medical

Affection. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEARING the PLAYT. ANY CHANGES OR CANCELLATION of CRIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSDE CURB LINE)

Dear Customer-The offee of this tibut in presenting this RELEASE to you for your signature is of the ophion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property. If places the material in this load where you dealer it. It is our with to help you in every with material, but in order, to doe this the driver is requesting that you sign this RELEASE reliefwing him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewals, offerevary, cuts, step, by the delivery of this material, and that valide so on the hew the other than the celebrary of this material, and that which is not the hew the off ther the public sites. Further, as additional consideration, the undestigned agrees to indiamnity, and hold harmless the driver of this truck and this supplier for sity and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED RING INSIDE CURB LINE.

QUANTITY	CODE	DESCRIPTION		UNIT PRICE	EXTENDED PRICE
12.00	MELL MIX8HAUL	WELL (10 SACKS F	12.00 12.00	51.00 25.00	612.00 300.00
Day of Springers		1 1	in the second		

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED		
			JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION		HubTotal \$ 912.00 Tax % 6.300 57.46	
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	TIME DUE	Htal 1 969.46 Hoder 1 969.46	
12:,58	1,50		1 1	h s		ADDITIONAL CHARGE 1	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	200 - 100 -		DELAY TIME	ADDITIONAL CHARGE 2	
		1				GRAND TOTAL	