



CONFIDENTIAL

WELL COMPLETION FORM

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34192
Name: SandRidge Exploration and Production LLC
Address 1: 123 ROBERT S. KERR AVE
Address 2: _____
City: OKLAHOMA CITY State: OK Zip: 73102 + 6406
Contact Person: Tiffany Golay
Phone: (405) 429-6543
CONTRACTOR: License # 34464
Name: Lariat Services, Inc.
Wellsite Geologist: William Scott
Purchaser: _____

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil WSW SWD SLOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core. Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth _____
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____
9/19/2012 10/18/2012 10/22/2012
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 15-069-20391-01-00
Spot Description: _____
SE SW SW SW Sec. 28 Twp. 26 S. R. 29 East West
200 Feet from North / South Line of Section
550 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Gray
Lease Name: Minet 2629 Well #: 1-33H
Field Name: _____
Producing Formation: Mississippian
Elevation: Ground: 2736 Kelly Bushing: 2756
Total Depth: 9755 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at: 1575 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: _____
feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 10000 ppm Fluid volume: 2400 bbls
Dewatering method used: Hauled to Disposal
Location of fluid disposal if hauled offsite:
Operator Name: Weinett Disposal LLC
Lease Name: Unnamed License #: 99999
Quarter NW Sec. 99 Twp. 99 S. R. 9 East West
County: Lipscomb, TX Permit #: 10-0992

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Letter of Confidentiality Received
Date: 01/14/2013
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: NAOMI JAMES Date: 01/14/2013

DIRECTIONAL SURVEY CALCULATION

MINIMUM CURVATURE METHOD

Well Name		Target Direction		Slot		N / S		E / W		Hole Size		Calculation by		Date	
Minet 2629 1-33H		181.47		Coordinate										12/27/12	
Job Number		Type of Survey		Tie-in Point								Directional Co.			
0															
Measured Depth	Hole Angle	Hole Direction	Course Length	True Vertical Depth	Vertical Section	Total Coordinate		Dogleg Severity	Build Up */100 ft	Walk/ */100 ft					
						N + / S -	E + / W -								
0	0	0	0	0.00	0.00						<< TIE-IN POINT >>				
250	0	218	250	250.00	0.53	-0.52	-0.40	0.12	0.12	87.08					
515	1	218	265	514.99	2.02	-1.98	-1.53	0.08	0.08	0.00					
761	1	218	246	760.98	4.27	-4.19	-3.24	0.12	0.12	0.00					
1006	1	218	245	1,005.95	7.38	-7.23	-5.59	0.08	0.08	0.00					
1253	1	218	247	1,252.91	10.85	-10.65	-8.23	0.00	0.00	0.00					
1645	1	218	392	1,644.84	16.65	-16.33	-12.62	0.03	0.03	0.00					
1834	1	213	189	1,833.80	19.80	-19.42	-14.81	0.07	0.05	-2.38					
2024	1	186	190	2,023.78	22.64	-22.24	-16.02	0.35	-0.26	-14.47					
2210	0	184	186	2,209.77	24.43	-24.02	-16.17	0.16	-0.16	-1.02					
2398	0	221	188	2,397.77	25.59	-25.17	-16.65	0.14	0.00	19.84					
2587	0	231	189	2,586.76	26.52	-26.08	-17.60	0.04	0.00	5.29					
2865	0	193	278	2,864.75	28.10	-27.64	-18.56	0.10	0.00	-13.88					
3147	1	168	282	3,146.75	30.27	-29.80	-18.52	0.08	0.04	-8.65					
3430	0	202	283	3,429.74	32.39	-31.92	-18.64	0.10	-0.04	12.12					
3714	0	247	284	3,713.73	33.72	-33.22	-19.94	0.11	0.00	15.85					
3997	0	290	283	3,996.73	33.81	-33.26	-21.78	0.10	0.00	15.05					
4089	1	278	92	4,088.72	33.67	-33.10	-22.48	0.15	0.11	-13.48					
4118	1	272	29	4,117.72	33.65	-33.08	-22.73	0.17	0.00	-18.97					
4150	1	207	32	4,149.72	33.95	-33.37	-23.02	3.41	2.19	-204.06					
4181	3	200	31	4,180.69	35.09	-34.50	-23.47	6.82	6.77	-22.26					
4212	6	195	31	4,211.60	37.41	-36.80	-24.15	7.53	7.42	-17.10					
4243	8	187	31	4,242.38	41.01	-40.38	-24.81	7.90	7.42	-23.55					
4274	10	182	31	4,272.99	45.90	-45.26	-25.18	8.18	7.74	-16.77					
4306	13	178	32	4,304.35	52.24	-51.61	-25.16	7.62	7.19	-12.81					
4338	15	176	32	4,335.45	59.74	-59.13	-24.77	6.39	6.25	-5.63					
4369	16	178	31	4,365.35	67.90	-67.29	-24.38	4.83	4.52	6.45					
4401	18	176	32	4,395.94	77.28	-76.69	-23.92	7.09	6.88	-5.94					
4432	21	175	31	4,425.13	87.65	-87.09	-23.15	9.42	9.35	-3.23					
4464	24	175	32	4,454.72	99.74	-99.21	-22.09	7.83	7.81	-1.56					
4495	26	174	31	4,482.91	112.55	-112.05	-20.86	6.50	6.45	-1.94					
4526	28	174	31	4,510.61	126.34	-125.89	-19.46	6.78	6.77	0.32					
4558	30	175	32	4,538.67	141.62	-141.21	-18.02	6.62	6.56	1.87					
4589	32	175	31	4,565.32	157.35	-156.98	-16.67	5.84	5.81	1.29					
4621	33	176	32	4,592.37	174.36	-174.02	-15.36	4.49	4.38	1.87					
4652	36	176	31	4,617.97	191.75	-191.45	-14.09	8.39	8.39	-0.32					
4684	38	176	32	4,643.61	210.81	-210.55	-12.79	7.27	7.19	1.87					
4716	40	177	32	4,668.52	230.83	-230.60	-11.58	6.28	6.25	0.94					
4748	42	178	32	4,692.72	251.70	-251.51	-10.53	6.16	5.94	2.50					
4777	44	179	29	4,713.96	271.40	-271.24	-9.86	8.01	7.59	3.79					
4808	47	180	31	4,735.79	293.39	-293.25	-9.52	8.38	8.06	3.23					
4840	50	179	32	4,757.17	317.17	-317.04	-9.25	9.76	9.69	-1.56					
4872	51	179	32	4,777.64	341.75	-341.64	-8.75	4.24	4.06	-1.56					
4903	51	179	31	4,797.21	365.76	-365.67	-8.21	0.60	-0.32	0.65					
4935	50	179	32	4,817.54	390.44	-390.37	-7.62	1.72	-1.56	-0.94					
4967	50	178	32	4,838.11	414.92	-414.88	-6.92	2.01	-1.87	-0.94					
4997	49	177	30	4,857.67	437.61	-437.60	-6.03	3.50	-2.67	-3.00					
5028	48	177	31	4,878.28	460.71	-460.74	-4.88	3.62	-3.55	-0.97					
5058	48	177	30	4,898.43	482.87	-482.93	-3.71	0.00	0.00	0.00					
5089	50	178	31	4,918.87	506.11	-506.21	-2.64	6.36	6.13	2.26					
5119	52	179	30	4,937.74	529.39	-529.51	-1.93	9.12	8.67	3.67					
5150	55	180	31	4,956.16	554.30	-554.44	-1.56	8.27	8.06	2.26					
5180	57	180	30	4,972.89	579.19	-579.34	-1.50	8.88	8.67	2.33					
5211	60	181	31	4,988.93	605.71	-605.87	-1.71	9.46	9.35	1.61					
5241	63	181	30	5,003.08	632.16	-632.31	-2.20	10.54	10.33	2.33					
5271	67	182	30	5,015.61	659.41	-659.55	-2.89	12.67	12.67	0.33					
5302	71	182	31	5,026.69	688.36	-688.49	-3.67	11.94	11.94	0.32					
5332	74	181	30	5,035.79	716.94	-717.06	-4.39	9.71	9.67	-1.00					

DIRECTIONAL SURVEY CALCULATION

MINIMUM CURVATURE METHOD

Well Name		Target Direction		Slot		N / S		E / W		Hole Size		Calculation by		Date	
Minet 2629 1-33H		181.47		Coordinate										12/27/12	
Job Number		Type of Survey		Tie-in Point								Directional Co.			
0															
Measured Depth	Hole Angle	Hole Direction	Course Length	True Vertical Depth	Vertical Section	Total Coordinate		Dogleg Severity	Build Up %/100 ft	Walk %/100 ft					
						N + / S -	E + / W -								
0	0	0	0	0.00	0.00						<< TIE-IN POINT >>				
5363	77	182	31	5,043.71	746.91	-747.02	-5.15	9.08	9.03	0.97					
5393	80	182	30	5,049.79	776.28	-776.38	-6.00	11.34	11.33	0.33					
5424	83	181	31	5,054.32	806.94	-807.04	-6.72	10.56	10.32	-2.26					
5449	87	181	25	5,056.52	831.84	-831.93	-7.11	14.02	14.00	-0.80					
5547	92	182	98	5,057.89	929.80	-929.87	-9.25	5.18	5.10	0.92					
5577	92	182	30	5,056.94	959.78	-959.84	-10.24	1.49	0.67	1.33					
5607	92	182	30	5,055.97	989.77	-989.81	-11.26	1.05	-0.33	-1.00					
5638	92	182	31	5,055.05	1,020.75	-1,020.78	-12.21	0.72	-0.65	-0.32					
5668	91	182	30	5,054.37	1,050.75	-1,050.76	-13.12	2.03	-2.00	0.33					
5698	91	181	30	5,053.80	1,080.74	-1,080.74	-13.93	1.79	0.67	-1.67					
5728	93	182	30	5,052.80	1,110.72	-1,110.71	-14.85	5.55	4.67	3.00					
5758	93	182	30	5,051.31	1,140.68	-1,140.65	-15.97	1.70	1.67	-0.33					
5788	93	182	30	5,049.66	1,170.64	-1,170.59	-16.92	2.02	0.33	-2.00					
5819	93	182	31	5,047.88	1,201.58	-1,201.52	-17.89	2.04	0.65	1.94					
5849	92	182	30	5,046.36	1,231.54	-1,231.46	-18.96	3.35	-3.33	-0.33					
5878	92	182	29	5,045.17	1,260.52	-1,260.42	-20.02	0.77	-0.34	0.69					
5909	93	182	31	5,043.82	1,291.49	-1,291.37	-21.21	1.29	1.29	0.00					
5939	92	183	30	5,042.49	1,321.45	-1,321.31	-22.44	1.41	-1.00	1.00					
5969	93	183	30	5,041.02	1,351.41	-1,351.24	-23.90	3.33	2.67	2.00					
5999	92	183	30	5,039.61	1,381.36	-1,381.16	-25.58	3.40	-3.33	0.67					
6029	91	184	30	5,038.69	1,411.33	-1,411.09	-27.38	3.16	-3.00	1.00					
6058	89	184	29	5,038.59	1,440.30	-1,440.02	-29.40	8.07	-7.59	2.76					
6088	89	184	30	5,039.22	1,470.25	-1,469.93	-31.68	2.03	-2.00	-0.33					
6118	88	184	30	5,040.11	1,500.21	-1,499.83	-33.87	1.49	-1.33	-0.67					
6149	88	185	31	5,041.14	1,531.15	-1,530.73	-36.20	1.29	0.00	1.29					
6179	88	184	30	5,042.10	1,561.10	-1,560.62	-38.52	0.47	0.33	-0.33					
6209	88	184	30	5,043.07	1,591.05	-1,590.52	-40.75	1.05	-0.33	-1.00					
6239	88	184	30	5,044.09	1,621.00	-1,620.43	-42.86	0.47	-0.33	-0.33					
6270	88	185	31	5,045.15	1,651.94	-1,651.32	-45.24	2.60	0.32	2.58					
6300	88	184	30	5,046.06	1,681.88	-1,681.21	-47.62	1.94	1.00	-1.67					
6330	88	184	30	5,046.93	1,711.83	-1,711.12	-49.87	0.33	-0.33	0.00					
6361	88	184	31	5,047.82	1,742.78	-1,742.02	-52.19	0.32	0.32	0.00					
6391	88	184	30	5,048.66	1,772.74	-1,771.93	-54.26	2.33	0.00	-2.33					
6421	88	183	30	5,049.52	1,802.71	-1,801.87	-56.06	1.05	-0.33	-1.00					
6451	89	183	30	5,050.33	1,832.69	-1,831.81	-57.79	1.00	1.00	0.00					
6481	87	182	30	5,051.41	1,862.66	-1,861.75	-59.25	5.47	-4.33	-3.33					
6512	87	182	31	5,052.95	1,893.62	-1,892.69	-60.41	1.37	-0.97	-0.97					
6542	88	182	30	5,054.34	1,923.58	-1,922.64	-61.33	2.87	2.33	-1.67					
6573	88	180	31	5,055.42	1,954.56	-1,953.62	-61.79	4.62	1.94	-4.19					
6603	88	181	30	5,056.28	1,984.54	-1,983.61	-62.00	1.37	0.33	1.33					
6634	89	180	31	5,056.90	2,015.53	-2,014.60	-62.24	3.06	2.90	-0.97					
6664	89	180	30	5,057.24	2,045.52	-2,044.60	-62.35	0.75	0.33	-0.67					
6694	90	180	30	5,057.51	2,075.51	-2,074.60	-62.37	0.75	0.67	-0.33					
6725	90	180	31	5,057.75	2,106.50	-2,105.59	-62.45	1.02	-0.32	0.97					
6755	90	180	30	5,057.96	2,136.49	-2,135.59	-62.50	1.49	0.67	-1.33					
6785	90	180	30	5,058.12	2,166.48	-2,165.59	-62.45	0.00	0.00	0.00					
6815	90	180	30	5,058.22	2,196.47	-2,195.59	-62.40	0.67	0.67	0.00					
6845	90	180	30	5,058.17	2,226.46	-2,225.59	-62.45	1.89	1.33	1.33					
6876	90	180	31	5,057.98	2,256.45	-2,256.59	-62.53	1.02	0.32	-0.97					
6906	90	181	30	5,057.90	2,286.45	-2,286.59	-62.66	2.36	-1.67	1.67					
6938	90	181	32	5,057.87	2,319.44	-2,318.59	-63.00	1.13	0.94	0.62					
6970	91	181	32	5,057.68	2,351.44	-2,350.59	-63.45	1.13	0.94	0.63					
7002	91	181	32	5,057.34	2,383.44	-2,382.58	-64.00	0.88	0.63	0.62					
7034	91	181	32	5,056.95	2,415.43	-2,414.57	-64.51	1.25	0.00	-1.25					
7065	90	180	31	5,056.71	2,446.43	-2,445.57	-64.81	1.88	-1.61	-0.97					
7095	91	180	30	5,056.52	2,476.42	-2,475.57	-64.81	2.85	1.00	-2.67					
7127	90	179	32	5,056.30	2,508.40	-2,507.57	-64.47	1.40	-0.63	-1.25					

DIRECTIONAL SURVEY CALCULATION

MINIMUM CURVATURE METHOD

Well Name		Target Direction		Slot	N / S	E / W	Hole Size	Calculation by		Date
Minet 2629 1-33H		181.47		Coordinate						12/27/12
Job Number		Type of Survey		Tie-in Point			Directional Co.			
0										
Measured Depth	Hole Angle	Hole Direction	Course Length	True Vertical Depth	Vertical Section	Total Coordinate		Dogleg Severity	Build Up */100 ft	Walk/ */100 ft
						N + / S -	E + / W -			
0	0	0	0	0.00	0.00					
7159	91	179	32	5,056.08	2,540.37	-2,539.56	-64.00	0.70	0.63	-0.31
7190	91	179	31	5,055.72	2,571.34	-2,570.56	-63.48	1.02	0.97	-0.32
7222	91	179	32	5,055.33	2,603.30	-2,602.55	-62.81	1.40	-0.63	-1.25
7254	91	179	32	5,054.97	2,635.26	-2,634.53	-62.00	0.44	0.31	-0.31
7286	91	178	32	5,054.61	2,667.21	-2,666.52	-61.11	0.70	-0.31	-0.62
7318	90	178	32	5,054.44	2,699.15	-2,698.50	-60.08	2.10	-1.87	-0.94
7349	90	178	31	5,054.55	2,730.10	-2,729.48	-58.99	1.29	-1.29	0.00
7381	90	178	32	5,054.55	2,762.04	-2,761.46	-57.82	2.58	2.50	-0.62
7412	91	179	31	5,054.09	2,792.98	-2,792.44	-56.82	3.68	2.90	2.26
7443	92	179	31	5,053.22	2,823.93	-2,823.42	-56.20	2.97	1.94	2.26
7475	93	179	32	5,051.99	2,855.89	-2,855.40	-55.81	1.98	1.87	0.63
7506	92	180	31	5,050.89	2,886.85	-2,886.38	-55.54	2.97	-2.90	0.65
7538	92	180	32	5,049.99	2,918.82	-2,918.36	-55.40	0.94	0.00	0.94
7570	92	180	32	5,049.02	2,950.80	-2,950.35	-55.40	1.13	0.94	0.62
7601	90	179	31	5,048.45	2,981.77	-2,981.34	-55.21	6.20	-5.48	-2.90
7633	90	180	32	5,048.47	3,013.75	-3,013.34	-54.93	2.44	-1.56	1.88
7665	90	179	32	5,048.56	3,045.74	-3,045.34	-54.71	1.56	0.94	-1.25
7697	90	179	32	5,048.59	3,077.72	-3,077.34	-54.37	0.31	-0.31	0.00
7729	90	180	32	5,048.59	3,109.70	-3,109.33	-54.09	0.88	0.62	0.62
7760	90	179	31	5,048.51	3,140.68	-3,140.33	-53.82	0.72	0.32	-0.65
7791	90	181	31	5,048.37	3,171.67	-3,171.33	-54.04	6.46	0.32	6.45
7823	90	183	32	5,048.34	3,203.67	-3,203.31	-55.21	4.65	-1.56	4.38
7855	89	183	32	5,048.57	3,235.66	-3,235.27	-56.77	1.25	-1.25	0.00
7887	89	183	32	5,048.90	3,267.65	-3,267.23	-58.34	0.00	0.00	0.00
7918	90	183	31	5,049.12	3,298.64	-3,298.19	-59.80	1.44	1.29	-0.65
7950	90	183	32	5,049.23	3,330.63	-3,330.16	-61.25	0.00	0.00	0.00
7996	89	183	46	5,049.59	3,376.63	-3,376.11	-63.29	1.11	-1.09	-0.22
8045	90	182	49	5,050.10	3,425.62	-3,425.07	-65.22	1.10	0.41	-1.02
8092	90	182	47	5,050.43	3,472.61	-3,472.04	-66.94	0.60	0.43	0.43
8140	89	182	48	5,050.85	3,520.61	-3,520.00	-68.74	0.86	-0.83	-0.21
8187	89	181	47	5,051.55	3,567.60	-3,566.98	-70.18	1.62	-0.64	-1.49
8235	89	182	48	5,052.22	3,615.60	-3,614.95	-71.64	1.68	0.83	1.46
8282	89	182	47	5,052.79	3,662.59	-3,661.91	-73.40	0.48	-0.43	0.21
8331	90	182	49	5,053.35	3,711.58	-3,710.88	-75.07	1.19	0.61	-1.02
8377	90	183	46	5,053.51	3,757.58	-3,756.84	-76.92	2.92	1.30	2.61
8426	91	183	49	5,053.25	3,806.56	-3,805.78	-79.35	0.84	0.82	-0.20
8472	91	183	46	5,052.77	3,852.55	-3,851.73	-81.52	0.61	0.43	-0.43
8521	91	182	49	5,052.09	3,901.54	-3,900.68	-83.57	0.91	0.41	-0.82
8567	90	182	46	5,051.93	3,947.54	-3,946.65	-85.22	3.11	-3.04	-0.65
8615	90	182	48	5,052.22	3,995.53	-3,994.62	-86.89	0.75	0.62	0.42
8662	90	182	47	5,052.30	4,042.53	-4,041.58	-88.70	0.60	0.43	0.43
8710	90	182	48	5,052.22	4,090.53	-4,089.55	-90.46	0.93	0.42	-0.83
8757	91	182	47	5,051.77	4,137.52	-4,136.52	-92.06	1.50	1.49	0.21
8805	91	182	48	5,050.84	4,185.51	-4,184.48	-93.86	1.04	0.83	0.63
8834	91	182	29	5,050.26	4,214.50	-4,213.46	-94.87	2.31	-1.03	-2.07
8880	91	181	46	5,049.34	4,260.49	-4,259.43	-96.11	0.92	0.65	-0.65
8929	89	182	49	5,049.13	4,309.49	-4,308.40	-97.69	4.66	-4.29	1.84
8975	89	182	46	5,049.97	4,355.47	-4,354.35	-99.58	1.11	-1.09	0.22
9024	88	183	49	5,051.42	4,404.44	-4,403.29	-101.72	1.68	-1.63	0.41
9071	88	183	47	5,053.19	4,451.40	-4,450.20	-103.89	0.30	-0.21	0.21
9119	88	183	48	5,054.94	4,499.36	-4,498.12	-106.06	0.59	0.42	-0.42
9166	88	183	47	5,056.42	4,546.33	-4,545.04	-108.32	1.36	0.85	1.06
9214	89	182	48	5,057.72	4,594.30	-4,592.97	-110.54	1.47	0.21	-1.46
9261	89	182	47	5,058.78	4,641.28	-4,639.92	-112.46	0.88	0.85	0.21
9309	89	183	48	5,059.62	4,689.27	-4,687.87	-114.51	0.47	0.42	0.21
9355	89	182	46	5,060.26	4,735.26	-4,733.83	-116.36	0.97	0.43	-0.87
9404	90	183	49	5,060.65	4,784.25	-4,782.78	-118.45	1.76	1.02	1.43

Section 29
26S 29W

TOEWS 2629 1-28H MINET 2629 1-33H



Section 28
26S 29W

Miss Entry: 5158'
-100.50449 37.750568
* TAMMY LANNETTE SWD 2629 1-33
Top Perf: 5240'
-100.50449 37.750354

Section 32
26S 29W

Section 33
26S 29W

Bottom Perf: 9276'
-100.50457 37.739344

BHL: 9755'
-100.5046 37.737987
582' FWL
334' FSL

Section 5
27S 29W

Section 4
27S 29W



Actual Bottom-Hole Location of Minet 2629 1-33H
Gray County, Kansas

T&R: 26S 29W

Section: 32, 582' FWL & 334' FSL

Long/Lat: -100.5046 37.737987

1 in = 667 ft




● Actual BH Location

* SandRidge Wells

□ Sections

Perf



Draftsman:

Aaron Birk

Draft Date: 1/10/2013

Drawing Name/Number:

Addendum_Minet_1-33H .mxd

Coordinate System:

NAD 1927 State Plane
Kansas South FIPS: 1502