



KANSAS CORPORATION COMMISSION 1107957
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34592
Name: Kansas Resource Exploration & Development, LLC
Address 1: 9393 W 110TH ST, STE 500
Address 2:
City: OVERLAND PARK State: KS Zip: 66210 +
Contact Person: Bradley Kramer
Phone: (913) 669-2253
CONTRACTOR: License # 32834
Name: JTC Oil, Inc.
Wellsite Geologist: N/A
Purchaser: Coffeyville Resources

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.):

If Workover/Re-entry: Old Well Info as follows:
Operator:

Well Name:

Original Comp. Date: Original Total Depth:
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: Plug Back Total Depth
 Commingled Permit #:
 Dual Completion Permit #:
 SWD Permit #:
 ENHR Permit #:
 GSW Permit #:

11/29/2012	12/04/2012	12/05/2012
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-091-24020-00-00

Spot Description:
NE SE NE SE Sec. 16 Twp. 14 S. R. 22 East West
1789 Feet from North / South Line of Section
177 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW

County: Johnson
Lease Name: Wise Well #: KRI-6

Field Name: Gardner

Producing Formation: N/A

Elevation: Ground: 1017 Kelly Bushing: 0

Total Depth: 890 Plug Back Total Depth: 890

Amount of Surface Pipe Set and Cemented at: 20 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: Feet

If Alternate II completion, cement circulated from:

feet depth to: w/ sx crnt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)

Chloride content: 000000 ppm Fluid volume: 0 bbls
Dewatering method used: Evaporated

Location of fluid disposal if hauled offsite:

Operator Name:

Lease Name: License #:

Quarter Sec. Twp. S. R. East West

County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Letter of Confidentiality Received
Date:
 Confidential Release Date:
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Deanna Garrison Date: 01/15/2013

1107957

Operator Name: Kansas Resource Exploration & Development, LLC Lease Name: Wise Well #: KRI-6
Sec. 16 Twp. 14 S. R. 22 [x] East [] West County: Johnson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken [] Yes [x] No [] Log Formation (Top), Depth and Datum [] Sample
Samples Sent to Geological Survey [] Yes [x] No Name Top Datum
Cores Taken [] Yes [x] No N/A N/A N/A
Electric Log Run [] Yes [x] No
Electric Log Submitted Electronically [] Yes [] No
(if no, Submit Copy)

List All E. Logs Run:

CASING RECORD [x] New [] Used

Report all strings set-conductor, surface, intermediate, production, etc.

Table with 8 columns: Purpose of String, Size Hole Drilled, Size Casing Set (in O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Row 1: Surface, 9.875, 7, 14, 20, Portland, 5.

ADDITIONAL CEMENTING / SQUEEZE RECORD

Table with 4 columns: Purpose, Depth Top Bottom, Type of Cement, # Sacks Used, Type and Percent Additives. Rows for Perforate, Protect Casing, Plug Back TD, Plug Off Zone.

PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated

Table with 4 columns: Shots Per Foot, PERFORATION RECORD, Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used), Depth.

TUBING RECORD: Size: Set At: Packer At: Liner Run: [] Yes [] No

Date of First, Resumed Production, SWD or ENHR. Producing Method: [] Flowing [] Pumping [] Gas Lift [] Other (Explain)

Estimated Production Per 24 Hours Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: [] Vented [] Sold [] Used on Lease (If vented, Submit ACO-18.)
METHOD OF COMPLETION: [] Open Hole [] Perf. [] Dually Comp. [] Commingled (Submit ACO-5) [x] Other (Specify) Plugged
PRODUCTION INTERVAL:

