

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
200 Colorado Derby Building
Wichita, Kansas 67202

FORM CP-1
Rev. 6/4/84

WELL PLUGGING APPLICATION FORM
(File One Copy)

API NUMBER 15-053-20,312 0000 (of this well) 6/86
(This must be listed; if no API# was issued, please note drilling completion date.)

LEASE OPERATOR Gore Oil Company (SEE NOTE BELOW) OPERATORS LICENSE NO. 5552
ADDRESS 125 N. Market, Suite 1750, Wichita, KS 67202 PHONE # (316) 263-3535
LEASE (FARM) Thielen WELL NO. 1 WELL LOCATION SW SE NW COUNTY Ellsworth
SEC. 27 TWP. 15S RGE. 8 (~~EA~~) or (TW) TOTAL DEPTH 2993' PLUG BACK TD 2241'

Check One:

OIL WELL _____ GAS WELL XX D & A _____ SWD or INJ WELL _____ DOCKET NO. _____
SURFACE CASING SIZE 8 5/8" SET AT 218' CEMENTED WITH 150 SACKS
CASING SIZE 5 1/2" SET AT 2283' CEMENTED WITH 125 SACKS
PERFORATED AT 2160-62' Severy Sand

CONDITION OF WELL: GOOD XX POOR _____ CASING LEAK _____ JUNK IN HOLE _____

OPERATOR'S SUGGESTED METHOD OF PLUGGING THIS WELL Spot 1 25 sx plug @ 2160' K.B.; 1 25 sx plug @ 870' K.B.; 1 25 sx plug @ 600' K.B.; 1 25 sx plug @ 260'; 1 25 sx plug @ 40' to 5' below ground.

(If additional space is needed use back of form)

IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? Yes IS ACO-1 FILED? N/A
(If not, explain)

DATE AND HOUR PLUGGING IS DESIRED TO BEGIN December 15, 1985

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et seq AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:

Gary Reh PHONE # (316) 672-3236 RECEIVED
STATE CORPORATION COMMISSION
ADDRESS Star Route, Pratt, KS 67124 DEC 6 1985

PLUGGING CONTRACTOR Halliburton Cementing Company LICENSE NO. N/A CONSERVATION DIVISION
Wichita, Kansas

ADDRESS Great Bend, KS 67530 PHONE # (316) 793-5481

PAYMENT WILL BE GUARANTEED BY OPERATOR OR AGENT SIGNED: Scott W Scheuerman
(Operator or Agent)
*THIS LEASE WAS PURCHASED BY GFG COMPANY FROM ASSOCIATED PETROLEUM CONSULTANTS, INC. EFFECTIVE DATE: December 4, 1985
7-1-85 AND GORE OIL COMPANY IS SUCCESSOR OPERATOR

(5)



JOHN CARLIN
MICHAEL LENNEN
MARGALEE WRIGHT
KEITH R. HENLEY
JUDITH A. McCONNELL
BRIAN J. MOLINE

Governor
Chairman
Commissioner
Commissioner
Executive Secretary
General Counsel

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)
200 Colorado Derby Building
202 West 1st Street
WICHITA, KANSAS 67202-1286

THIS NOTICE

1936

EXPIRES

December 6, 1985

WELL PLUGGING NOTICE

Thielen #1
SW SE NW
Sec. 27-15S-8W
Ellsworth County

Gore Oil Company
125 N. Market, Ste. 1750
Wichita, KS 67202

Gentlemen:

This is your notice to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This notice is void after ninety (90) days from the above date.

Sincerely,

William R. Bryson, Director

Please submit your proposal for plugging the above captioned well to
DIST. #5 2501 Market Place, Ste. D Salina, KS 67401 913-628-1200

five days prior to plugging the well (KAR-82-3-113).



GAMMA-COLLAR PERFORATION RECORD

COMPANY	State	COMPANY <u>Sterling Drilling Company &</u>	Log Perforations
		<u>Waiting Brothers Etal</u>	
	WELL	<u>Thielen #1</u>	
	FIELD	<u>W/c</u>	
	County	COUNTY <u>Ellsworth</u> STATE <u>Kansas</u>	
	Location <u>SW SE NW</u>		
	Sec. <u>27</u> Twp. <u>15^s</u> Rge. <u>8^w</u>		

Permanent Datum <u>Ground level</u> Elev. <u>1561'</u>	Elev.: K.B. <u>1570</u>
Log Measured From <u>9' A.G.L.</u>	D.F. _____
Drilling Measured From <u>K.R.</u>	G.L. <u>1561</u>

Type Log	<u>Gamma</u>	<u>Top of Cement</u>
Run No.	<u>one</u>	<u>two</u>
Date	<u>1-16-73</u>	<u>1-16-73</u>
Total Depth Driller	<u>2993</u>	
Present Depth Driller	<u>2250</u>	
Total Depth Welex	<u>2241</u>	<u>2241</u>
Survey Begins	<u>2240</u>	<u>2238</u>
Survey Ends	<u>1500</u>	<u>1550</u>

Type fluid in Hole	<u>Water</u>
Fluid Level	<u>Full</u>
Max. Recorded Temp.	

Recorded By	<u>R. Allison</u>
Witnessed By	<u>Mr. Kelsa & Mr. Shepard</u>

BORE HOLE RECORD					CASING RECORD		
Run	Bit	From	To	Size	Wgt.	From	To
1	12/4	0	221	8 3/8		0	221
	7/8	221	2993	5 1/2		0	2283

THIS LOG RUN FOR CORRELATION AND MEASUREMENT PURPOSES ONLY