

RECEIVED

JAN 18 2013

KCC WICHITA

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISIONWELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

OPERATOR: License # 32593
 Name: dan haffner
 Address 1: rr2 box49
 Address 2: _____
 City: hoxie State: ks Zip: 67740 + _____
 Contact Person: dan haffner
 Phone: (785) 657-1299
 CONTRACTOR: License # 33575
 Name: ww drilling
 Wellsite Geologist: jeff lawler
 Purchaser: coffeyville resources

Designate Type of Completion:

- ☒ New Well ☐ Re-Entry ☐ Workover
- ☒ Oil ☐ WSW ☐ SWD ☐ SLOW
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW
☐ OG ☐ GSW ☐ Temp. Abd.
☐ CM (Coal Bed Methane)
☐ Cathodic ☐ Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD
☐ Conv. to GSW

☐ Plug Back: _____ Plug Back Total Depth: _____☐ Commingled Permit #: _____☐ Dual Completion Permit #: _____☐ SWD Permit #: _____☐ ENHR Permit #: _____☐ GSW Permit #: _____

8-2-12 8-12-12 9-15-12
 Spud Date or Date Reached TD Completion Date or
 Recompletion Date Recompletion Date

API No. 15 - 179-21316-00-00

Spot Description: _____

se se nw sw Sec. 18 Twp. 9 S. R. 27 ☐ East ☒ West1,430 Feet from ☐ North / ☒ South Line of Section1,285 Feet from ☐ East / ☒ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☐ SE ☒ SWCounty: sheridanLease Name: haffner Well #: 1-18Field Name: unknownProducing Formation: lkcElevation: Ground: 2756 Kelly Bushing: 2764Total Depth: 4500 Plug Back Total Depth: 4470Amount of Surface Pipe Set and Cemented at: 279 FeetMultiple Stage Cementing Collar Used? ☒ Yes ☐ NoIf yes, show depth set: 2370 FeetIf Alternate II completion, cement circulated from: 2370feet depth to: surface w/ 725 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 27000 ppm Fluid volume: 800 bblsDewatering method used: evaporation

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West

County: _____ Permit #: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Dan HaffnerTitle: _____ Date: 1-14-13

KCC Office Use ONLY

- ☒ Letter of Confidentiality Received 1/25/13
 Date: 1/25/13
☐ Confidential Release Date: _____
☒ Wireline Log Received
☐ Geologist Report Received
☐ UIC Distribution
 ALT ☐ I ☒ II ☐ III Approved by: Dg Date: 1/25/13

Operator Name: dan haffner Lease Name: haffner Well #: 1-18
 Sec. 18 Twp. 9 S. R. 27 ☐ East ☒ West County: sheridan

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken ☒ Yes ☐ No
 (Attach Additional Sheets)

Samples Sent to Geological Survey ☐ Yes ☒ No

Cores Taken ☐ Yes ☒ No

Electric Log Run ☒ Yes ☐ No

Electric Log Submitted Electronically ☐ Yes ☐ No

(If no, Submit Copy)

List All E. Logs Run:

sonic-micro-porsity-induction

☒ Log Formation (Top), Depth and Datum ☐ Sample

Name	Top	Datum
anhy	2355	+409
heeb	3851	-1087
lkc	3886	-1122
bkc	4115	-1351

RECEIVED

JAN 18 2013

CASING RECORD ☐ New ☐ Used

Report all strings set-conductor, surface, intermediate, production, etc.

KCC WICHITA

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/2	8 5/8	23	279	com	175	gel/cc3%
production		5 1/2	14	4470	com	205	gel cal/seal

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
____ Perforate				
____ Protect Casing				
____ Plug Back TD				
____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	3952-3954	3915-3918	500 gal mud acid	

TUBING RECORD:		Size: 2 7/8	Set At: 4100	Packer At:	Liner Run: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR. 9-25-12		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____			
Estimated Production Per 24 Hours	Oil Bbls. 50	Gas Mcf	Water Bbls. 300	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)		METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. (Submit ACO-5) <input type="checkbox"/> Commingled (Submit ACO-4) <input type="checkbox"/> Other (Specify) _____		PRODUCTION INTERVAL: 3952-54 3915-18
--	--	---	--	--



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Dan Haffner

18-9s-27w Sheridan, KS

6916 S Road 40e
Hoxie, KS 67740

Haffner #1-18

Job Ticket: 45637

DST#: 1

ATTN: Dan Haffner/Jeff Law

Test Start: 2012.08.06 @ 23:40:00

GENERAL INFORMATION:

Formation: **Toronto**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 02:28:00

Time Test Ended: 06:07:15

Test Type: Conventional Bottom Hole (Initial)

Tester: Kevin Mack

Unit No: 43

Interval: 3854.00 ft (KB) To 3886.00 ft (KB) (TVD)

Total Depth: 3886.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Good

Reference Elevations: 2760.00 ft (KB)

2750.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 6799 Inside

Press@RunDepth: 31.28 psig @ 3855.00 ft (KB)

Start Date: 2012.08.06

End Date: 2012.08.07

Capacity: 8000.00 psig

Last Calib.: 2012.08.07

Start Time: 23:40:05

End Time: 06:07:14


Time On Btm: 2012.08.07 @ 02:27:15

Time Off Btm: 2012.08.07 @ 04:14:30

TEST COMMENT: 30 - IF- Blow built to 1/4" then died back to surface blow

60 - IS- No Return

15 - FF- No Blow - Flushed tool at ten min. - No Blow. Waited 5 min. Then pulled tool



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1935.39	116.66	Initial Hydro-static
1	21.25	116.12	Open To Flow (1)
40	31.28	116.37	Shut-In(1)
90	376.55	117.31	End Shut-In(1)
91	22.30	117.22	Open To Flow (2)
105	23.67	117.56	Shut-In(2)
108	1893.03	119.25	Final Hydro-static

Recovery


Length (ft)	Description	Volume (bbl)
5.00	Mud 100M	0.02

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------

RECEIVED
JAN 10 2013

KCC WICHITA



DRILL STEM TEST REPORT

Prepared For: **Dan Haffner**

6916 S Road 40e
Hoxie, KS 67740

ATTN: Dan Haffner/Jeff Law

Haffner #1-18

18-9s-27w Sheridan,KS

Start Date: 2012.08.06 @ 23:40:00

End Date: 2012.08.07 @ 06:07:15

Job Ticket #: 45637 DST #: 1

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Printed: 2012.08.13 @ 16:18:47

Dan Haffner
18-9s-27w Sheridan,KS
Haffner #1-18
DST # 1
Toronto
2012.08.06



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Dan Haffner

18-9s-27w Sheridan, KS

6916 S Road 40e
Hoxie, KS 67740

Haffner #1-18

Job Ticket: 45641

DST#: 5

ATTN: Dan Haffner/Jeff Law

Test Start: 2012.08.09 @ 11:14:00

GENERAL INFORMATION:

Formation: LKC "H-I"

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 13:35:00

Time Test Ended: 18:01:45

Test Type: Conventional Bottom Hole (Initial)

Tester: Kevin Mack

Unit No: 43

Interval: 4004.00 ft (KB) To 4065.00 ft (KB) (TVD)

Total Depth: 4065.00 ft (KB) (TVD)

Hole Diameter: 7.88 Inches Hole Condition: Good

Reference Elevations: 2760.00 ft (KB)

2750.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 6799

Inside

Press@RunDepth: 23.09 psig @ 4005.00 ft (KB)

Start Date: 2012.08.09

End Date:

2012.08.09

Capacity: 8000.00 psig

Last Calib.: 2012.08.09

Start Time: 11:14:05


End Time:

18:01:44

Time On Btm: 2012.08.09 @ 13:34:15

Time Off Btm: 2012.08.09 @ 16:01:30

TEST COMMENT: 45 - IF- 1/8" Blow died back to surface.
90 - IS- No Return
15 - FF- No Blow - Flushed tool at 10 min. - No Blow
0 - FS - Pulled tool at end of FF



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2010.44	114.53	Initial Hydro-static
1	18.10	114.22	Open To Flow (1)
38	23.09	116.95	Shut-In(1)
126	1080.15	119.48	End Shut-In(1)
126	24.84	119.21	Open To Flow (2)
147	31.27	119.87	Shut-In(2)
148	1998.40	121.22	Final Hydro-static

Recovery


Length (ft)	Description	Volume (bbl)
10.00	OSM 100M (oil spots)	0.05

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------

RECEIVED
JAN 18 2013

KCC WICHITA



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Dan Haffner

6916 S Road 40e
Hoxie, KS 67740

ATTN: Dan Haffner/Jeff Law

18-9s-27w Sheridan, KS

Haffner #1-18

Job Ticket: 45639

DST#: 3

Test Start: 2012.08.08 @ 03:12:00

GENERAL INFORMATION:

Formation: **LKC "C-D"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 05:55:45

Time Test Ended: 10:41:45

Interval: **3910.00 ft (KB) To 3949.00 ft (KB) (TVD)**

Total Depth: **3949.00 ft (KB) (TVD)**

Hole Diameter: **7.88 inches** Hole Condition: Good

Test Type: **Conventional Bottom Hole (Initial)**

Tester: **Kevin Mack**

Unit No: **43**

Reference Elevations: **2760.00 ft (KB)**

2750.00 ft (CF)

KB to GR/CF: **10.00 ft**

Serial #: 6799

Inside

Press@RunDepth: **109.55 psig @ 3911.00 ft (KB)**

Start Date: **2012.08.08**

End Date:

2012.08.08

Start Time: **03:12:05**

End Time:

10:41:44


Capacity: **8000.00 psig**

Last Calib.: **2012.08.08**

Time On Btm: **2012.08.08 @ 05:54:45**

Time Off Btm: **2012.08.08 @ 08:56:30**

TEST COMMENT: 30 - IF- Surface Blow built to 6"
60 - IS- No Return
30 - FF- Surface Blow started at 7 min. Built to 3 3/4"
60 - FS- No Return



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1946.47	112.32	Initial Hydro-static
1	21.91	111.72	Open To Flow (1)
30	82.50	118.81	Shut-In(1)
91	1143.73	122.62	End Shut-In(1)
92	85.59	122.23	Open To Flow (2)
120	109.55	124.51	Shut-In(2)
181	1134.35	125.43	End Shut-In(2)
182	1902.98	124.55	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
120.00	MW 20M 80W	0.59
71.00	OSMW 50M 50W (oil spots)	1.00
1.00	Free Oil 100o	0.01

Gas Rates

	Choke (Inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

RECEIVED

JAN 18 2013

KCC WICHITA



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Dan Haffner

18-9s-27w Sheridan,KS

6916 S Road 40e
Hoxie, KS 67740

Haffner #1-18

Job Ticket: 45640

DST#: 4

ATTN: Dan Haffner/Jeff Law

Test Start: 2012.08.08 @ 17:15:00

GENERAL INFORMATION:

Formation: LKC "E-F"

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 19:26:45

Time Test Ended: 02:00:00

Test Type: Conventional Bottom Hole (Initial)

Tester: Kevin Mack

Unit No: 43

Interval: 3948.00 ft (KB) To 3975.00 ft (KB) (TVD)

Total Depth: 3975.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2760.00 ft (KB)

2750.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 6799

Inside

Press@RunDepth: 763.58 psig @ 3949.00 ft (KB)

Start Date: 2012.08.08 End Date: 2012.08.09

Start Time: 17:15:05 End Time: 02:00:00

Capacity: 8000.00 psig


Last Calib.: 2012.08.09

Time On Btm: 2012.08.08 @ 19:25:45

Time Off Btm: 2012.08.08 @ 22:46:30

TEST COMMENT: 15 - IF- BoB in 2 1/2 min.
30 - IS- Weak surface return started at 10 min. Built to 1"
60 - FF- BoB in 3 1/2 min.
90 - FS- Surace Return stared at 2 min. Built to BoB in 28 min.

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1923.99	113.76	Initial Hydro-static
1	82.24	118.03	Open To Flow (1)
14	262.36	131.42	Shut-In(1)
46	1155.68	129.97	End Shut-In(1)
47	280.50	129.66	Open To Flow (2)
105	763.58	131.38	Shut-In(2)
199	1156.30	130.31	End Shut-In(2)
201	1888.95	127.77	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	Mud (Heavy) 100M	0.02
864.00	MW 95W 5M	11.07
434.00	OSMW 70W 30M (oil spots)	6.09
248.00	GMCWO 20G 40o 20W 20M	3.48
248.00	Clean Gassy Oil 60o 40G	3.48
0.00	300' GIP	0.00


Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------

RECEIVED

JAN 18 2013

KCC WICHITA



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Dan Haffner

6916 S Road 40e
Hoxie, KS 67740

ATTN: Dan Haffner/Jeff Law

18-9s-27w Sheridan, KS

Haffner #1-18

Job Ticket: 45638

DST#: 2

Test Start: 2012.08.07 @ 13:10:00

GENERAL INFORMATION:

Formation: **LKC "A-B"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 15:22:45

Time Test Ended: 20:30:45

Test Type: Conventional Bottom Hole (Initial)

Tester: Kevin Mack

Unit No: 43

Interval: **3886.00 ft (KB) To 3920.00 ft (KB) (TVD)**

Total Depth: **3920.00 ft (KB) (TVD)**

Hole Diameter: **7.88 inches** Hole Condition: Good

Reference Elevations: **2760.00 ft (KB)**

2750.00 ft (CF)

KB to GR/CF: **10.00 ft**

Serial #: 8648

Inside

Press@RunDepth: **139.00 psig @ 3887.00 ft (KB)**

Start Date: **2012.08.07**

End Date:

2012.08.07

Start Time: **13:10:05**

End Time:

20:30:44

Capacity: **8000.00 psig**

Last Calib.: **2012.08.07**

Time On Btm: **2012.08.07 @ 15:21:45**

Time Off Btm: **2012.08.07 @ 18:29:15**

TEST COMMENT: 30 - IF- Surface Blow built to 9 1/2"

60 - IS- No Return

30 - FF- Surface Blow started at 3 min. Built to 6 3/4"

60 - FS- No Return

PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1944.19	114.23	Initial Hydro-static
1	24.11	114.32	Open To Flow (1)
30	99.39	119.41	Shut-In(1)
89	1115.24	123.35	End Shut-In(1)
90	104.70	122.80	Open To Flow (2)
120	139.00	127.91	Shut-In(2)
186	1100.60	127.39	End Shut-In(2)
188	1903.67	125.51	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
120.00	MW 90W 10M	0.59
124.00	OSMW 60W 40M OIL SPOTS	1.74
20.00	OSWM 40W 60M OIL SPOTS	0.28
1.00	Free Oil 100o	0.01

Gas Rates

	Choke (Inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

RECEIVED
JAN 18 2013
KCC WICHITA



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Dan Haffner

6916 S Road 40e
Hoxie, KS 67740

ATTN: Dan Haffner/Jeff Law

18-9s-27w Sheridan, KS

Haffner #1-18

Job Ticket: 45643

DST#: 7

Test Start: 2012.08.11 @ 14:15:00

GENERAL INFORMATION:

Formation: **Ft. Scott - Cherokee**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 16:40:45

Time Test Ended: 21:31:15

Interval: **4316.00 ft (KB) To 4405.00 ft (KB) (TVD)**

Total Depth: **4405.00 ft (KB) (TVD)**

Hole Diameter: 7.88 inches Hole Condition: Good

Test Type: Conventional Bottom Hole (Initial)

Tester: Kevin Mack

Unit No: 43

Reference Elevations: 2760.00 ft (KB)

2750.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 6799

Inside

Press@RunDepth: 27.21 psig @ 4317.00 ft (KB)

Start Date: 2012.08.11

End Date:

2012.08.11

Start Time: 14:15:05

End Time:

21:31:14


Capacity: 8000.00 psig

Last Calib.: 2012.08.11

Time On Btm: 2012.08.11 @ 16:39:45

Time Off Btm: 2012.08.11 @ 19:13:30

TEST COMMENT: 45 - IF- 1/4" Blow died in 17 min.
90 - IS- No Return
15 - FF- No Blow - Flushed tool at 10 min. - No Blow
0 - FS- Pulled tool at end of FF



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2280.62	117.42	Initial Hydro-static
1	25.46	116.83	Open To Flow (1)
46	27.21	119.68	Shut-In(1)
135	68.26	122.69	End Shut-In(1)
136	26.10	122.70	Open To Flow (2)
151	37.38	123.46	Shut-In(2)
154	2257.20	124.90	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
10.00	Mud 100M	0.05

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------

RECEIVED
JAN 18 2013
KCC WICHITA



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Dan Haffner

6916 S Road 40e
Hoxie, KS 67740

ATTN: Dan Haffner/Jeff Law

18-9s-27w Sheridan, KS

Haffner #1-18

Job Ticket: 45642

DST#: 6

Test Start: 2012.08.10 @ 03:55:00

GENERAL INFORMATION:

Formation: LKC "J,K,L"

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 06:25:45

Time Test Ended: 11:01:30

Interval: 4065.00 ft (KB) To 4135.00 ft (KB) (TVD)

Total Depth: 4135.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Good

Test Type: Conventional Bottom Hole (Initial)

Tester: Kevin Mack

Unit No: 43

Reference Elevations: 2760.00 ft (KB)

2750.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 6799

Inside

Press@RunDepth: 33.34 psig @ 4066.00 ft (KB)

Start Date: 2012.08.10

End Date:

2012.08.10

Start Time: 03:55:05

End Time:

11:01:29

Capacity: 8000.00 psig


Last Calib.: 2012.08.10

Time On Btm: 2012.08.10 @ 06:25:00

Time Off Btm: 2012.08.10 @ 08:52:45

TEST COMMENT: 45- IF- Surface Blow died in 2 min.
85 - IS- No Return
15 - FF- No Blow - Flushed tool at 10 min. - Surface Blow died in 30 sec.
0 - FS- Pulled tool at end of FF

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2154.72	114.37	Initial Hydro-static
1	19.59	113.73	Open To Flow (1)
47	33.34	118.13	Shut-In(1)
131	1270.18	120.46	End Shut-In(1)
132	39.27	119.82	Open To Flow (2)
147	55.30	120.61	Shut-In(2)
148	2000.65	121.84	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
62.00	OCM 95M 50	0.30

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

RECEIVED

JAN 18 2013

KCC WICHITA

I WOULD LIKE THIS
INFORMATION KEEP CONFIDENTIAL
AS LONG AS POSSIBLE

Don Hallman
Owner

RECEIVED
JAN 02 2013
KCC WICHITA

REMIT TO
RR 1 BOX 90 D
HOXIE, KS 67740

SCHIPPERS OIL FIELD SERVICE L.L.C.

N2 617

DATE 7/14/12	SEC. 18	RANGE/TWP. 9-27	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
					COUNTY 80	STATE KS
LEASE Hiffer			WELL # 1-18			

CONTRACTOR		OWNER		RECEIVED	
TYPE OF JOB Top Stage				JAN 12 2013	
HOLE SIZE	T.D.	CEMENT			
CASING SIZE	DEPTH	AMONT ORDERED	72 S	KCC WICHITA	
TUBING SIZE	DEPTH				
DRILL PIPE	DEPTH				
TOOL	DEPTH				
PRES. MAX	MINIMUM	COMMON	435	@ 15"	6,770"
DISPLACEMENT	SHOE JOINT	POZMIX	315	@ 8"	2,677"
CEMENT LEFT IN CSG.		GEL	25	@ 26"	650"
PERFS		CHLORIDE		@	
		ASC		@	
EQUIPMENT				@	
				@	
PUMP TRUCK		7160 Seal	50	@ 3"	162"
#				@	
BULK TRUCK				@	
#				@	
BULK TRUCK				@	
#				@	
		HANDLING	77 S	@ 2"	1,558"
		MILEAGE	10	@ 22"	725"
				TOTAL	

REMARKS	SERVICE	Top Stage	
	DEPT OF JOB	@	
	PUMP TRUCK CHARGE	@	1350"
	EXTRA FOOTAGE	@	
	MILEAGE	10x2	@ 6.50 120.00
	MANIFOLD	@	
	6 1/2 Valve	10x2	@ 7.00 40.00
		TOTAL	

CHARGES TO: Hiffer	
STREET	STATE
CITY	ZIP

To: Schippers Oil Field Services L.L.C.
You are hereby requested to rent cementing equipment and furnish staff to assit owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT	
	@
	@
	@
	@
	@
	TOTAL
TAX	
TOTAL CHARGE	
DISCOUNT (IF PAID IN 20 DAYS)	

SIGNATURE

PRINTED NAME

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "SOS" shall mean Schippers Oil Field Services, L.L.C. and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract; "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

TERMS: Unless satisfactory credit has been established, CUSTOMER must tender full cash payment to SOS before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, CUSTOMER agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that CUSTOMER may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the CUSTOMER or at the option of SOS, refunded directly to CUSTOMER. For purposes of this paragraph, SOS and CUSTOMER agrees that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

PRICES AND TAXES: All merchandise listed in SOS's current price schedule are F.O.B. SOS's local station is subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by SOS shall be added to the quoted price charged to CUSTOMER.

TOWING CHARGES: SOS will make a reasonable attempt to get to and from each job site using its own equipment. Should SOS be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by SOS, will be charged to and paid by CUSTOMER.

PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay SOS for the expenses incurred by SOS as a result of the cancellation.

DEADHAUL CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charge as set for in SOS's current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

SERVICE CONDITIONS AND LIABILITIES:

1. SOS, carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond SOS's control, SOS shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless SOS, its officers, agents and employees, from and against any and all claims or suits for:
 - A. Damage to property or for bodily injury, sickness, disease, or death, brought by any person including CUSTOMER and/or the well owner; and
 - B. Oil spill, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with SOS's performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of SOS or its employees.
2. With respect to any of SOS's tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to SOS at the landing, CUSTOMER shall either recover the lost item without cost to SOS or reimburse SOS the current replacement cost of the item unless the loss or damage results from the sole negligence of SOS or its employees.
3. SOS does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES:

1. SOS warrants all merchandise manufacture or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. SOS's obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, as its option, for any merchandise which is determined by SOS to be defective. THIS IS THE SOLE WARRANTY OF SOS AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESSED OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANT ABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. CUSTOMERS sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and SOS shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.
2. More specifically:
 - A. Nothing in this contract shall be construed as a warranty by SOS of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.
 - B. Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by SOS or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by SOS, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of SOS or its employees in the preparation or furnishing of such facts, information or data.
 - C. Work done by SOS shall be under the direct supervision and control of the CUSTOMER or his agent and SOS will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

REMIT TO
RR 1 BOX 90 D
HOXIE KS 67740

SCHIPPERS OIL FIELD SERVICE L.L.C.

RECEIVED
JAN 02 2013

604

KCC WICHITA

DATE 8/12	SEC. 18	RANGE/TWP. 9-27W1	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
					COUNTY SD	STATE KS
LEASE 11/11/11			WELL # 1-18			

CONTRACTOR WW12		OWNER Dan Hoffman			
TYPE OF JOB					
HOLE SIZE	T.D.	CEMENT			
CASING SIZE 5 1/2	DEPTH	AMOUNT ORDERED			
TUBING SIZE	DEPTH				
DRILL PIPE	DEPTH				
TOOL	DEPTH				
PRES. MAX	MINIMUM	COMMON	205	@ 15.00	3,177.50
DISPLACEMENT 108 1/2	SHOE JOINT	POZMIX		@	
CEMENT LEFT IN CSG.		GEL	3	@ 26.00	78.00
PERFS		CHLORIDE		@	
		ASC		@	
EQUIPMENT		Mud sweep	500 gal	@ 1.00	500.00
		Cal-seal	15	@ 30.00	450.00
PUMP TRUCK				@	
# Kay Lewis				@	
BULK TRUCK				@	
# Eric Kinderknecht				@	
BULK TRUCK				@	
#				@	
				@	
		HANDLING	208	@ 2.15	447.20
		MILEAGE	12	@ 20.80	249.60
				TOTAL	

REMARKS	SERVICE Port collar		
30 sacks plug railhole	DEPT OF JOB	@	
	PUMP TRUCK CHARGE	@	1850.00
	EXTRA FOOTAGE	@	
	MILEAGE 12x2	@ 16.50	156.00
	MANIFOLD	@	
	high vehicle 12x2	@ 20	48.00
		TOTAL	

CHARGE TO:	
STREET	STATE
CITY	ZIP

To: Schippers Oil Field Service LLC
You are hereby requested to rent cementing equipment and furnish staff to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT	
10 condit 12x15 11/4"	@ 670.00
3 baskets 12x15	@ 975.00
port collar	@ 2175.00
1 inch down plug	@ 477.00
7 inch 11/4" quick 9x8	@ 1891.00
12 scratches 11/4"	TOTAL 7560.00
TAX	
TOTAL CHARGE	
DISCOUNT (IF PAID IN 20 DAYS)	

SIGNATURE PRINTED NAME

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "SOS" shall mean Schippers Oil Field Services, LLC. and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

--TERMS: Unless satisfactory credit has been established, CUSTOMER must tender full cash payment to SOS before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, CUSTOMER agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that CUSTOMER may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the CUSTOMER or at the option of SOS, refunded directly to CUSTOMER. For purposes of this paragraph, SOS and CUSTOMER agrees that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

--ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

--PRICES AND TAXES: All merchandise listed in SOS's current price schedule are F.O.B. SOS's local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by SOS shall be added to the quoted prices charged to CUSTOMER.

--TOWING CHARGES: SOS will make a reasonable attempt to get to and from each job site using its own equipment. Should SOS be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by SOS, will be charged to and paid by CUSTOMER.

--PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay SOS for the expenses incurred by SOS as a result of the cancellation.

--DEADHAUL CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charge as set for in SOS's current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

--SERVICE CONDITIONS AND LIABILITIES:

1. SOS carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond SOS's control, SOS shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless SOS, its officers, agents and employees, from and against any and all claims or suits for:

A. Damage to property or for bodily injury, sickness, disease, or death, brought by any person including CUSTOMER and/or the well owner; and:

B. Oil spill, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with SOS's performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of SOS or its employees.

2. With respect to any of SOS's tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to SOS at the landing. CUSTOMER shall either recover the lost item without cost to SOS or reimburse SOS the current replacement cost of the item unless the loss or damage results from the sole negligence of SOS or its employees.

3. SOS does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

--WARRANTIES:

1. SOS warrants all merchandise manufacture or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. SOS's obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, as its option, for any merchandise which is determined by SOS to be defective. THIS IS THE SOLE WARRANTY OF SOS AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and SOS shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

A. Nothing in this contract shall be construed as a warranty by SOS of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

B. Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by SOS or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by SOS, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of SOS or its employees in the preparation or furnishing of such facts, information or data.

C. Work done by SOS shall be under the direct supervision and control of the CUSTOMER or his agent and SOS will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

REMIT TO
RR 1 BOX 90 D
HOXIE KS 67740

SCHIPPERS OIL FIELD SERVICE L.L.C.

RECEIVED
JAN 02 2013
KCC WICHITA

600

DATE 8/3/12	SEC.	RANGE/TWP.	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE 16/16/12					COUNTY SD	STATE KS
			WELL # 118			

CONTRACTOR WW12		OWNER Dan 16/16/12			
TYPE OF JOB					
HOLE SIZE 12 1/4	T.D.	CEMENT			
CASING SIZE 8 5/8	DEPTH 219.95	AMOUNT ORDERED			
TUBING SIZE	DEPTH				
DRILL PIPE	DEPTH				
TOOL	DEPTH				
PRES. MAX	MINIMUM	COMMON	175	@ 15.50	
DISPLACEMENT	SHOE JOINT	POZMIX		@	
CEMENT LEFT IN CSG.		GEL	3	@ 26.00	
PERFS		CHLORIDE	5	@ 52.00	
		ASC		@	
EQUIPMENT				@	
				@	
PUMP TRUCK				@	
# JAY LEWIS				@	
BULK TRUCK				@	
# ERIC KURT KIRCH				@	
BULK TRUCK				@	
#				@	
				@	
		HANDLING	185	@ 215	398.45
		MILEAGE	120	@ 18.00	2160.00
				TOTAL	

REMARKS	SERVICE Surface		
	DEPT OF JOB	@	
Plug down @ 8:30 pm	PUMP TRUCK CHARGE	@	1050.00
	EXTRA FOOTAGE	@	
Circulate cement to get	MILEAGE 12x2	@ 6.50	
	MANIFOLD	@	
	Light vehicle 12x2	@ 200	
		TOTAL	

CHARGE TO:	
STREET	STATE
CITY	ZIP

To: Schippers Oil Field Service LLC

You are hereby requested to rent cementing equipment and furnish staff to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT	
	@
	@
	@
	@
	@
	TOTAL
TAX	
TOTAL CHARGE	
DISCOUNT (IF PAID IN 20 DAYS)	

SIGNATURE

PRINTED NAME

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "SOS" shall mean Schippers Oil Field Services, LLC, and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

--TERMS: Unless satisfactory credit has been established, CUSTOMER must tender full cash payment to SOS before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, CUSTOMER agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that CUSTOMER may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the CUSTOMER or at the option of SOS, refunded directly to CUSTOMER. For purposes of this paragraph, SOS and CUSTOMER agrees that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

--ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

--PRICES AND TAXES: All merchandise listed in SOS's current price schedule are F.O.B. SOS's local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by SOS shall be added to the quoted prices charged to CUSTOMER.

--TOWING CHARGES: SOS will make a reasonable attempt to get to and from each job site using its own equipment. Should SOS be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by SOS, will be charged to and paid by CUSTOMER.

--PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay SOS for the expenses incurred by SOS as a result of the cancellation.

--DEADHAUL CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charge as set for in SOS'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

--SERVICE CONDITIONS AND LIABILITIES:

1. SOS carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond SOS'S control, SOS shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless SOS, its officers, agents and employees, from and against any and all claims or suits for:

A. Damage to property or for bodily injury, sickness, disease, or death, brought by any person including CUSTOMER and/or the well owner; and:

B. Oil spill, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with SOS'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of SOS or its employees.

2. With respect to any of SOS'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to SOS at the landing, CUSTOMER shall either recover the lost item without cost to SOS or reimburse SOS the current replacement cost of the item unless the loss or damage results from the sole negligence of SOS or its employees.

3. SOS does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

--WARRANTIES:

1. SOS warrants all merchandise manufacture or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. SOS'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, as its option, for any merchandise which is determined by SOS to be defective. THIS IS THE SOLE WARRANTY OF SOS AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and SOS shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

A. Nothing in this contract shall be construed as a warranty by SOS of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

B. Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by SOS or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by SOS, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of SOS or its employees in the preparation or furnishing of such facts, information or data.

C. Work done by SOS shall be under the direct supervision and control of the CUSTOMER or his agent and SOS will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.