

RECEIVED

JAN 16 2013

KCC WICHITA

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1  
June 2009  
Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

OPERATOR: License # 09267  
Name: JRC Oil Company, Inc.  
Address 1: P. O. Box 426  
Address 2: 24110 NE Vermont Road  
City: Garnett State: Kansas Zip: 66032 + 0426  
Contact Person: Mike Colvin  
Phone: (785) 448-8112  
CONTRACTOR: License # 32079  
Name: John E. Leis  
Wellsite Geologist: None  
Purchaser: Pacer

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     WSW     SWD     SIOW  
 Gas     D&A     ENHR     SIGW  
 OG     GSW     Temp. Abd.  
 CM (Coal Bed Methane)  
 Cathodic     Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to ENHR     Conv. to SWD  
 Conv. to GSW  
 Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled    Permit #: \_\_\_\_\_  
 Dual Completion    Permit #: \_\_\_\_\_  
 SWD    Permit #: \_\_\_\_\_  
 ENHR    Permit #: \_\_\_\_\_  
 GSW    Permit #: \_\_\_\_\_

May 15, 2012	May 16, 2012	December 6, 2012
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 003-25458-0000  
Spot Description:  
SW NW SE SE Sec. 32 Twp. 20 S. R. 21  East  West  
825 Feet from  North /  South Line of Section  
1,185 Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:  
 NE     NW     SE     SW  
County: Anderson  
Lease Name: Bandy Well #: BK-22  
Field Name: Bush City Shoestring

Producing Formation: Cattleman and Squirrel Sandstones  
Elevation: Ground: 985' Kelly Bushing: NA  
Total Depth: 819' Plug Back Total Depth: 812'  
Amount of Surface Pipe Set and Cemented at: 21' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: 816'  
feet depth to: Surface w/ 90 sx cmt.

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)  
Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls  
Dewatering method used: \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

**AFFIDAVIT**  
I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.  
Signature: Michael S. Colvin  
Title: Vice President Date: December 30, 2012

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
Date: \_\_\_\_\_  
 Confidential Release Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
ALT  I  II  III Approved by: DLC Date: 1/25/13

Operator Name: JRC Oil Company, Inc. Lease Name: Bandy Well #: BK-22  
 Sec. 32 Twp. 20 S. R. 21  East  West County: Anderson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run: <b>Gamma Ray and Neutron</b>	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum See attached driller's log.
--	--

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10-1/4"	7"	20	21'	Portland "A"	6	None
Production	5-5/8"	2-7/8"	6.5	816'	Portland "A"	90	None

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	618'-638' OA 42 holes	Fractured perforations with 3,500 lbs of 10/20 sand in 130 bbls gelled salt water.	
2	743'-753' OA 21 holes	Fractured perforations with 1,000 lbs of 10/20 sand in 75 bbls of lease crude.	

TUBING RECORD: Size: <u>1.315" 1.7 lb/ft</u> Set At: <u>757'</u> Packer At: <u>None</u> Liner Run: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR. <u>December 7, 2012</u>	Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____
Estimated Production Per 24 Hours	Oil Bbls. <u>1.5</u> Gas Mcf <u>Trace</u> Water Bbls. <u>2.0</u> Gas-Oil Ratio <u>TSTM</u> Gravity <u>36.0</u>

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input checked="" type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: <u>618'-638'</u> <u>743'-753'</u>
--	---	--

RECEIVED  
 JAN 16 2013  
 KCC WICHITA

<b>Operator License #:</b> 9267		<b>API #:</b> 15-003-25461-00-00	
<b>Operator:</b> JRC Oil Company, Inc.		<b>Lease:</b> Bandy	
<b>Address:</b> PO Box 426 Garnett, KS 66032		<b>Well #:</b> BK-22	
<b>Phone:</b> (785) 448-8112		<b>Spud Date:</b> 5/15/12	<b>Completed:</b> 5/16/12
<b>Contractor License:</b> 32079		<b>Location:</b> SW-NW-SE-SE of 32-20S-21E	
<b>T.D. :</b> 819	<b>T.D. of Pipe:</b> 816	825	<b>Feet From</b> South
<b>Surface Pipe Size:</b> 7"	<b>Depth:</b> 21'	1185	<b>Feet From</b> East
<b>Kind of Well:</b> Oil		<b>County:</b> Anderson	

## LOG

Thickness	Strata	From	To	Thickness	Strata	From	To
2	Soil	0	2	14	Sand/Shale/lt odor	608	622
2	Clay	2	4	16	Oil Sand/odor/bld	622	638
23	Shale	4	27	108	Shale	638	746
28	Lime	27	55	9	Oil Sand	746	755
24	Shale	55	79	1	Coal	755	756
7	Lime	79	86	63	Shale	756	819
16	Shale	86	102				
6	Lime	102	108				
23	Shale	108	131				
52	Lime	131	183				
8	Shale	183	191				
17	Lime	191	218				
4	Shale	218	222				
11	Lime	222	233				
169	Shale	233	402				
3	Lime	402	405		T.D.		819
8	Shale	405	413		T.D. of Pipe		816
3	Lime	413	416				
6	Shale	416	422				
10	Lime	422	432				
48	Shale	432	480	465	Oil Show		
8	Lime	480	488				
17	Shale	488	505				
4	Lime	505	509				
22	Shale	509	531				
12	Lime	531	543				
16	Shale	543	559				
6	Lime	559	565				
43	Shale	565	608				

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



**CONDITIONS**

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

**NOTICE TO OWNER**

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

SOLO TO:

JR002  
J. R. C. OIL COMPANY, INC.  
25558 NE WILSON RD.

*BK-22  
9054*

GARNETT KS  
66032-9622

JR11/24  
JRC OIL CO., INC/P.O. BOX 426  
169 N to 1400 E TO TEE N 1 MI  
TO 1500 E 2 MI TO WILSON  
N 1 MI WEST TO RIG  
GARNETT, KS 66032-0426

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
07:38:49a	WELL	9.00 yd	36.00 yd	0.00	JE 32	0.00	ANDCO
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
05-17-12	o Date Today	1 1	9.00 yd 9.00 yd		G/yd 0.0	4.00 in	20536 31562

**WARNING**

**IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of the material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED

X \_\_\_\_\_

**Excessive Water is Detrimental to Concrete Performance  
H<sub>2</sub>O Added By Request/Authorized By**

GAL X \_\_\_\_\_

WEIGHMASTER

**NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.**

LOAD RECEIVED BY:

X *M.S. Cole*

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
9.00	WELL	WELL (10 SACKS PER UNIT)	9.00	
<del>1.75</del> 1.75	TRUCKING	TRUCKING CHARGE	2.50	
9.00	MIX&HAUL	MIXING & HAULING	9.00	

**RECEIVED  
JAN 16 2013  
KCC WICHITA**

*\$459.00  
\$87.50  
\$225.00*

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
10:10	9:27	9:19	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
8:21	9:05	9:10		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME
1.75				

*TAX \$ 60.18*  
**ADDITIONAL CHARGE 1**  
**ADDITIONAL CHARGE 2**  
**GRAND TOTAL** *\$831.68*