KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION



Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 09267	API No. 15 - 003-25492 - 00 - 00
Name: JRC Oil Company, Inc.	Spot Description:
Address 1: P. O. Box 426	NE_SE_NW_NW_Sec33_Twp20_S. R21_ FEast West
Address 2: 24110 NE Vermont Road	4,435 Feet from North / South Line of Section
City: Garnett State: Kansas Zip: 66032 + 0426	3,970 Feet from Feet from East / West Line of Section
Contact Person: Mike Colvin	Footages Calculated from Nearest Outside Section Corner:
Phone: (□ NE □NW ☑SE □SW
CONTRACTOR: License # 32079 JAN 2 3 2013	County: Anderson
Name: John E. Leis	Lease Name: Cleveland Well #: CZ-44
Wellsite Geologist: None KCC WICHITA	Field Name: Bush City Shoestring
Purchaser:Pacer	Producing Formation: Squirrel Sandstone
Designate Type of Completion:	Elevation: Ground: 999' Kelly Bushing: NA
✓ New Well Re-Entry Workover	Total Depth: 731' Plug Back Total Depth: 726'
☐ Oil ☐ WSW ☐ SWD ☑ SIOW	Amount of Surface Pipe Set and Cemented at:Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to: Surface w/ 90 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	os depuir to.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
ENHR Permit #:	QuarterSec TwpS. R East West
GSW Permit #:	County: Permit #:
May 25, 2012 May 26, 2012 June 1, 2012	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information suested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
am the affiant and I hereby certify that all requirements of the statutes, rules and r ations promulgated to regulate the oil and gas industry have been fully complied	i I attac of Confidentiality Decained

and the statements herein are complete and correct to the best of my knowledge. Signature: Title: Vice President

December 30, 2012 Date: _

Confidential Release Date:

☐ Wireline Log Received

Geologist Report Received UIC Distribution

Side Two

Operator Name:JRC	erator Name: JRC Oil Company, Inc.		Lease Name: _	Lease Name: Cleveland		Well #: C	Z-44
Sec. 33 Twp.20		East West County:		۸.	nderson		
time tool open and clos-	ed, flowing and shut if gas to surface tes	base of formations pend- in pressures, whether shat, along with final chart(swell site report.	nut-in pressure rea	ched static level	, hydrostatic pressu	res, bottom h	note temperature, fluid
Drill Stem Tests Taken (Attach Additional Sh	reets)	☐ Yes 🗸 No		_og Formatio	ın (Top), Depth and	l Datum	Sample
Samples Sent to Geolo	gical Survey	Yes No	Nar See a	ne attached driller's	log.	Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	Electronically	☐ Yes			J		
List All E. Logs Run:							
		CASING Report all strings set-c	_	lew Used	tion etc		
Purpose of String	Size Hote Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10-1/4"	7*	20	21'	Portland "A"		
Production	5-5/8"	2-7/8*	6.5	728'	28' Portland "A" 90		None
		ADDITIONAL	CEMENTING / SQ	USEZE RECORD	<u></u>		
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used				
Protect Casing Plug Back TD Plug Off Zone				<u></u>			
Shots Per Foot	PERFORATION Specify F	ON RECORD - Bridge Plug ootage of Each Interval Perf	s Set/Type forated		acture, Shot, Cement imount and Kind of Mat		rd Depth
					<u></u>		
							_
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed F June 1, 2012	roduction, SWD or EN	HR. Producing Meth		Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	Oil £	Bbls. Gas	Mcf Wa	ater E	Bbls. G	ias-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		METHOD OF COMPI	ETION:		PRODUCTI	ON INTERVAL:
Vented Sold	Used on Lease	Open Hole			mmingled bmit ACO-4)		
(If vented, Submit ACO-18.) Other (Specify)							

Operator License #: 9267	API#: 15-003-25492-00-00					
Operator: JRC Oil Company, Inc.	Lease: Cleveland					
Address: PO Box 426 Garnett, KS 66032	Well #: CZ-44					
Phone: (785) 448-8112	Spud Date: 5/25/12 Completed: 5/26/12					
Contractor License: 32079	Location: SE-SE-NE-NW of 33-20S-21E					
T.D.: 731 T.D. of Pipe: 728	4125 Feet From South					
Surface Pipe Size: 7" Depth: 21'	3970 Feet From East					
Kind of Well: Oil	County: Anderson					

LOG

Thickness	Strata	From	To	Thickness	Strata	From	То
4	Soil	0	4	9	Lime	544	553
2	Clay	4	6	18	Shale	553	571
38	Shale	6	44	2	Lime	571	573
24	Lime	44	68	2	Shale	573	575
22	Shale	68	90	2	Lime	575	577
3	Lime	90	93	13	Shale	577	590
3	Shale	93	96	2	Lime	590	592
2	Lime	96	98	18	Shale	592	610
18	Shale	98	116	47	Oil Sand/fair bld	610	657
11	Lime	116	127	74	Shale	657	731
19	Shale	127	146				
11	Lime	146	157				
5	Shale	157	162				
39	Lime	162	201				
6	Shale	201	207				
23	Lime	207	230		T.D.		731
6	Shale	230	236		T.D. of Pipe		728
8	Lime	236	244				
169	Shale	244	413				_
3	Lime	413	416				
8	Shale	416	424				
2	Lime	424	426				
4	Shale	426	430				
10	Lime	430	440				
51	Shale	440	491				
16	Lime	491	507				
10	Shale	507	517				
4	Lime	517	521				
23	Shale	521	544				

802 N. Industrial Rd. P.O. Box 664 Mola. Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

GARNETT KS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, under truck's own power. Due to delivery at owners or intermediary's circitoris, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

J.R.C. OIL COMPANY, INC. 25558 NE WILSON RD.

JR11/24 JRC OIL CO., INC/P.O. BOX 426 169 N to 1400 E TO TEE N 1 MI TO 1500 E 2 MI TO WILSON N 1 MI WEST TO RIG

55032-9520 ROPNETT KE EERSO-049E

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				% CAL	JE	% AIR	
12:12:07p	WELL	9.00 yd	18.00 yd	0.00	35	0.00	ANDCO
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	To Date	3	27.00 yd	1		200	
06-01-12	Today	3	27.00 yd	20757	G/yd 0.0	4.00 in	31706

WARNING **IRRITATING TO THE SKIN AND EYES** Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY

CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY,

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR. CODE

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional considera tion, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order. SIGNED

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE

UNIT PRICE

EXTENDED PRICE

9.00 WELL 2.00 TRUCKING 9.00 MIX & HAUL

QUANTITY

WELL (10 SACKS PER UNIT)

TRUCKING CHARGE

DESCRIPTION

MIXING & HAULING

27.00 4.50

27.00

RECEIVED \$225,00 AN 23 2013 \$100.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	ATILIO
120	155		JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CITATION COLORNT COLORNT	KCC	WICHITA
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	- Tox 9 1 115
120	110	24			ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
2HR-					GRAND TOTAL 845,15